

LED Lighting Catalog

Platinum Supplies • 1,579 items • Call (718) 331-3000 or email joseph@platinumsupplies.com for pricing and contractor quantities.

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS21350	A15 7W 2700K	A15	7	600	2700K	WARM WHITE	90	TRIAC	E26	3.46"	120V	50
PS21351	A15 7W 3000K	A15	7	600	3000K	SOFT WHITE	90	TRIAC	E26	3.46"	120V	50
PS21352	A15 7W 4000K	A15	7	600	4000K	COOL WHITE	90	TRIAC	E26	3.46"	120V	50
PS21353	A15 7W 5000K	A15	7	600	5000K	BRIGHT WHITE	90	TRIAC	E26	3.46"	120V	50
PS21400	PAR16 5.5W 2700K	PAR16	5.5	450	2700K	WARM WHITE	80	TRIAC	E26	2.76"	120V	100
PS21401	PAR16 5.5W 3000K	PAR16	5.5	450	3000K	SOFT WHITE	80	TRIAC	E26	2.76"	120V	100
PS21402	PAR16 5.5W 4000K	PAR16	5.5	450	4100K	COOL WHITE	80	TRIAC	E26	2.76"	120V	100
PS21403	PAR16 5.5W 5000K	PAR16	5.5	450	5000K	BRIGHT WHITE	80	TRIAC	E26	2.76"	120V	100
PS21404	MR16 GX5.3 6.5W 2700K	MR16	6.5	500	2700K	WARM WHITE	80	TRIAC	GX5.3	1.97"	12V	100
PS21405	MR16 GX5.3 6.5W 3000K	MR16	6.5	500	3000K	SOFT WHITE	80	TRIAC	GX5.3	1.97"	12V	100
PS21406	MR16 GX5.3 6.5W 4000K	MR16	6.5	500	4000K	COOL WHITE	80	TRIAC	GU5.3	1.97"	12V	100
PS21407	MR16 GX5.3 6.5W 5000K	MR16	6.5	500	5000K	BRIGHT WHITE	80	TRIAC	GX5.3	1.97"	12V	100
PS21408	MR16 GX5.3 6.5W 3500K	MR16	6.5	500	3500K	NATURAL	80	TRIAC	GX5.3	1.97"	12V	100
PS21420	A19 9W 2700K	A19	9	800	2700K	WARM WHITE	90	TRIAC	E26	4.25"	120V	50
PS21421	A19 9W 3000K	A19	9	800	3000K	SOFT WHITE	90	TRIAC	E26	4.25"	120V	50
PS21422	A19 9W 4000K	A19	9	800	4000K	COOL WHITE	90	TRIAC	E26	4.25"	120V	50
PS21423	A19 9W 5000K	A19	9	800	5000K	BRIGHT WHITE	90	TRIAC	E26	4.25"	120V	50
PS21424	A19 9W 3500K	A19	9	800	3500K	NATUAL	90	TRIAC	E26	4.25"	120V	50
PS21425	A19 9W 2700K - 4 PACK	A19	9	800	2700K	WARM WHITE	90	TRIAC	E26	4.25"	120V	48
PS21426	A19 9W 3000K - 4 PACK	A19	9	800	3000K	SOFT WHITE	90	TRIAC	E26	4.25"	120V	48
PS21427	A19 9W 4000K - 4 PACK	A19	9	800	4000K	COOL WHITE	90	TRIAC	E26	4.25"	120V	48
PS21428	A19 9W 5000K - 4 PACK	A19	9	800	5000K	BRIGHT WHITE	90	TRIAC	E26	4.25"	120V	48
PS21430	A19 11W 2700K	A19	11	1100	2700K	WARM WHITE	90	TRIAC	E26	4.25"	120V	50
PS21431	A19 11W 3000K	A19	11	1100	3000K	SOFT WHITE	90	TRIAC	E26	4.25"	120V	50
PS21432	A19 11W 4000K	A19	11	1100	4000K	COOL WHITE	90	TRIAC	E26	4.25"	120V	50
PS21433	A19 11W 5000K	A19	11	1100	5000K	BRIGHT WHITE	90	TRIAC	E26	4.25"	120V	50
PS21434	A19 11W 3500K	A19	11	1100	3500K	NATUAL	90	TRIAC	E26	4.25"	120V	50
PS21440	A19 15W 2700K	A19	15	1600	2700K	WARM WHITE	90	TRIAC	E26	4.60"	120V	50
PS21441	A19 15W 3000K	A19	15	1600	3000K	SOFT WHITE	90	TRIAC	E26	4.60"	120V	50
PS21442	A19 15W 4000K	A19	15	1600	4000K	COOL WHITE	90	TRIAC	E26	4.60"	120V	50
PS21443	A19 15W 5000K	A19	15	1600	5000K	BRIGHT WHITE	90	TRIAC	E26	4.60"	120V	50
PS21444	A19 15W 3500K	A19	15	1600	3500K	NATURAL	90	TRIAC	E26	4.60"	120V	50
PS21445	A19 15W 2700K - 4 PACK	A19	15	1600	2700K	WARM WHITE	90	TRIAC	E26	4.60"	120V	48
PS21446	A19 15W 3000K - 4 PACK	A19	15	1600	3000K	SOFT WHITE	90	TRIAC	E26	4.60"	120V	48
PS21447	A19 15W 4000K - 4 PACK	A19	15	1600	4000K	COOL WHITE	90	TRIAC	E26	4.60"	120V	48
PS21448	A19 15W 5000K - 4 PACK	A19	15	1600	5000K	BRIGHT WHITE	90	TRIAC	E26	4.60"	120V	48
PS21450	A21 22W 2700K	A21	22	2550	2700K	WARM WHITE	90	TRIAC	E26	5.47"	120V	50
PS21451	A21 22W 3000K	A21	22	2550	3000K	SOFT WHITE	90	TRIAC	E26	5.47"	120V	50
PS21452	A21 22W 4000K	A21	22	2550	4000K	COOL WHITE	90	TRIAC	E26	5.47"	120V	50
PS21453	A21 22W 5000K	A21	22	2550	5000K	BRIGHT WHITE	90	TRIAC	E26	5.47"	120V	50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS21454	A21 22W 3500K	A21	22	2550	3500K	NATURAL	90	TRIAC	E26	5.47"	120V	50
PS21455	A23 33W 2700K	A23	33	4000	2700K	WARM WHITE	80	TRIAC	E26	6.57"	120V	24
PS21456	A23 33W 3000K	A23	33	4000	3000K	SOFT WHITE	80	TRIAC	E26	6.57"	120V	24
PS21457	A23 33W 3500K	A23	33	4000	3500K	NATURAL	80	TRIAC	E26	6.57"	120V	24
PS21458	A23 33W 4000K	A23	33	4000	4000K	COOL WHITE	80	TRIAC	E26	6.57"	120V	24
PS21459	A23 33W 5000K	A23	33	4000	5000K	BRIGHT WHITE	80	TRIAC	E26	6.57"	120V	24
PS21460	A19 9W 2700K	A19	9	800	2700K	WARM WHITE	90	TRIAC	GU24	4.25"	120V	50
PS21461	A19 9W 3000K	A19	9	800	3000K	SOFT WHITE	90	TRIAC	GU24	4.25"	120V	50
PS21462	A19 9W 4000K	A19	9	800	4000K	COOL WHITE	90	TRIAC	GU24	4.25"	120V	50
PS21463	A19 9W 5000K	A19	9	800	5000K	BRIGHT WHITE	90	TRIAC	GU24	4.25"	120V	50
PS21466	60W A19 GU24 - 5 CCT SELECTABLE	A19	9	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	GU24	4.17"	120V	100
PS21471	A19 9W 3000K DUSK TO DAWN	A19	9	800	3000K	SOFT WHITE	80		E26	4.25"	120V	50
PS21473	A19 9W 5000K DUSK TO DAWN	A19	9	800	5000K	BRIGHT WHITE	80		E26	4.25"	120V	50
PS21475	60W A19 - 5 CCT SELECTABLE	A19	9	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.25"	120V	100
PS21476	60W A19 5CCT SELECTABLE - 4 PACK	A19	9	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.25"	120V	80
PS21477	75W A19 - 5 CCT SELECTABLE	A19	11	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.56"	120V	100
PS21478	75W A19 -5 CCT SELECTABLE - 4 PACK	A19	11	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.56"	120V	80
PS21479	100W A19 - 5 CCT SELECTABLE	A19	15	1600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.56"	120V	100
PS21480	100W A19 5 CCT SELECTABLE - 4 PACK	A19	15	1600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.56"	120V	80
PS21481	A19 9W 3000K DUSK TO DAWN + PIR	A19	9	800	3000K	SOFT WHITE	80		E26	4.52"	120V	50
PS21483	A19 9W 5000K DUSK TO DAWN + PIR	A19	9	800	5000K	BRIGHT WHITE	80		E26	4.52"	120V	50
PS21490	A19 8W YELLOW	A19	8		YELLOW	YELLOW			E26	4.25"	120V	50
PS21491	A19 8W BLUE	A19	8		BLUE	BLUE			E26	4.25"	120V	50
PS21492	A19 8W GREEN	A19	8		GREEN	GREEN			E26	4.25"	120V	50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS21494	A19 8W PURPLE	A19	8		PURPLE	PURPLE			E26	4.25"	120V	50
PS21495	A19 8W RED	A19	8		RED	RED			E26	4.25"	120V	50
PS21500	MR16 GU10 6.5W 2700K	MR16	6.5	500	2700K	WARM WHITE	80	TRIAC	GU10	2.15"	120V	100
PS21501	MR16 GU10 6.5W 3000K	MR16	6.5	500	3000K	SOFT WHITE	80	TRIAC	GU10	2.15"	120V	100
PS21502	MR16 GU10 6.5W 4000K	MR16	6.5	500	4000K	COOL WHITE	80	TRIAC	GU10	2.15"	120V	100
PS21503	MR16 GU10 6.5W 5000K	MR16	6.5	500	5000K	COOL WHITE	80	TRIAC	GU10	2.15"	120V	100
PS21504	MR16 GU10 6.5W - CCT SELECTABLE	MR16	6.5	500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	GU10	2.28"	120V	100
PS21530	A19 8W 2700K - 8 PACK	A19	8	800	2700K	WARM WHITE	80		E26	4.11"	120V	96
PS21531	A19 8W 3000K - 8 PACK	A19	8	800	3000K	SOFT WHITE	80		E26	4.11"	120V	96
PS21532	A19 8W 3500K - 8 PACK	A19	8	800	3500K	NATURAL	80		E26	4.11"	120V	96
PS21533	A19 8W 4000K - 8 PACK	A19	8	800	4000K	COOL WHITE	80		E26	4.11"	120V	96
PS21534	A19 8W 5000K - 8 PACK	A19	8	800	5000K	BRIGHT WHITE	80		E26	4.11"	120V	96
PS21535	A19 9.5W 2700K - 8 PACK	A19	9.5	1100	2700K	WARM WHITE	80		E26	4.11"	120V	96
PS21536	A19 9.5W 3000K - 8 PACK	A19	9.5	1100	3000K	SOFT WHITE	80		E26	4.11"	120V	96
PS21537	A19 9.5W 3500K - 8 PACK	A19	9.5	1100	3500K	NATURAL	80		E26	4.11"	120V	96
PS21538	A19 9.5W 4000K - 8 PACK	A19	9.5	1100	4000K	COOL WHITE	80		E26	4.11"	120V	96
PS21539	A19 9.5W 5000K - 8 PACK	A19	9.5	1100	5000K	BRIGHT WHITE	80		E26	4.11"	120V	96
PS21540	A19 12.5W 2700K - 8 PACK	A19	12.5	1500	2700K	WARM WHITE	80		E26	4.56"	120V	96
PS21541	A19 12.5W 3000K - 8 PACK	A19	12.5	1500	3000K	SOFT WHITE	80		E26	4.56"	120V	96
PS21542	A19 12.5W 3500K - 8 PACK	A19	12.5	1500	3500K	NATURAL	80		E26	4.56"	120V	96
PS21543	A19 12.5W 4000K - 8 PACK	A19	12.5	1500	4000K	COOL WHITE	80		E26	4.56"	120V	96
PS21544	A19 12.5W 5000K - 8 PACK	A19	12.5	1500	5000K	BRIGHT WHITE	80		E26	4.56"	120V	96
PS21552	4W TORPEDO E12 2700K WHITE	CTC B11	4	400	2700K	WARM WHITE	80	TRIAC	E12	3.77"	120V	60
PS21553	4W FLAME TIP E12 2700K WHITE	CFC CA11	4	400	2700K	WARM WHITE	80	TRIAC	E12	4.09"	120V	60
PS21562	5W TORPEDO E12 2700K WHITE	CTC B11	5	450	2700K	WARM WHITE	80	TRIAC	E12	3.77"	120V	60
PS21563	5W FLAME TIP E12 2700K WHITE	CFC CA11	5	550	2700K	WARM WHITE	80	TRIAC	E12	4.09"	120V	60
PS21572	4W TORPEDO E12 2700K	CTC B11	4	400	2700K	WARM WHITE	80	TRIAC	E12	3.77"	120V	60
PS21573	4W FLAME TIP E12 2700K	CFC CA11	4	400	2700K	WARM WHITE	80	TRIAC	E12	4.09"	120V	60
PS21574	4W TORPEDO E12 3000K	CTC B11	4	400	3000K	SOFT WHITE	80	TRIAC	E12	3.77"	120V	60
PS21575	4W FLAME TIP E12 3000K	CFC CA11	4	400	3000K	SOFT WHITE	80	TRIAC	E12	4.09"	120V	60
PS21576	4W TORPEDO E12 4000K	CTC B11	4	400	4000K	COOL WHITE	80	TRIAC	E12	3.77"	120V	60
PS21577	4W FLAME TIP E12 4000K	CFC CA11	4	400	4000K	COOL WHITE	80	TRIAC	E12	4.09"	120V	60
PS21578	4W TORPEDO E12 5000K	CTC B11	4	400	5000K	BRIGHT WHITE	80	TRIAC	E12	3.77"	120V	60
PS21579	4W FLAME TIP E12 5000K	CFC CA11	4	400	5000K	BRIGHT WHITE	80	TRIAC	E12	4.09"	120V	60
PS21592	5W TORPEDO E12 2700K	CTC B11	5	500	2700K	WARM WHITE	80	TRIAC	E12	3.77"	120V	60
PS21593	5W FLAME TIP E12 2700K	CFC CA11	5	500	2700K	WARM WHITE	80	TRIAC	E12	4.09"	120V	60
PS21594	5W TORPEDO E12 3000K	CTC B11	5	500	3000K	SOFT WHITE	80	TRIAC	E12	3.77"	120V	60
PS21595	5W FLAME TIP E12 3000K	CFC CA11	5	500	3000K	SOFT WHITE	80	TRIAC	E12	4.09"	120V	60
PS21596	5W TORPEDO E12 4000K	CTC B11	5	500	4000K	COOL WHITE	80	TRIAC	E12	3.77"	120V	60
PS21597	5W FLAME TIP E12 4000K	CFC CA11	5	500	4000K	COOL WHITE	80	TRIAC	E12	4.09"	120V	60

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS21598	5W TORPEDO E12 5000K	CTC B11	5	500	5000K	BRIGHT WHITE	80	TRIAC	E12	3.77"	120V	60
PS21599	5W FLAME TIP E12 5000K	CFC CA11	5	500	5000K	BRIGHT WHITE	80	TRIAC	E12	4.09"	120V	60
PS21602	5W TORPEDO E26 2700K	ETC B11	5	550	2700K	WARM WHITE	80	TRIAC	E26	3.77"	120V	30
PS21608	5W TORPEDO E26 5000K	ETC B11	5	550	5000K	BRIGHT WHITE	80	TRIAC	E26	3.77"	120V	30
PS21609	A19 8W 3500K FILAMENT	A19	8	800	3500K	NATURAL	80	TRIAC	E26	4.33"	120V	60
PS21610	G16.5 4W E12 2700K	G16.5	4	400	2700K	WARM WHITE	80	TRIAC	E12	3.30"	120V	50
PS21611	G16.5 4W E12 5000K	G16.5	4	400	5000K	BRIGHT WHITE	80	TRIAC	E12	3.30"	120V	50
PS21612	A19 8W 2700K FILAMENT	A19	8	800	2700K	WARM WHITE	80	TRIAC	E26	4.29"	120V	50
PS21613	A19 8W 3000K FILAMENT	A19	8	800	3000K	SOFT WHITE	80	TRIAC	E26	4.29"	120V	50
PS21614	A19 8W 5000K FILAMENT	A19	8	800	5000K	BRIGHT WHITE	80	TRIAC	E26	4.29"	120V	50
PS21616	ST19 5W E26 2700K	ST19	5	550	2700K	WARM WHITE	80	TRIAC	E26	5.39"	120V	50
PS21619	G25 5W E26 2700K	G25	5	550	2700K	WARM WHITE	80	TRIAC	E26	4.60"	120V	50
PS21620	G25 5W E26 5000K	G25	5	550	5000K	BRIGHT WHITE	80	TRIAC	E26	4.60"	120V	50
PS21621	A19 9.5W FILAMENT - 4CCT SELECTABLE	A19	9.5	1050	2700K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.29"	120V	60
PS21622	T6.5 5W E12 2700K	T6.5	5	500	2700K	WARM WHITE	80	TRIAC	E26	3.46"	120V	50
PS21623	A15 4W 2700K FILAMENT	A15	4	350	2700K	WARM WHITE	80	TRIAC	E26	3.46"	120V	50
PS21625	T9 5W E26 2700K	T9	5	500	2700K	WARM WHITE	80	TRIAC	E26	5.70"	120V	60
PS21626	T10 5W E26 2700K	T10	5	500	2700K	WARM WHITE	80	TRIAC	E26	4.96"	120V	50
PS21627	T10 5W E26 3000K	T10	5	500	3000K	SOFT WHITE	80	TRIAC	E26	4.96"	120V	50
PS21628	T10 5W E26 4000K	T10	5	500	4000K	COOL WHITE	80	TRIAC	E26	5.35"	120V	60
PS21632	7W TORPEDO E12 2700K	CTC B11	7	800	2700K	WARM WHITE	80	TRIAC	E12	3.97"	120V	60
PS21633	7W FLAME TIP E12 2700K	CFC CA11	7	800	2700K	WARM WHITE	80	TRIAC	E12	4.25"	120V	60
PS21634	7W TORPEDO E12 3000K	CTC B11	7	800	3000K	SOFT WHITE	80	TRIAC	E12	3.97"	120V	60
PS21635	7W FLAME TIP E12 3000K	CFC CA11	7	800	3000K	SOFT WHITE	80	TRIAC	E12	4.25"	120V	60
PS21636	7W TORPEDO E12 4000K	CTC B11	7	800	4000K	COOL WHITE	80	TRIAC	E12	3.97"	120V	60
PS21637	7W FLAME TIP E12 4000K	CFC CA11	7	800	4000K	COOL WHITE	80	TRIAC	E12	4.25"	120V	60
PS21638	7W TORPEDO E12 5000K	CTC B11	7	800	5000K	BRIGHT WHITE	80	TRIAC	E12	3.97"	120V	60
PS21639	7W FLAME TIP E12 5000K	CFC CA11	7	800	5000K	BRIGHT WHITE	80	TRIAC	E12	4.25"	120V	60
PS21643	T6.5 5W E12 3500K	T6.5	5	500	3500K	NATURAL	80	TRIAC	E12	3.46"	120V	60
PS21645	5W TORPEDO E12 3500K	CTC B11	5	550	3500K	NATURAL	80	TRIAC	E12	3.77"	120V	60
PS21646	5W FLAME TIP E12 3500K	CFC CA11	5	550	3500K	NATURAL	80	TRIAC	E12	4.09"	120V	60
PS21648	7W TORPEDO E12 3500K	CTC B11	7	800	3500K	NATURAL	80	TRIAC	E12	3.97"	120V	60
PS21649	7W FLAME TIP E12 3500K	CFC CA11	7	800	3500K	NATURAL	80	TRIAC	E12	4.25"	120V	60
PS21650	ST19 8W E26 2700K	ST19	8	800	2700K	WARM WHITE	80	TRIAC	E26	5.39"	120V	60
PS21651	ST19 8W E26 3000K	ST19	8	800	3000K	SOFT WHITE	80	TRIAC	E26	5.39"	120V	60
PS21652	ST19 8W E26 4000K	ST19	8	800	4000K	COOL WHITE	80	TRIAC	E26	5.39"	120V	60
PS21653	ST19 8W E26 5000K	ST19	8	800	5000K	BRIGHT WHITE	80	TRIAC	E26	5.39"	120V	60
PS21654	T9 5W E26 3000K	T9	5	550	3000K	SOFT WHITE	80	TRIAC	E26	5.70"	120V	60
PS21655	T9 5W E26 4000K	T9	5	550	4000K	COOL WHITE	80	TRIAC	E26	5.70"	120V	60
PS21656	T9 5W E26 5000K	T9	5	550	5000K	BRIGHT WHITE	80	TRIAC	E26	5.70"	120V	60
PS21657	T6.5 5W E12 3000K	T6.5	5	500	3000K	SOFT WHITE	80	TRIAC	E12	3.46"	120V	60

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS21658	T6.5 5W E12 4000K	T6.5	5	500	4000K	COOL WHITE	80	TRIAC	E12	3.46"	120V	60
PS21659	T6.5 5W E12 5000K	T6.5	5	500	5000K	BRIGHT WHITE	80	TRIAC	E12	3.46"	120V	60
PS21661	A19 12W E26 3000K FILAMENT	A19	12W	1600	3000K	SOFT WHITE	80	YES	E26	4.29"	120V	60
PS21662	A19 12W E26 4000K FILAMENT	A19	12W	1600	4000K	COOL WHITE	80	YES	E26	4.29"	120V	60
PS21663	A19 12W E26 5000K FILAMENT	A19	12W	1600	5000K	COOL WHITE	80	YES	E26	4.29"	120V	60
PS21664	A19 12W E26 3500K FILAMENT	A19	12W	1600	3500K	NATURAL	80	YES	E26	4.29"	120V	60
PS21665	T9 LONG 7W E26 2700K	T9 LONG	7	800	2700K	WARM WHITE	80	TRIAC	E26	11.81"	120V	24
PS21666	T9 LONG 7W E26 3000K	T9 LONG	7	800	3000K	SOFT WHITE	80	TRIAC	E26	11.81"	120V	24
PS21667	T9 LONG 7W E26 3500K	T9 LONG	7	800	3500K	NATURAL	80	TRIAC	E26	11.81"	120V	24
PS21668	T9 LONG 7W E26 4000K	T9 LONG	7	800	4000K	COOL WHITE	80	TRIAC	E26	11.81"	120V	24
PS21669	T9 LONG 7W E26 5000K	T9 LONG	7	800	5000K	BRIGHT WHITE	80	TRIAC	E26	11.81"	120V	24
PS21670	4.5W CRYSTAL FILAMENT CHANDELIER BULB - E12 2700K	HX10.5	4.5W	500	2700K	WARM WHITE	80	TRIAC	E12	5.52"	120V	50
PS21671	4.5W CRYSTAL FILAMENT CHANDELIER BULB - E12 3000K	HX10.5	4.5W	500	3000K	SOFT WHITE	80	TRIAC	E12	5.52"	120V	50
PS21672	4.5W CRYSTAL FILAMENT CHANDELIER BULB - E12 4000K	HX10.5	4.5W	500	4000K	COOL WHITE	80	TRIAC	E12	5.52"	120V	50
PS21673	4.5W CRYSTAL FILAMENT CHANDELIER BULB - E12 5000K	HX10.5	4.5W	500	5000K	BRIGHTWHITE	80	TRIAC	E12	5.52"	120V	50
PS21680	A19 60W - 5CCT SELECTABLE WHITE FILAMENT	A19	7	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC	E26	4.72"	120V	24
PS21685	ST19 60W - 5CCT SELECTABLE WHITE FILAMENT	ST19	4.5	500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC	E26	6.10"	120V	24
PS21686	ST19 75W - 5CCT SELECTABLE WHITE FILAMENT	ST19	7	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC	E26	6.10"	120V	24
PS21688	G25 60W - 5CCT SELECTABLE WHITE FILAMENT	G25	4.5	500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC	E26	5.19"	120V	24
PS21690	A15 8.5W E26 2700K FILAMENT	A15	8.5W	750	2700K	WARM WHITE	90	YES	E26	3.46"	120V	50
PS21691	A15 8.5W E26 3000K FILAMENT	A15	8.5W	750	3000K	SOFT WHITE	90	YES	E26	3.46"	120V	50
PS21692	A15 8.5W E26 3500K FILAMENT	A15	8.5W	750	3500K	NATURAL	90	YES	E26	3.46"	120V	50
PS21693	A15 8.5W E26 4000K FILAMENT	A15	8.5W	750	4000K	COOL WHITE	90	YES	E26	3.46"	120V	50
PS21694	A15 8.5W E26 5000K FILAMENT	A15	8.5W	750	5000K	BRIGHT WHITE	90	YES	E26	3.46"	120V	50
PS21710	CTC 8W E12 2700K FILAMENT	CTC	8W	1000	2700K	WARM WHITE	80	TRIAC	E12	4.48"	120V	50
PS21711	CTC 8W E12 3000K FILAMENT	CTC	8W	1000	3000K	SOFT WHITE	80	TRIAC	E12	4.48"	120V	50
PS21712	CTC 8W E12 3500K FILAMENT	CTC	8W	1000	3500K	NATURAL	80	TRIAC	E12	4.48"	120V	50
PS21713	CTC 8W E12 4000K FILAMENT	CTC	8W	1000	4000K	COOL	80	TRIAC	E12	4.48"	120V	50
PS21714	CTC 8W E12 5000K FILAMENT	CTC	8W	1000	5000K	BRIGHT WHITE	80	TRIAC	E12	4.48"	120V	50
PS21720	A19 4.5W RED FILAMENT	A19	4.5		RED	RED			E26	4.05"	120V	50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS21721	A19 4.5W PURPLE FILAMENT	A19	4.5		PURPLE	PURPLE			E26	4.05"	120V	50
PS21722	A19 4.5W GREEN FILAMENT	A19	4.5		GREEN	GREEN			E26	4.05"	120V	50
PS21723	A19 4.5W BLUE FILAMENT	A19	4.5		BLUE	BLUE			E26	4.05"	120V	50
PS21725	A19 4.5W YELLOW FILAMENT	A19	4.5		YELLOW	YELLOW			E26	4.05"	120V	50
PS21726	A19 4.5W ORANGE FILAMENT	A19	4.5		ORANGE	ORANGE			E26	4.05"	120V	50
PS21729	A19 6W BLACK LIGHT	A19	6		BLACK LIGHT	BLACK LIGHT			E26	4.13"	120V	50
PS21730	S14 0.5W RED FILAMENT	S14	0.5		RED	RED			E26	3.26"	120V	50
PS21731	S14 0.5W PURPLE FILAMENT	S14	0.5		PURPLE	PURPLE			E26	3.26"	120V	50
PS21732	S14 0.5W GREEN FILAMENT	S14	0.5		GREEN	GREEN			E26	3.26"	120V	50
PS21733	S14 0.5W BLUE FILAMENT	S14	0.5		BLUE	BLUE			E26	3.26"	120V	50
PS21735	S14 0.5W YELLOW FILAMENT	S14	0.5		YELLOW	YELLOW			E26	3.26"	120V	50
PS21736	S14 0.5W ORANGE FILAMENT	S14	0.5		ORANGE	ORANGE			E26	3.26"	120V	50
PS21740	E12 4.5W RED FILAMENT TORPEDO	CTC B11	4.5		RED	RED			E12	3.97"	120V	50
PS21741	E12 4.5W PURPLE FILAMENT TORPEDO	CTC B11	4.5		PURPLE	PURPLE			E12	3.97"	120V	50
PS21742	E12 4.5W GREEN FILAMENT TORPEDO	CTC B11	4.5		GREEN	GREEN			E12	3.97"	120V	50
PS21743	E12 4.5W BLUE FILAMENT TORPEDO	CTC B11	4.5		BLUE	BLUE			E12	3.97"	120V	50
PS21745	E12 4.5W YELLOW FILAMENT TORPEDO	CTC B11	4.5		YELLOW	YELLOW			E12	3.97"	120V	50
PS21746	E12 4.5W ORANGE FILAMENT TORPEDO	CTC B11	4.5		ORANGE	ORANGE			E12	3.97"	120V	50
PS21750	C7 0.5W RED	C7	0.5		RED	RED	80		E12	1.96"	120V	100
PS21751	C7 0.5W PURPLE	C7	0.5		PURPLE	PURPLE	80		E12	1.96"	120V	100
PS21752	C7 0.5W GREEN	C7	0.5		GREEN	GREEN	80		E12	1.96"	120V	100
PS21753	C7 0.5W BLUE	C7	0.5		BLUE	BLUE	80		E12	1.96"	120V	100
PS21754	C7 0.5W PINK	C7	0.5		PINK	PINK	80		E12	1.96"	120V	100
PS21755	C7 0.5W YELLOW	C7	0.5		YELLOW	YELLOW	80		E12	1.96"	120V	100
PS21756	C7 0.5W ORANGE	C7	0.5		ORANGE	ORANGE	80		E12	1.96"	120	100
PS21760	3.5W E12 CTC CANDLE 2700K	CTC B11	3.5	300	2700K	WARM WHITE	90	TRIAC	E12	3.9"	120V	50
PS21761	3.5W E12 CTC CANDLE 3000K	CTC B11	3.5	300	3000K	SOFT WHITE	90	TRIAC	E12	3.9"	120V	50
PS21762	3.5W E12 CTC CANDLE 3500K	CTC B11	3.5	300	3500K	NATURAL	90	TRIAC	E12	3.9"	120V	50
PS21763	3.5W E12 CTC CANDLE 4000K	CTC B11	3.5	300	4000K	COOL WHITE	90	TRIAC	E12	3.9"	120V	50
PS21764	3.5W E12 CTC CANDLE 5000K	CTC B11	3.5	300	5000K	BRIGHT WHITE	90	TRIAC	E12	3.9"	120V	50
PS21765	3.5W E12 CFC CANDLE 2700K	CFC CA11	3.5	300	2700K	WARM WHITE	90	TRIAC	E12	4.25"	120V	50
PS21766	3.5W E12 CFC CANDLE 3000K	CFC CA11	3.5	300	3000K	SOFT WHITE	90	TRIAC	E12	4.25"	120V	50
PS21767	3.5W E12 CFC CANDLE 3500K	CFC CA11	3.5	300	3500K	NATURAL	90	TRIAC	E12	4.25"	120V	50
PS21768	3.5W E12 CFC CANDLE 4000K	CFC CA11	3.5	300	4000K	COOL WHITE	90	TRIAC	E12	4.25"	120V	50
PS21769	3.5W E12 CFC CANDLE 5000K	CFC CA11	3.5	300	5000K	BRIGHT WHITE	90	TRIAC	E12	4.25"	120V	50
PS21770	5.5W E12 CTC CANDLE 2700K	CTC B11	5.5	500	2700K	WARM WHITE	90	TRIAC	E12	3.9"	120V	50
PS21771	5.5W E12 CTC CANDLE 3000K	CTC B11	5.5	500	3000K	SOFT WHITE	90	TRIAC	E12	3.9"	120V	50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS21772	5.5W E12 CTC CANDLE 3500K	CTC B11	5.5	500	3500K	NATURAL	90	TRIAC	E12	3.9"	120V	50
PS21773	5.5W E12 CTC CANDLE 4000K	CTC B11	5.5	500	4000K	COOL WHITE	90	TRIAC	E12	3.9"	120V	50
PS21774	5.5W E12 CTC CANDLE 5000K	CTC B11	5.5	500	5000K	BRIGHT WHITE	90	TRIAC	E12	3.9"	120V	50
PS21775	5.5W E12 CFC CANDLE 2700K	CFC CA11	5.5	500	2700K	WARM WHITE	90	TRIAC	E12	4.25"	120V	50
PS21776	5.5W E12 CFC CANDLE 3000K	CFC CA11	5.5	500	3000K	SOFT WHITE	90	TRIAC	E12	4.25"	120V	50
PS21777	5.5W E12 CFC CANDLE 3500K	CFC CA11	5.5	500	3500K	NATURAL	90	TRIAC	E12	4.25"	120V	50
PS21778	5.5W E12 CFC CANDLE 4000K	CFC CA11	5.5	500	4000K	COOL WHITE	90	TRIAC	E12	4.25"	120V	50
PS21779	5.5W E12 CFC CANDLE 5000K	CFC CA11	5.5	500	5000K	BRIGHT WHITE	90	TRIAC	E12	4.25"	120V	50
PS21780	A19 8.5W E26 2700K FILAMENT	A19	8.5W	800	2700K	WARM WHITE	90	YES	E26	4.13"	120V	24
PS21781	A19 8.5W E26 3000K FILAMENT	A19	8.5W	800	3000K	SOFT WHITE	90	YES	E26	4.13"	120V	24
PS21782	A19 8.5W E26 3500K FILAMENT	A19	8.5W	800	3500K	NATURAL	90	YES	E26	4.13"	120V	24
PS21783	A19 8.5W E26 4000K FILAMENT	A19	8.5W	800	4000K	COOL WHITE	90	YES	E26	4.13"	120V	24
PS21784	A19 8.5W E26 5000K FILAMENT	A19	8.5W	800	5000K	BRIGHT WHITE	90	YES	E26	4.13"	120V	24
PS22628	2" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	2" REGRESSED MINI PANEL	8	660	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		2"	120V	20
PS22630	3" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	3" REGRESSED MINI PANEL	10	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		3"	120V	12
PS22632	4" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	4" REGRESSED MINI PANEL	15	1300	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	12
PS22634	5" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	5" REGRESSED MINI PANEL	18	1600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		5"	120V	12
PS22636	6" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	6" REGRESSED MINI PANEL	18	1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	12
PS22637	2" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	2" REGRESSED MINI PANEL	8	660	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		2"	120V	20
PS22638	3" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	3" REGRESSED MINI PANEL	10	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		3"	120V	12
PS22640	4" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	4" REGRESSED MINI PANEL	15	1300	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	12

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS22642	5" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	5" REGRESSED MINI PANEL	18	1600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		5"	120V	12
PS22644	6" REGRESSED MINI PANEL 5CCT - HIGH OUTPUT	6" REGRESSED MINI PANEL	18	1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	12
PS22650	3" REGRESSED MINI PANEL BLACK TRIM REPLACEMENT	TRIM REPLACEMENT								3"		40
PS22652	4" REGRESSED MINI PANEL BLACK TRIM REPLACEMENT	TRIM REPLACEMENT								4"		40
PS22654	5" REGRESSED MINI PANEL BLACK TRIM REPLACEMENT	TRIM REPLACEMENT								5"		40
PS22656	6" REGRESSED MINI PANEL BLACK TRIM REPLACEMENT	TRIM REPLACEMENT								6"		40
PS22671	3" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	9/12	750/1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		3"	120-277V	12
PS22672	4" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	12/15/19	1000/1400/1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		4"	120-277V	12
PS22673	5" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	16/21/26	1500/2000/2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		5"	120-277V	12
PS22676	6" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	19/25/32	1800/2400/3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		6"	120-277V	12
PS22679	3" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	9/12	750/1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		3"	120-277V	12
PS22680	4" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	12/15/19	1000/1400/1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		4"	120-277V	12
PS22682	5" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	16/21/26	1500/2000/2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		5"	120-277V	12
PS22684	6" REGRESSED MINI PANEL - CCT & WATTAGE SELECTABLE - DUAL DIMMING/UNIVERSAL VOLTAGE	Regressed Mini Panel	19/25/32	1800/2400/3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		6"	120-277V	12

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS22740	4" SMART MINI PANEL RGB + TUNABLE WHITE - ROUND	4" SMART MINI PANEL	10.5	700	RGBW 2000-5000K	RGB + TUNABLE WHITE	90	VIA APP		4"	120V	20
PS22742	4" SMART MINI PANEL RGB + TUNABLE WHITE - SQUARE	4" SMART MINI PANEL	10.5	700	RGBW 2000-5000K	RGB + TUNABLE WHITE	90	VIA APP		4"	120V	20
PS22743		4" TRIM REPLACEMENT								4"		40
PS22745	6" SMART MINI PANEL RGB + TUNABLE WHITE - ROUND	6" SMART MINI PANEL	13	1000	RGBW 2000-5000K	RGB + TUNABLE WHITE	90	VIA APP		6"	120V	20
PS22748	6" SMART MINI PANEL RGB + TUNABLE WHITE - SQUARE	6" SMART PANEL	13	1000	RGBW 2000-5000K	RGB + TUNABLE WHITE	90	VIA APP		6"	120V	20
PS22832	4" REGRESSED MINI PANEL DIM TO WARM + 5CCT & 2 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING	4" REGRESSED MINI PANEL	8/10	600/900	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	24
PS22836	6" REGRESSED MINI PANEL DIM TO WARM + 5CCT & 2 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING	6" REGRESSED MINI PANEL	12/15	770/1150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		6"	120-277V	12
PS23043	5-6" DOWNLIGHT RETROFIT GIMBAL 5CCT	5-6" ROUND GIMBAL	11	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	5-6"	120V	4
PS23116	15" SURFACE MOUNT DUO SERIES WHITE/BLACK FINISH - 5CCT SELECTABLE	ROUND	28	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		15"	120V	6
PS23117	15" SURFACE MOUNT DUO SERIES WHITE/GOLD FINISH - 5CCT SELECTABLE	ROUND	28	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		15"	120V	6
PS23118	15" SURFACE MOUNT DUO SERIES BLACK/WHITE FINISH - 5CCT SELECTABLE	ROUND	28	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		15"	120V	6
PS23119	15" SURFACE MOUNT DUO SERIES BLACK/GOLD FINISH - 5CCT SELECTABLE	ROUND	28	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		15"	120V	6
PS23126	13" SURFACE MOUNT DECORATIVE - 5CCT SELECTABLE WHITE FINISH	DECO SERIES	28	1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		13"	120V	
PS23127	13" SURFACE MOUNT DECORATIVE - 5CCT SELECTABLE BLACK FINISH	DECO SERIES	28	1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		13"	120V	

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23128	13" SURFACE MOUNT DECORATIVE - 5CCT SELECTABLE BRUSHED NICKEL FINISH	DECO SERIES	28	1800	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		13"	120V	
PS23129	13" SURFACE MOUNT DECORATIVE - 5CCT SELECTABLE BLACK/GOLD FINISH	DECO SERIES	28	1800	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		13"	120V	
PS23136	11" FLUSH MOUNT ROUND FIXTURE - 5CCT SELECTABLE	SURFACE MOUNT	15	1050	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		11"	120V	4
PS23137	15" FLUSH MOUNT ROUND FIXTURE - 5CCT SELECTABLE	SURFACE MOUNT	25	1750	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		15"	120V	4
PS23138	19" FLUSH MOUNT ROUND FIXTURE - 5CCT SELECTABLE	SURFACE MOUNT	32	2200	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		19"	120V	4
PS23151	17" DECORATIVE FLUSH MOUNT - INTERCHANGEABLE CANOPY - 5CCT SELECTABLE	17" FLUSH MOUNT	34	2420	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		17"	120V	6
PS23152	17" DECORATIVE FLUSH MOUNT INTERCHANGEABLE CANOPY - BLACK/WHITE FINISH	CANOPY								17"		
PS23153	17" DECORATIVE FLUSH MOUNT INTERCHANGEABLE CANOPY - BLACK/GOLD FINISH	CANOPY								17"		
PS23154	17" DECORATIVE FLUSH MOUNT INTERCHANGEABLE CANOPY - WHITE/WHITE FINISH	CANOPY								17"		
PS23158	11" SURFACE MOUNT CLOUD ROUND 5CCT	11" ROUND PUFF	20	1500	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		11"	120V	8
PS23222	3" GIMBAL SQUARE 5CCT CANLESS SPOTLIGHT	3" GIMBAL	8	600	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS23227	3" REGRESSED RECESSED GIMBAL - HIGH OUTPUT	3" DEEP GIMBAL	12	900	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		3"	120V	18

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23228	4" REGRESSED RECESSED GIMBAL - HIGH OUTPUT	4" DEEP GIMBAL	18	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	18
PS23233	4" DOWNLIGHT RETROFIT GIMBAL 5CCT	4" ROUND GIMBAL	8	700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	4
PS23268	3" REGRESSED GIMBAL ROUND 5CCT CANLESS SPOTLIGHT	3" DEEP GIMBAL	8	600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS23269	4" REGRESSED GIMBAL ROUND 5CCT CANLESS SPOTLIGHT	4" DEEP GIMBAL	12	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	18
PS23270	1" REGRESSED RECESSED GIMBAL - HIGH OUTPUT	1" REGRESSED GIMBAL	12	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		1"	120V	20
PS23275	2" REGRESSED ROUND CANLESS SPOTLIGHT - 5 CCT SELECT	2" ROUND REGRESSED	8	600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	40
PS23277	2" REGRESSED SQUARE CANLESS SPOTLIGHT - 5 CCT SELECT	2" SQUARE REGRESSED	8	600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	40
PS23280	10" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL	DOUBLE RING	14	1120	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		10"	120V	10
PS23280+MS	10" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL +MS	DOUBLE RING	14	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			10"	120-277V	10
PS23281	12" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL	DOUBLE RING	14	1120	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		12"	120V	5
PS23281+MS	12" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL +MS	DOUBLE RING	14	1120	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			12"	120-277V	5

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23282	14" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL	DOUBLE RING	18	1440	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		14"	120V	5
PS23282+MS	14" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL+MS	DOUBLE RING	18	1440	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			14"	120-277V	5
PS23283	16" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL	DOUBLE RING	24	1920	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		16"	120V	5
PS23283+MS	16" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL +MS	DOUBLE RING	24	1920	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			16"	120-277V	5
PS23284	18" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL	DOUBLE RING	24	2040	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		18"	120V	4
PS23284+MS	18" DOUBLE RING SURFACE MOUNT 5CCT - BRUSHED NICKEL +MS	DOUBLE RING	24	2160	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			18"	120-277V	4
PS23286+EM+MS	12" DOUBLE RING 5CCT 120-277V 0-10V EMERGENCY + MOTION - BRUSHED NICKEL	DOUBLE RING - EMERGENCY + MS	14	1120	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		12"	120-277V	4
PS23286-R	12" DOUBLE RING SURFACE MOUNT 5CCT 120-277V 0-10V EMERGENCY - BRUSHED NICKEL	DOUBLE RING - EMERGENCY	14	1120	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		12"	120-277V	4
PS23287+EM+MS	14" DOUBLE RING SURFACE MOUNT 5CCT 120-277V 0-10V EMERGENCY + MOTION - BRUSHED NICKEL	DOUBLE RING - EMERGENCY + MS	18	1440	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		14"	120-277V	4
PS23287-R	14" DOUBLE RING SURFACE MOUNT 5CCT 120-277V 0-10V EMERGENCY - BRUSHED NICKEL	DOUBLE RING - EMERGENCY	18	1440	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		14"	120-277V	4
PS23288+EM+MS	16" DOUBLE RING SURFACE MOUNT 5CCT 120-277V 0-10V EMERGENCY + MOTION - BRUSHED NICKEL	DOUBLE RING - EMERGENCY + MS	24	1920	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		16"	120-277V	4

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23288-R	16" DOUBLE RING SURFACE MOUNT 5CCT 120-277V 0-10V EMERGENCY - BRUSHED NICKEL	DOUBLE RING - EMERGENCY	24	1920	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	0-10V		16"	120-277V	4
PS23290	10" DOUBLE RING SURFACE MOUNT 5CCT BLACK	DOUBLE RING	14	1050	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		10"	120V	10
PS23291	12" DOUBLE RING SURFACE MOUNT 5CCT BLACK	DOUBLE RING	14	1120	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		12"	120V	5
PS23292	14" DOUBLE RING SURFACE MOUNT 5CCT BLACK	DOUBLE RING	18	1440	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		14"	120V	5
PS23293	16" DOUBLE RING SURFACE MOUNT 5CCT BLACK	DOUBLE RING	24	1920	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		16"	120V	5
PS23294	18" DOUBLE RING SURFACE MOUNT 5CCT BLACK	DOUBLE RING	24	2160	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		18"	120V	4
PS23295	10" DOUBLE RING SURFACE MOUNT 5CCT BRASS	DOUBLE RING	14	1050	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		10"	120V	10
PS23296	12" DOUBLE RING SURFACE MOUNT 5CCT BRASS	DOUBLE RING	14	1120	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		12"	120V	5
PS23297	14" DOUBLE RING SURFACE MOUNT 5CCT BRASS	DOUBLE RING	18	1440	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		14"	120V	5
PS23298	16" DOUBLE RING SURFACE MOUNT 5CCT BRASS	DOUBLE RING	24	1920	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		16"	120V	5
PS23299	18" DOUBLE RING SURFACE MOUNT 5CCT BRASS	DOUBLE RING	24	2160	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	80	TRIAC		18"	120V	4

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23300	2" GIMBAL ROUND CANLESS SPOTLIGHT - 5CCT SELECTABLE WHITE FINISH	2" GIMBAL	6	400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	12
PS23301	2" GIMBAL ROUND CANLESS SPOTLIGHT - 5CCT SELECTABLE BLACK FINISH	2" GIMBAL	6	400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	12
PS23302	3" GIMBAL ROUND CANLESS SPOTLIGHT - 5CCT SELECTABLE WHITE FINISH	3" GIMBAL	9	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	12
PS23303	3" GIMBAL ROUND CANLESS SPOTLIGHT - 5CCT SELECTABLE BLACK FINISH	3" GIMBAL	9	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	12
PS23304	4" GIMBAL ROUND CANLESS SPOTLIGHT - 5CCT SELECTABLE WHITE FINISH	4" GIMBAL	15	1250	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	6
PS23305	4" GIMBAL ROUND CANLESS SPOTLIGHT - 5CCT SELECTABLE BLACK FINISH	4" GIMBAL	15	1250	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	6
PS23310	2" REGRESSED RECESSED GIMBAL - 5 CCT SELECTABLE	2" REGRESSED GIMBAL	6	400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	12
PS23311	3" REGRESSED RECESSED GIMBAL - 5 CCT SELECTABLE	3" REGRESSED GIMBAL	9	730	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	12
PS23312	4" REGRESSED RECESSED GIMBAL - 5 CCT SELECTABLE	4" REGRESSED GIMBAL	15	1250	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	6
PS23315	6" REGRESSED ROUND CANLESS SPOTLIGHT - 5 CCT & 3 WATTAGE SELECTABLE	6" ROUND REGRESSED	10/15/20	800/1200/1600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	16
PS23317	6" REGRESSED SQUARE CANLESS SPOTLIGHT - 5 CCT & 3 WATTAGE SELECTABLE	6" SQUARE REGRESSED	10/15/20	800/1200/1600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	16

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23320	3" REGRESSED CANLESS SPOTLIGHT - ROUND WHITE - 5 CCT SELECT	3" ROUND REGRESSED	8	840	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	24
PS23321	3" REGRESSED CANLESS SPOTLIGHT - ROUND BLACK - 5 CCT SELECT	3" ROUND REGRESSED	8	640	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	24
PS23322	3" REGRESSED CANLESS SPOTLIGHT - SQUARE WHITE - 5 CCT SELECT	3" SQUARE REGRESSED	8	740	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	24
PS23323	3" REGRESSED CANLESS SPOTLIGHT - SQUARE BLACK - 5 CCT SELECT	3" SQUARE REGRESSED	8	530	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	24
PS23325	4" REGRESSED CANLESS SPOTLIGHT - ROUND WHITE - 5 CCT SELECT	4" ROUND REGRESSED	12	1160	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	24
PS23326	4" REGRESSED CANLESS SPOTLIGHT - ROUND BLACK - 5 CCT SELECT	4" ROUND REGRESSED	12	960	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	24
PS23327	4" REGRESSED CANLESS SPOTLIGHT - SQUARE WHITE - 5 CCT SELECT	4" SQUARE REGRESSED	12	1060	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	24
PS23328	4" REGRESSED CANLESS SPOTLIGHT - SQUARE BLACK - 5 CCT SELECT	4" SQUARE REGRESSED	12	840	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	24
PS23330	2" RECESSED FLOATING GIMBAL - 5 CCT SELECTABLE ROUND TRIM	FLOATING GIMBAL	7	600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	40
PS23331	3" RECESSED FLOATING GIMBAL - 5 CCT SELECTABLE ROUND TRIM	FLOATING GIMBAL	9	700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	20
PS23332	4" RECESSED FLOATING GIMBAL - 5 CCT SELECTABLE ROUND TRIM	FLOATING GIMBAL	10	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23333	6" RECESSED FLOATING GIMBAL - 5 CCT SELECTABLE ROUND TRIM	FLOATING GIMBAL	15	1200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	20
PS23335	4" RECESSED FLOATING GIMBAL - 5 CCT SELECTABLE SQUARE TRIM	FLOATING GIMBAL	10	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	20
PS23336	4" RECESSED FLOATING GIMBAL - 5 CCT SELECTABLE SQUARE TRIM 2-HEAD	FLOATING GIMBAL	20	1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	20
PS23340	11" SINGLE RING ADJUSTABLE MOTION SENSOR - CCT SELECTABLE	SINGLE RING	16	1200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			11"	120V	8
PS23342	13" SINGLE RING ADJUSTABLE MOTION SENSOR - CCT SELECTABLE	SINGLE RING	20	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			13"	120V	8
PS23344	15" SINGLE RING ADJUSTABLE MOTION SENSOR - CCT SELECTABLE	SINGLE RING	24	1800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			15"	120V	8
PS23360	2" REGRESSED DOWNLIGHT - 5CCT ROUND WHITE FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	7	650	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø3.07"	120-277V	16
PS23361	2" REGRESSED DOWNLIGHT - 5CCT ROUND BLACK FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	7	550	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø3.07"	120-277V	16
PS23364	3" REGRESSED DOWNLIGHT - 5CCT ROUND WHITE FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	8	800	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø3.54"	120-277V	16
PS23365	3" REGRESSED DOWNLIGHT - 5CCT ROUND BLACK FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	8	650	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø3.54"	120-277V	16
PS23366	3" REGRESSED DOWNLIGHT - 5CCT SQUARE WHITE FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	8	700	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		3.54"	120-277V	16

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23367	3" REGRESSED DOWNLIGHT - 5CCT SQUARE BLACK FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	8	500	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		3.54"	120-277V	16
PS23368	4" REGRESSED DOWNLIGHT - 5CCT ROUND WHITE FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	12	1150	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø4.72"	120-277V	12
PS23369	4" REGRESSED DOWNLIGHT - 5CCT ROUND BLACK FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	12	1000	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø4.72"	120-277V	12
PS23370	4" REGRESSED DOWNLIGHT - 5CCT SQUARE WHITE FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	12	1100	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		4.72"	120-277V	12
PS23371	4" REGRESSED DOWNLIGHT - 5CCT SQUARE BLACK FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	12	850	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		4.72"	120-277V	12
PS23372	6" REGRESSED DOWNLIGHT - 5CCT ROUND WHITE FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	25	2600	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø6.69"	120-277V	8
PS23373	6" REGRESSED DOWNLIGHT - 5CCT ROUND BLACK FINISH - UNIVERSAL VOLTAGE/DUAL DIMMING	REGRESSED DOWNLIGHT	25	2200	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC/0-10V		Ø6.69"	120-277V	8
PS23415	2" REGRESSED 5CCT HIGH OUTPUT INTERCHANGEABLE CANLESS SPOTLIGHT	2" ROUND INTERCHANGABLE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS23416	2" REGRESSED 5CCT HIGH OUTPUT INTERCHANGEABLE CANLESS SPOTLIGHT - 60°	2" ROUND INTERCHANGABLE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS23418	15W 120-277V DRIVER	DRIVER	15		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		L: 5.5" x W: 2.25" x H: 2.25"	120-277V	50
PS23420	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT CHROME REFLECTOR	2" INTERCHANGABLE REFLECTOR								2"		50
PS23421	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT BRASS REFLECTOR	2" INTERCHANGABLE REFLECTOR								2"		50
PS23422	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT BRONZE REFLECTOR	2" INTERCHANGABLE REFLECTOR								2"		50
PS23423	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT BLACK REFLECTOR	2" INTERCHANGABLE REFLECTOR								2"		50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23430	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND CHROME TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23431	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND COPPER TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23432	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND BRONZE TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23433	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND BLACK TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23435	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND BRUSHED NICKEL TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23436	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND BRASS TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23440	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND SLOT APERTURE TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23441	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND WALL WASHER TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23442	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND PINHOLE TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23443	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND SQUARE HOLE TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23444	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT ROUND WET RATED TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23450	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE CHROME TRIM	2" REGRESSED TRIM								2"		100
PS23451	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE COPPER TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23452	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE BRONZE TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23453	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE BLACK TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23454	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE WHITE TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23455	2" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE BRUSHED NICKEL TRIM	2" INTERCHANGABLE TRIM								2"		100
PS23460	1" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT	1" INTERCHANGABLE	7	500	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		1"	120V	24
PS23461	1" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT ROUND BLACK TRIM	1" INTERCHANGABLE TRIM								1"		50
PS23462	1" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE WHITE TRIM	1" INTERCHANGABLE TRIM								1"		50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23463	1" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT BLACK WHITE TRIM	1" INTERCHANGABLE TRIM								1"		50
PS23465	2" REGRESSED PLATE - 2 HEAD WHITE FINISH	REGRESSED PLATE								2"		
PS23466	2" REGRESSED PLATE - 2 HEAD BLACK FINISH	REGRESSED PLATE								2"		
PS23467	1" REGRESSED CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	1" MODULE	9	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		1"	120V	18
PS23478	3" FIRE RATED CANLESS WAFER SPOTLIGHT - 5 CCT SELECTABLE	3" FIRE RATED MINI PANEL	8	500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS23479	3" BLACK TRIM REPLACEMENT	3" TRIM REPLACEMENT								3"		
PS23490	3" FIRE RATED STEP BAFFLED CANLESS SPOTLIGHT - 5CCT SELECTABLE	3" FIRE RATED MINI PANEL	6.5	550	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	6
PS23491	4" FIRE RATED STEP BAFFLED CANLESS SPOTLIGHT - 5CCT SELECTABLE	4" FIRE RATED MINI PANEL	10	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	6
PS23493	6" FIRE RATED STEP BAFFLED CANLESS SPOTLIGHT - 5CCT SELECTABLE	6" FIRE RATED MINI PANEL	13	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	6
PS23496	4" FIRE RATED CANLESS WAFER SPOTLIGHT - 5 CCT SELECTABLE	4" FIRE RATED MINI PANEL	10	820	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	6
PS23497	6" FIRE RATED CANLESS WAFER SPOTLIGHT - 5 CCT SELECTABLE	6" FIRE RATED MINI PANEL	13	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	6
PS23510	T8 U6 18W 3000K UNIVERSAL 3 WAY	T8 U6	18	2150	3000K	SOFT WHITE	83	TRIAC	2 G13	22.4"	120-277V or BALLAST	24
PS23517	T8 U6 17.5W 3CCT UNIVERSAL RETROFIT TUBE	T8 U6	17.5	2100/2150/2125	3500K/4000K/5000K	CCT SELECTABLE	83		G13	22.5"	120-277V or BALLAST	24
PS23521	5" SLIM SURFACE MOUNT 5 CCT SELECTABLE - BLACK FINISH	ROUND SLIM	12	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		5"	120V	24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23524	7" SLIM SURFACE MOUNT 5 CCT SELECTABLE - BLACK FINISH	ROUND SLIM	12	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		7"	120V	24
PS23527	9" SLIM SURFACE MOUNT 5 CCT SELECTABLE - BLACK FINISH	ROUND SLIM	18	1200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		9"	120V	20
PS23529	12" SLIM SURFACE MOUNT 5 CCT SELECTABLE - BLACK FINISH	ROUND SLIM	22	1400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		12"	120V	10
PS23530	5" SLIM SURFACE MOUNT ROUND - 5CCT SELECTABLE	ROUND SLIM	10	820	2700K/3500K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		5"	120V	4
PS23531	5" SLIM SURFACE MOUNT SQUARE - 5CCT SELECTABLE	SQUARE SLIM	10	820	2700K/3500K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		5"	120V	4
PS23532	7" SLIM SURFACE MOUNT ROUND - 5CCT SELECTABLE	ROUND SLIM	14	1150	2700K/3500K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		7"	120V	4
PS23533	7" SLIM SURFACE MOUNT SQUARE - 5CCT SELECTABLE	SQUARE SLIM	14	1150	2700K/3500K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		7"	120V	4
PS23534	9" SLIM SURFACE MOUNT ROUND - 5CCT SELECTABLE	ROUND SLIM	18	1480	2700K/3500K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		9"	120V	4
PS23535	9" SLIM SURFACE MOUNT SQUARE - 5CCT SELECTABLE	SQUARE SLIM	18	1480	2700K/3500K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		9"	120V	4
PS23536	12" SLIM SURFACE MOUNT ROUND - 5CCT SELECTABLE	ROUND SLIM	22	1650	2700K/3500K/3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		12"	120V	4
PS23537	15" ROUND SLIM - 5 CCT SELECTABLE - WHITE FINISH	SLIM	28	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		15"	120V	4

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23538	19" ROUND SLIM - 3 WATT & 5 CCT SELECTABLE	SLIM	25/30/35	1800/2000/2200	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC		19"	120V	6
PS23539	24" ROUND SLIM - 3 WATT & 5 CCT SELECTABLE	SLIM	30/35/40	2250/2450/2700	2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT	90	TRIAC		24"	120V	4
PS23540	5" SLIM SURFACE MOUNT TRIM BLACK	ROUND SLIM TRIM								5"		25
PS23542	7" SLIM SURFACE MOUNT TRIM BLACK	ROUND SLIM TRIM								7"		25
PS23546	12" SLIM SURFACE MOUNT TRIM BLACK	ROUND SLIM TRIM								12"		25
PS23552	7" SLIM SURFACE MOUNT 5CCT SELECTABLE ROUND	ROUND SLIM	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		7"	120V	20
PS23557	15" SLIM SURFACE MOUNT 5 CCT SELECTABLE	ROUND SLIM	30	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		15"	120V	6
PS23565	7" ADJUSTABLE BI-LEVEL PIR & PHOTOCELL SENSOR SLIM - CCT SELECTABLE	SLIM	15	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		7"	120V	20
PS23566	9" ADJUSTABLE BI-LEVEL PIR & PHOTOCELL SENSOR SLIM - CCT SELECTABLE	SLIM	18	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		9"	120V	20
PS23567	12" ADJUSTABLE BI-LEVEL PIR & PHOTOCELL SENSOR SLIM - CCT SELECTABLE	SLIM	24	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		12"	120V	10
PS23568	15" ADJUSTABLE BI-LEVEL PIR & PHOTOCELL SENSOR SLIM - CCT SELECTABLE	SLIM	30	2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		15"	120V	10
PS23584	5" ADJUSTABLE PIR SENSOR SLIM BI-LEVEL & STANDARD OPTION - CCT SELECTABLE	SLIM	12	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		5"	120V	12
PS23585	7" ADJUSTABLE PIR SENSOR SLIM BI-LEVEL & STANDARD OPTION - CCT SELECTABLE	SLIM	13	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		7"	120V	6
PS23587	12" ADJUSTABLE PIR SENSOR SLIM BI-LEVEL & STANDARD OPTION - CCT SELECTABLE	SLIM	23	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		12"	120V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23645	6-7" CAN ADAPTER SLIM SURFACE MOUNT E26	SLIM ADAPTER							E26 ADAPTER	6-7"		100
PS23646	7" SLIM SURFACE MOUNT EMERGENCY	7" ROUND EM	15							7"	120V	10
PS23646B	7" SLIM SURFACE MOUNT EMPTY EMERGENCY BRACKET	7" ROUND EM								7"		20
PS23647	15" SURFACE MOUNT SLIM EMERGENCY BATTERY PACK	15" ROUND EM	30							15"	120V	6
PS23647B	15" SURFACE MOUNT SLIM BRACKET	15" ROUND								15"		6
PS23648	12" SURFACE MOUNT SLIM EMERGENCY BATTERY PACK	12" ROUND EM	24							12"	120V	6
PS23648B	12" SLIM SURFACE MOUNT EMPTY EMERGENCY BRACKET	7" ROUND SLIM BRACKET								7"		20
PS23680	7" SLIM SURFACE MOUNT TRIM BLACK	ROUND SLIM TRIM								7"		20
PS23681	7" SLIM SURFACE MOUNT TRIM BRASS	ROUND SLIM TRIM								7"		20
PS23682	7" SLIM SURFACE MOUNT TRIM BRUSHED NICKEL	ROUND SLIM TRIM								7"		20
PS23686	9" SLIM SURFACE MOUNT TRIM BLACK	ROUND SLIM TRIM								9"		20
PS23687	9" SLIM SURFACE MOUNT TRIM BRASS	ROUND SLIM TRIM								9"		20
PS23688	9" SLIM SURFACE MOUNT TRIM BRUSHED NICKEL	ROUND SLIM TRIM								9"		20
PS23692	15" SLIM SURFACE MOUNT TRIM BLACK	ROUND SLIM TRIM								15"		20
PS23693	15" SLIM SURFACE MOUNT TRIM BRUSHED NICKEL	ROUND SLIM TRIM								15"		20
PS23730	3" MINI PANEL ROUND 5CCT BAFFLED CANLESS WAFER SPOTLIGHT	3" ROUND BAFFLED	6	500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	6
PS23731	4" MINI PANEL ROUND 5CCT BAFFLED CANLESS WAFER SPOTLIGHT	4" ROUND BAFFLED	10.5	870	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	6
PS23732	6" MINI PANEL ROUND 5CCT BAFFLED CANLESS WAFER SPOTLIGHT	6" ROUND BAFFLED	14	1150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	6
PS23733	8" MINI PANEL ROUND 5CCT BAFFLED CANLESS WAFER SPOTLIGHT	6" ROUND BAFFLED	23	1900	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		8"	120V	6
PS23738	3" MINI PANEL SQUARE 5CCT HIGH OUTPUT - STEP BAFFLED TRIM	BAFFLED SQUARE WAFER	8	540	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		3"	120V	20
PS23739	4" MINI PANEL SQUARE 5CCT HIGH OUTPUT - STEP BAFFLED TRIM	BAFFLED SQUARE WAFER	12	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23740	6" MINI PANEL SQUARE 5CCT HIGH OUTPUT – STEP BAFFLED TRIM	BAFFLED SQUARE WAFER	15	1400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	20
PS23741	4" MINI PANEL ROUND 5CCT HIGH OUTPUT SMOOTH CANLESS WAFER SPOTLIGHT	4" ROUND SMOOTH	12	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20
PS23742	4" MINI PANEL ROUND 5CCT HO GIMBAL CANLESS WAFER SPOTLIGHT	4" ROUND GIMBAL	12	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20
PS23743	4" MINI PANEL SQUARE 5CCT HIGH OUTPUT SMOOTH CANLESS WAFER SPOTLIGHT	4" SQUARE SMOOTH	12	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20
PS23745	6" MINI PANEL ROUND 5CCT HIGH OUTPUT SMOOTH CANLESS WAFER SPOTLIGHT	6" ROUND SMOOTH	15	1400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	20
PS23746	6" MINI PANEL ROUND 5CCT HO GIMBAL CANLESS WAFER SPOTLIGHT	6" ROUND GIMBAL	15	1400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	12
PS23747	6" MINI PANEL SQUARE 5CCT HIGH OUTPUT SMOOTH CANLESS WAFER SPOTLIGHT	6" SQUARE SMOOTH	15	1400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	20
PS23749	5" MINI PANEL ROUND 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	5" ROUND SMOOTH	12	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		5"	120V	20
PS23751	3" MINI PANEL ROUND 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	3" ROUND SMOOTH	8	540	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		3"	120V	20
PS23754	3" MINI PANEL SQUARE 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	3" SQUARE SMOOTH	8	540	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		3"	120V	20
PS23756	4" MINI PANEL ROUND 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	4" ROUND SMOOTH	10	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23759	4" MINI PANEL SQUARE 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	4" SQUARE SMOOTH	10	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20
PS23761	6" MINI PANEL ROUND 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	6" ROUND SMOOTH	12	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	20
PS23762	8" MINI PANEL 18W DRIVER FOR CANLESS WAFER SPOTLIGHT	8" DRIVER	18		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		TRIAC		8"	120-277V	50
PS23764	6" MINI PANEL SQUARE 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	6" SQUARE SMOOTH	12	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	20
PS23765	8" MINI PANEL ROUND 5CCT SMOOTH CANLESS WAFER SPOTLIGHT	8" ROUND SMOOTH	18	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		8"	120V	20
PS23767	4" MINI PANEL 10W DRIVER FOR CANLESS WAFER SPOTLIGHT	4" DRIVER	10.5		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		TRIAC		4"	120-277V	60
PS23770	4" MINI PANEL ROUND TRIM BLACK FOR CANLESS WAFER SPOTLIGHT	4" ROUND SMOOTH TRIM								4"		40
PS23771	4" MINI PANEL ROUND TRIM BRUSHED NICKEL FOR CANLESS WAFER SPOTLIGHT	4" ROUND SMOOTH TRIM								4"		40
PS23772	4" MINI PANEL ROUND TRIM BRONZE FOR CANLESS WAFER SPOTLIGHT	4" ROUND SMOOTH TRIM								4"		40
PS23773	4" MINI PANEL SQUARE TRIM BLACK FOR CANLESS WAFER SPOTLIGHT	4" SQUARE SMOOTH TRIM								4"		40
PS23776	6" MINI PANEL ROUND TRIM BLACK FOR CANLESS WAFER SPOTLIGHT	6" ROUND SMOOTH TRIM								6"		40
PS23777	6" MINI PANEL ROUND TRIM BRUSHED NICKEL FOR CANLESS WAFER SPOTLIGHT	6" ROUND SMOOTH TRIM								6"		40
PS23778	6" MINI PANEL ROUND TRIM BRONZE FOR CANLESS WAFER SPOTLIGHT	6" ROUND SMOOTH TRIM								6"		40
PS23779	6" MINI PANEL SQUARE TRIM BLACK FOR CANLESS WAFER SPOTLIGHT	6" SQUARE SMOOTH TRIM								6"		20
PS23783	MINI PANEL CABLE EXTENDER 72" FOR CANLESS WAFER SPOTLIGHT	WAFER WIRE EXTENDER								72"		50
PS23784	4" DOWNLIGHT RETROFIT SQUARE 5CCT BAFFLED	4" SQUARE BAFFLED	11	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	12

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23785	4" DOWNLIGHT RETROFIT SQUARE 5CCT SMOOTH	4" SQUARE SMOOTH	11	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	12
PS23786	4" DOWNLIGHT RETROFIT SQUARE 5CCT BAFFLED – HO	4" SQUARE BAFFLED	14	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	24
PS23787	4" DOWNLIGHT RETROFIT SQUARE 5CCT SMOOTH – HO	4" SQUARE SMOOTH	14	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	24
PS23788	5-6" DOWNLIGHT RETROFIT SQUARE 5CCT BAFFLED	5-6" SQUARE BAFFLED	14	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	5-6"	120V	12
PS23789	5-6" DOWNLIGHT RETROFIT SQUARE 5CCT SMOOTH	5-6" SQUARE SMOOTH	14	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	5-6"	120V	12
PS23790	4" DOWNLIGHT RETROFIT ROUND 5CCT BAFFLED	4" ROUND BAFFLED	10	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	24
PS23791	4" DOWNLIGHT RETROFIT ROUND 5CCT SMOOTH	4" ROUND SMOOTH	10	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	24
PS23792	4" DOWNLIGHT RETROFIT ROUND TRIM BLACK	4" ROUND TRIM								4"		10
PS23793	4" DOWNLIGHT RETROFIT ROUND 14W 5CCT BAFFLED – HO	4" ROUND BAFFLED	14	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	24
PS23794	4" DOWNLIGHT RETROFIT ROUND 14W 5CCT SMOOTH – HO	4" ROUND SMOOTH	14	950	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	4"	120V	24
PS23795	5-6" DOWNLIGHT RETROFIT ROUND 14W 5CCT BAFFLED	5-6" ROUND BAFFLED	14	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	5-6"	120V	24
PS23796	5-6" DOWNLIGHT RETROFIT ROUND 14W 5CCT SMOOTH	5-6" ROUND SMOOTH	14	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	5-6"	120V	24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23797	5-6" DOWNLIGHT RETROFIT ROUND SMOOTH BLACK	5-6" ROUND TRIM								5-6"		10
PS23798	5-6" DOWNLIGHT RETROFIT ROUND BAFFLED - 5CCT SELECTABLE HIGH OUTPUT	5-6" ROUND BAFFLED	17	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	5-6"	120V	24
PS23799	5-6" DOWNLIGHT RETROFIT ROUND SMOOTH - 5CCT SELECTABLE HIGH OUTPUT	5-6" ROUND SMOOTH	17	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	5-6"	120V	24
PS23800	5-6" BLADE ADAPTER	BLADE ADAPTER								5-6"		
PS23832	4" SURFACE MOUNT DISK 3CCT + PIR	4" ROUND DISK	10	600	3000K/4000K/5000K	CCT SELECTABLE	90			4"	120V	20
PS23834	6" SURFACE MOUNT DISK 3CCT + PIR	6" ROUND DISK	15	1000	3000K/4000K/5000K	CCT SELECTABLE	90			6"	120V	20
PS23850	3" MINI PANEL ROUND TRIM BLACK FOR CANLESS WAFER SPOTLIGHT	3" ROUND SMOOTH TRIM								3"		40
PS23855	3" MINI PANEL SQUARE TRIM BLACK FOR CANLESS WAFER SPOTLIGHT	3" SQUARE SMOOTH TRIM								3"		40
PS23857	3" ROUND TRIM REPLACEMENT - BRASS FINISH	TRIM REPLACEMENT								3"		20
PS23858	4" ROUND TRIM REPLACEMENT - BRASS FINISH	TRIM REPLACEMENT								4"		20
PS23859	6" ROUND TRIM REPLACEMENT - BRASS FINISH	Round								6"		20
PS23865	8" SURFACE MOUNT DISK + RECESSED CAN RETROFIT 5CCT	8" DISK	27	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		8"	120V	10
PS23867	4" DISK LIGHT WHITE FINISH - CCT SELECTABLE	DISK LIGHT	11	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	24
PS23868	4" DISK LIGHT BLACK FINISH - CCT SELECTABLE	DISK LIGHT	11	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	24
PS23870	6" DISK LIGHT WHITE FINISH - CCT SELECTABLE	DISK LIGHT	12.5	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	24
PS23871	6" DISK LIGHT BLACK FINISH - CCT SELECTABLE	DISK LIGHT	12.5	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23872	6" DISK LIGHT BRONZE FINISH - CCT SELECTABLE	DISK LIGHT	12.5	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	24
PS23873	6" DISK LIGHT BRUSHED NICKEL FINISH - CCT SELECTABLE	DISK LIGHT	12.5	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	24
PS23880	6" DISK LIGHT ADJUSTABLE MOTION SENSOR - CCT SELECTABLE	DISK LIGHT	13	1050	3000K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	24
PS23881	4" ADJUSTABLE PIR SENSOR BI-LEVEL DISK LIGHT - CCT SELECTABLE	DISK	8	700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	12
PS23882	6" ADJUSTABLE PIR SENSOR BI-LEVEL DISK LIGHT - CCT SELECTABLE	DISK	12	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	12
PS23887	8W 3 PIN 0-10V 120-277V DRIVER - 5CCT SELECTABLE	0-10V DRIVER	8		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		L: 5.98" x W: 3.17" x H: 1.36"	120-277V	
PS23889	10W 3 PIN 0-10V 120-277V DRIVER - 5CCT SELECTABLE	0-10V DRIVER	10		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		L: 5.98" x W: 3.17" x H: 1.36"	120-277V	
PS23890	12W 3 PIN 0-10V 120-277V DRIVER - 5CCT SELECTABLE	0-10V DRIVER	12		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		L: 5.98" x W: 3.17" x H: 1.36"	120-277V	
PS23891	15W 3 PIN 0-10V 120-277V DRIVER - 5CCT SELECTABLE	0-10V DRIVER	15		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		L: 5.98" x W: 3.17" x H: 1.36"	120-277V	
PS23892	18W 3 PIN 0-10V 120-277V DRIVER - 5CCT SELECTABLE	0-10V DRIVER	18		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		L: 5.98" x W: 3.17" x H: 1.36"	120-277V	
PS23900	2" RECESSED MINI PANEL CANLESS SPOTLIGHT - 5CCT & 3 WATTAGE SELECTABLE	RECESSED MINI PANEL	6/8/10	520/700/900	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	6
PS23902	4" RECESSED MINI PANEL CANLESS SPOTLIGHT - 5CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE	RECESSED MINI PANEL	8/10/12	675/825/1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120-277V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23903	6" RECESSED MINI PANEL CANLESS SPOTLIGHT - 5CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE	RECESSED MINI PANEL	11/13/15	1000/1250/1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120-277V	6
PS23905	2" RECESSED MINI PANEL CANLESS SPOTLIGHT - 5CCT & 3 WATTAGE SELECTABLE	RECESSED MINI PANEL	6/8/10	520/700/900	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	6
PS23911	4" RECESSED MINI PANEL CANLESS SPOTLIGHT - 5CCT & ADJUSTABLE PIR SENSOR - UNIVERSAL VOLTAGE	RECESSED MINI PANEL	9	750	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90			4"	120-277V	6
PS23912	6" RECESSED MINI PANEL CANLESS SPOTLIGHT - 5CCT & ADJUSTABLE PIR SENSOR - UNIVERSAL VOLTAGE	RECESSED MINI PANEL	13	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90			6"	120-277V	6
PS23920	3" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	3" ROUND SMOOTH	8	660	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		3"	120V	20
PS23921	4" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	4" ROUND SMOOTH	11	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20
PS23922	5" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	5" ROUND SMOOTH	13	1200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		5"	120V	20
PS23923	6" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	6" ROUND SMOOTH	15	1400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	20
PS23924	3" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	3" SQUARE SMOOTH	8	660	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		3"	120V	20
PS23925	4" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	4" SQUARE SMOOTH	11	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		4"	120V	20
PS23926	5" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	5" SQUARE SMOOTH	13	1200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		5"	120V	20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23927	6" ECO BACKLIT MINI PANEL CANLESS SPOTLIGHT - 5CCT SELECTABLE HIGH OUTPUT	6" SQUARE SMOOTH	15	1400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	20
PS23931	4" MINI PANEL CANLESS SPOTLIGHT - CCT & WATTAGE SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE - HIGH OUTPUT	4" MINI PANEL	8/10/13	650/800/1066	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		4"	120-277V	20
PS23932	6" MINI PANEL CANLESS SPOTLIGHT - CCT & WATTAGE SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE - HIGH OUTPUT	6" MINI PANEL	10/13/15	800/1050/1250	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		6"	120-277V	20
PS23933	4" MINI PANEL CANLESS SPOTLIGHT - CCT & WATTAGE SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE - HIGH OUTPUT	4" MINI PANEL	8/10/13	650/800/1066	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		4"	120-277V	20
PS23934	6" MINI PANEL CANLESS SPOTLIGHT - CCT & WATTAGE SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE - HIGH OUTPUT	6" MINI PANEL	10/13/15	800/1050/1250	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		6"	120-277V	20
PS23935	8" MINI PANEL CANLESS SPOTLIGHT - CCT & WATTAGE SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE - HIGH OUTPUT	8" MINI PANEL	13/15/18	1050/1250/1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		8"	120-277V	20
PS23970	4" COMMERCIAL DOWNLIGHT CCT & WATTAGE SELECTABLE DUAL DIMMING	COMMERCIAL DOWNLIGHT	6/8/10	600/800/1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		4"	120-277V	4
PS23971	6" COMMERCIAL DOWNLIGHT 5 CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING	6" ROUND	10/17/21	1000/1800/2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		6"	120-277V	4
PS23972	8" COMMERCIAL DOWNLIGHT 5 CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING	8" ROUND	16/24/30	1800/2700/3500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		8"	120-277V	4
PS23973	10" COMMERCIAL DOWNLIGHT 5 CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING	10" ROUND	24/30/37	2800/3500/4500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		10"	120-277V	4
PS23975	4" COMMERCIAL DOWNLIGHT , BAFFLED, CCT & WATTAGE SELECTABLE, UNIVERSAL VOLTAGE, DUAL DIMMING	4" ROUND	9/12/15	810/1080/1350	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		4"	120-277V	12

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS23976	6" COMMERCIAL DOWNLIGHT , BAFFLED, CCT & WATTAGE SELECTABLE, UNIVERSAL VOLTAGE, DUAL DIMMING	6" ROUND	12/16/20	1140/1520/1900	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		6"	120-277V	10
PS23977	8" COMMERCIAL DOWNLIGHT , BAFFLED, CCT & WATTAGE SELECTABLE, UNIVERSAL VOLTAGE, DUAL DIMMING	8" ROUND	16/21/27	1600/2100/2700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		8"	120-277V	10
PS23978	10" COMMERCIAL DOWNLIGHT , BAFFLED, CCT & WATTAGE SELECTABLE, UNIVERSAL VOLTAGE, DUAL DIMMING	10" ROUND	22/29/37.5	2300/3000/3700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	DUAL DIMMING TRIAC/0-10V		10"	120-277V	5
PS23979	3" COMMERCIAL DOWNLIGHT 5 CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING HIGH OUTPUT	3" ROUND	9/12/15	900/1200/1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		3"	120-277V	4
PS23980	4" COMMERCIAL DOWNLIGHT 5 CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING HIGH OUTPUT	4" ROUND	12/16/20	1200/1600/2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		4"	120-277V	4
PS23981	6" COMMERCIAL DOWNLIGHT 5 CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING HIGH OUTPUT	6" ROUND	30/40/50	3000/4000/5000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		6"	120-277V	4
PS23982	8" COMMERCIAL DOWNLIGHT 5 CCT & 3 WATTAGE SELECTABLE - UNIVERSAL VOLTAGE/DUAL DIMMING HIGH OUTPUT	8" ROUND	50/65/80	5000/6500/8000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		8"	120-277V	4
PS24010	1X1 SLIM SURFACE MOUNT PANEL - CCT & WATTAGE SELECTABLE	SURFACE MOUNT PANEL	12/16/20	1400/1800/2200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		1X1	120-277V	4
PS24011	1X2 SLIM SURFACE MOUNT PANEL - CCT & WATTAGE SELECTABLE	SURFACE MOUNT PANEL	18/24/30	2000/2650/3300	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		1X2	120-277V	4
PS24012	2X2 SLIM SURFACE MOUNT PANEL - CCT & WATTAGE SELECTABLE	SURFACE MOUNT PANEL	30/40/50	3300/4400/5500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		2X2	120-277V	4
PS24013	1X4 SLIM SURFACE MOUNT PANEL - CCT & WATTAGE SELECTABLE	SURFACE MOUNT PANEL	30/40/50	3300/4400/5500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		1X4	120-277V	2

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS24014	2X4 SLIM SURFACE MOUNT PANEL - CCT & WATTAGE SELECTABLE	SURFACE MOUNT PANEL	40/50/62	5000/6000/7500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		2X4	120-277V	4
PS24096	2X2 PANEL SURFACE KIT	2X2 SURFACE KIT								2X2		12
PS24097	1X4 PANEL SURFACE KIT	1X4 SURFACE KIT								1X4		12
PS24098	2X4 PANEL SURFACE KIT	2X4 SURFACE KIT								2X4		12
PS24164	2X2 FRAME PANEL 5CCT & 3 WATTAGE SELECTABLE	FRAME PANEL	20/30/40	2600/3900/5200	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X2	100-277V	6
PS24166	2X4 FRAME PANEL 5CCT & 3 WATTAGE SELECTABLE	FRAME PANEL	40/50/60	5200/6500/7800	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X4	100-277V	6
PS24168	1X4 FRAME PANEL WATTAGE SELECTABLE 5CCT	FRAME PANEL	20/30/40	2500/3750/5000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		1X4	100-277V	6
PS24177	2X2 PANEL SUSPENSION KIT	2X2 SUSPENSION KIT								2X2		
PS24178	1X4 2X4 PANEL SUSPENSION KIT	1X4 2X4 SUSPENSION KIT								1X4 2X4		
PS24180	1X4 PANEL FLANGE KIT	1X4 FLANGE KIT								1X4		10
PS24181	2X2 PANEL FLANGE KIT	2X2 FLANGE KIT								2X2		
PS24182	2X4 PANEL FLANGE KIT	2X4 FLANGE KIT								2X4		
PS24183	FRAME PANEL CABLE EXTENDER	CABLE								48"		
PS24184	2X2 FRAME PANEL CANOPY	CANOPY								9.84" x 9.84"		10
PS24189	FRAME PANEL 10' CABLE EXTENDER	CABLE								10'		
PS24210	2X2 BACKLIT PANEL 5 WATTAGE & 5 CCT SELECTABLE - HIGH CRI	BACKLIT PANEL	20/25/30/35/40	2884/3615/4176/4882/5456 @ 4000K	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	90	0-10V		2X2	120-277V	2
PS24213	2X4 BACKLIT PANEL 5 WATTAGE & 5 CCT SELECTABLE - HIGH CRI	BACKLIT PANEL	30/40/50/60/72	4349/5950/7279/8232/9127 @ 4000K	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	90	0-10V		2X4	120-277V	2
PS24215	1X4 BACKLIT PANEL 5 WATTAGE & 5 CCT SELECTABLE - HIGH CRI	BACKLIT PANEL	20/25/30/35/40	2995/3509/4189/4754/5245 @ 4000K	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	90	0-10V		1X4	120-277V	2
PS24220	4" X 2' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	4" BACKLIT PANEL	13/16/20	1600/1900/2200	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4" X 2'	120-277V	6
PS24221	4" X 4' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	4" BACKLIT PANEL	18/28/40	2200/3300/4400	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4" X 4'	120-277V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS24222	4" X 6' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	4" BACKLIT PANEL	37/48/60	4400/5500/6600	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4" X 6'	120-277V	6
PS24223	4" X 8' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	4" BACKLIT PANEL	37/57/80	4400/6600/8800	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4" X 8'	120-277V	6
PS24224	4" X 2' FLANGE KIT	FLANGE KIT								4" X 2'		10
PS24225	4" X 4' FLANGE KIT	FLANGE KIT								4" X 4'		10
PS24226	4" X 6' FLANGE KIT	FLANGE KIT								4" X 6'		10
PS24228	4" X 8' FLANGE KIT	FLANGE KIT								4" X 8'		10
PS24240	2X2 BACKLIT PANEL 5CCT & 5 WATTAGE SELECTABLE - SENSOR READY	2X2	20/25/30/35/40	2500/3125/3750/4375/5000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X2	120-277V	4
PS24243	2X4 BACKLIT PANEL 5CCT & 5 WATTAGE SELECTABLE - SENSOR READY	2X4	20/25/30/40/50	2500/3125/3750/5000/6250	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X4	120-277V	4
PS24245	1X4 BACKLIT PANEL 5CCT & 5 WATTAGE SELECTABLE - SENSOR READY	2X2	20/25/30/35/40	2500/3125/3750/4375/5000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		1X4	120-277V	4
PS24247	MICROWAVE BI-LEVEL DC MOTION SENSOR - AUDIO JACK	MOTION SENSOR	0.3					0-10V	AUDIOJACK	L: 2.63" x W: 0.72" x D: 0.44"	12V	
PS24248	APP CONTROL MICROWAVE BI-LEVEL DC MOTION SENSOR - AUDIO JACK	MOTION SENSOR	0.3					0-10V	AUDIOJACK	L: 2.63" x W: 0.72" x D: 0.44"	12V	
PS24250	2X2 BACKLIT PANEL WATTAGE SELECTABLE 3CCT ANTIGLARE	2X2 ANTI-GLARE BACKLIT PANEL	30/35/40	3750/4375/5000	4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X2	100-277V	4
PS24253	2X4 BACKLIT PANEL WATTAGE SELECTABLE 3CCT ANTIGLARE	2X4 ANTI-GLARE BACKLIT PANEL	30/40/50	3750/5000/6250	4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X4	100-277V	4
PS24255	1X4 BACKLIT PANEL WATTAGE SELECTABLE 3CCT ANTIGLARE	1X4 ANTI-GLARE BACKLIT PANEL	30/35/40	3750/4375/5000	4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		1X4	100-277V	4
PS24267	BACKLIT PANEL LARGE J-BOX EXTENDER	J-BOX EXTENDER										20
PS24276	6" X 2' SURFACE KIT	SURFACE KIT								6" X 2'		
PS24277	6" X 4' SURFACE KIT	SURFACE KIT								6" X 4'		
PS24278	6" X 6' SURFACE KIT	SURFACE KIT								6" X 6'		
PS24279	6" X 8' SURFACE KIT	SURFACE KIT								6" X 8'		
PS24281	6" X 2' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	6" BACKLIT PANEL	13/16/20	1600/1900/2200	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6" X 2'	120-277V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS24283	6" X 4' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	6" BACKLIT PANEL	18/28/40	2200/3300/4400	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6" X 4'	120-277V	6
PS24284	6" X 6' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	6" BACKLIT PANEL	40/50/60	4400/5500/6600	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6" X 6'	120-277V	6
PS24285	6" X 8' RECESSED BACKLIT PANEL - CCT & WATTAGE SELECTABLE	6" BACKLIT PANEL	37/57/80	4400/6600/8800	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6" X 8'	120-277V	6
PS24286	6" X 2' FLANGE KIT	FLANGE KIT								6" X 2'		10
PS24287	6" X 4' FLANGE KIT	FLANGE KIT								6" X 4'		10
PS24288	6" X 6' FLANGE KIT	FLANGE KIT								6" X 6'		10
PS24289	6" X 8' FLANGE KIT	FLANGE KIT								6" X 8'		10
PS24290	2X2 BACKLIT PANEL 3 WATTAGE & 5 CCT SELECTABLE	2X2	20/30/40	2500/3750/5000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X2	120-277V	4
PS24293	2X4 BACKLIT PANEL 3 WATTAGE & 5 CCT SELECTABLE	2X4	30/40/50	3750/5000/6250	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X4	120-277V	4
PS24294	2X4 BACKLIT PANEL - HIGH OUTPUT 5CCT & WATTAGE SELECTABLE	BACKLIT PANEL	50/60/70	6250/7500/8500	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X4	120-277V	4
PS24295	1X4 BACKLIT PANEL 3 WATTAGE & 5 CCT SELECTABLE	1X4	20/30/40	2500/3750/5000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		1X4	120-277V	4
PS24299	2X2 BACKLIT PANEL 4 WATTAGE & 5 CCT SELECTABLE - HIGH OUTPUT - SENSOR READY	BACKLIT PANEL	38/45/51/68	6,000/7,000/8,000/10,000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		2X2	120-277V	2
PS24560	UNIVERSAL HORIZONTAL QUAD STYLE TYPE A+B G24Q - 4CCT & 4 WATTAGE SELECT	HORIZONTAL	8/10/12/15	960/1200/1440/1700	2700K/3000K/4000K/5000K	CCT SELECTABLE	83		G24Q	6.69"	120-277V	100
PS24562	UNIVERSAL VERTICAL QUAD STYLE TYPE A+B G24Q - 4CCT & 4 WATTAGE SELECT	VERTICAL	8/10/12/15	960/1200/1440/1800	2700K/3000K/4000K/5000K	CCT SELECTABLE	80		G24Q	6.10"	120-277V or BALLAST	100
PS24564	6W DOUBLE PIN BALLAST BYPASS - 5CCT SELECTABLE	GX23 DOUBLE PIN	6	700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80		GX23	7.12"	120-277V	20
PS24565	QUAD STYLE 11W 3CCT HORIZONTAL BYPASS	HORIZONTAL	11	1450	3500K/4000K/5000K	CCT SELECTABLE	83		G24D/G24Q	5.90"	120-277V	50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS24567	QUAD STYLE 11W 3CCT VERTICAL BYPASS	VERTICAL	11	1450	3500K/4000K/5000K	CCT SELECTABLE	83		G24D/G24Q	4.65"	120-277V	50
PS24568	9W QUAD STYLE BALLAST COMPATIBLE + BYPASS BALLAST - 5CCT SELECTABLE	HORIZONTAL	9	1200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	83		G24Q	6.51"	120-277V or Ballast	50
PS24569	20W 2G11 RETROFIT TUBE BALLAST COMPATIBLE + BYPASS BALLAST - 5CCT SELECTABLE	RETROFIT TUBE	20	3000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	83		2G11	22.24"	120-277V or Ballast	30
PS24629	DC 3W 2700K	T4	3	200	2700K	WARM WHITE	80		BA15D	1.77"	120V	100
PS24630	G4, 2W, 2700K	G4	1.5	200	2700K	WARM WHITE	80		G4	1.30"	12V	100
PS24631	G4, 2W, 3000K	G4	1.5	200	3000K	SOFT WHITE	80		G4	1.30"	12V	100
PS24632	LED G4 2W 4100K	G4	1.5	200	4100K	COOL WHITE	80		G4	1.30"	12V	100
PS24650	E12 4.2W 3000K	T4	4.2	500	3000K	SOFT WHITE	80	TRIAC	E12	2.08"	120V	10
PS24652	E12 4.2W 4000K	T4	4.2	500	4000K	COOL WHITE	80	TRIAC	E12	2.08"	120V	10
PS24655	E12 4.2W 5000K	T4	4.2	500	5000K	BRIGHT WHITE	80	TRIAC	E12	2.08"	120V	10
PS24690	G9 COB 4.5W 2700K	G9	4.5	450	2700K	WARM WHITE	80	TRIAC	G9	2.55"	120V	100
PS24691	G9 COB 4.5W 3000K	G9	4.5	450	3000K	SOFT WHITE	80	TRIAC	G9	2.55"	120V	100
PS24692	G9 COB 4.5W 3500K	G9	4.5	450	3500K	NATURAL	80	TRIAC	G9	2.55"	120V	100
PS24693	G9 COB 4.5W 4000K	G9	4.5	450	4000K	COOL WHITE	80	TRIAC	G9	2.55"	120V	100
PS24694	G9 COB 4.5W 5000K	G9	4.5	450	5000K	BRIGHT WHITE	80	TRIAC	G9	2.55"	120V	100
PS24695	G9 COB 4.5W 6500K	G9	4.5	450	6500K	DAYLIGHT	80	TRIAC	G9	2.55"	120V	100
PS24750	4" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT - 5CCT & 2 WATTAGE SELECTABLE VERY HIGH OUTPUT - UNIVERSAL VOLTAGE/DUAL DIMMING 38°	4" MODULE	20/35	1700/2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		4"	120-277V	12
PS24751	4" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT - 5CCT & 2 WATTAGE SELECTABLE VERY HIGH OUTPUT - UNIVERSAL VOLTAGE/DUAL DIMMING 60°	4" MODULE	20/35	1700/2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		4"	120-277V	12
PS24765	3" ROUND WHITE TRIMLESS	3" TRIMLESS								3"		
PS24910	4" FIRE RATED INTERCHANGEABLE MODULE - 5CCT SELECTABLE	4" INTERCHANGEABLE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120	18
PS24911	4" FIRE RATED INTERCHANGEABLE MODULE - 5CCT SELECTABLE 60°	4" INTERCHANGEABLE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120	18
PS24916	1" TRIMLESS SPOTLIGHT - CCT SELECTABLE	1" TRIMLESS	7	550	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		1"	120V	12

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS24917	1" TRIMLESS SPOTLIGHT - CCT SELECTABLE HIGH OUTPUT	1" TRIMLESS	12	1000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	80	TRIAC		1"	120V	20
PS24921	2" INTERCHANGEABLE NARROW TRIM - ROUND WHITE FINISH	TRIM REPLACEMENT								2"		50
PS24922	2" INTERCHANGEABLE NARROW TRIM - ROUND BLACK FINISH	TRIM REPLACEMENT								2"		50
PS24923	3" INTERCHANGEABLE NARROW TRIM - ROUND WHITE FINISH	TRIM REPLACEMENT								3"		100
PS24924	3" INTERCHANGEABLE NARROW TRIM - ROUND BLACK FINISH	TRIM REPLACEMENT								3"		100
PS24925	2" DEEP REGRESSED 5CCT CANLESS SPOTLIGHT	2" DEEP REGRESSED	15	1000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS24926	4" INTERCHANGEABLE NARROW TRIM - ROUND WHITE FINISH	TRIM REPLACEMENT								4"		
PS24927	3" REGRESSED MINI PANEL TRIMLESS SPOTLIGHT - CCT SELECTABLE	MINI PANEL TRIMLESS	10	750	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS24928	4" INTERCHANGEABLE NARROW TRIM - ROUND BLACK FINISH	TRIM REPLACEMENT								4"		
PS24929	4" REGRESSED MINI PANEL TRIMLESS SPOTLIGHT - CCT SELECTABLE	MINI PANEL TRIMLESS	15	1200	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		4"	120V	18
PS24930	4" DEEP REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT	4" ROUND DEEP	18	1900	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	18
PS24935	4" DEEP REGRESSED TRIM BLACK INTERCHANGEABLE CANLESS SPOTLIGHT	4" ROUND DEEP								4"		20
PS24940	6" DEEP REGRESSED 5CCT CANLESS SPOTLIGHT	6" ROUND DEEP	24	2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		6"	120V	12
PS24948	4" ROUND WALL WASHER TRIM REPLACEMENT - WHITE FINISH	4" TRIM REPLACEMENT								4"		
PS24949	4" SQUARE WALL WASHER TRIM REPLACEMENT - WHITE FINISH	4" TRIM REPLACEMENT								4"		
PS24950	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT	4" INTERCHANGABLE	15	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	18

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS24951	4" REGRESSED 5CCT INTERCHANGEABLE WIDE FLOOD CANLESS SPOTLIGHT	4" INTERCHANGABLE	15	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	18
PS24952	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT ROUND SMOOTH TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24953	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT ROUND BAFFLED TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24954	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE SMOOTH TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24955	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE BAFFLED TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24956	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT ROUND SMOOTH BLACK TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24958	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE SMOOTH BLACK TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24961	4" REGRESSED INTERCHANGEABLE - 5 CCT SELECTABLE HIGH OUTPUT	4" INTERCHANGEABLE	22	1700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	18
PS24962	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT ROUND SMOOTH BRUSHED NICKEL TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24963	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT ROUND SMOOTH BRONZE TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24964	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE SMOOTH BRUSHED NICKEL TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24965	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE SMOOTH BRONZE TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24966	4" REGRESSED INTERCHANGEABLE - 5 CCT SELECTABLE HIGH OUTPUT 60° - DUAL DIMMING/UNIVERSAL VOLTAGE	4" INTERCHANGEABLE	22	1700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	18
PS24967	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT ROUND SMOOTH BLACK/WHITE TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24968	4" REGRESSED 5CCT INTERCHANGEABLE CANLESS SPOTLIGHT SQUARE SMOOTH BLACK/WHITE TRIM	4" INTERCHANGABLE TRIM								4"		100
PS24969	4" REGRESSED 5CCT 120-277 0-10V DRIVER	4" DRIVER	15		2700K/3000K/3500K/4000K/5000K	WARM/SOFT/NATURAL/COOL/BRIGHT		0-10V		4.5" x 2.25" x 1.5"	120-277V	50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS24978	4" REGRESSED 5CCT INTERCHANGEABLE BRASS FINISH TRIM	TRIM REPLACEMENT								4"		100
PS24980	3-4" UNIVERSAL DOWNLIGHT MAGNETIC DISK - 5 CCT SELECTABLE	3-4" ROUND	7.5	650	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26 ADAPTER	3-4"	120V	12
PS24981	3-4" TRIM REPLACEMENT - SQUARE WHITE	Square								3-4"		50
PS24982	3-4" TRIM REPLACEMENT - ROUND BRONZE	Round								3-4"		50
PS24983	3-4" TRIM REPLACEMENT - ROUND BLACK	Round								3-4"		50
PS24984	3-4" TRIM REPLACEMENT - ROUND BRUSHED NICKEL	Round								3-4"		50
PS24986	2" INTERCHANGEABLE NARROW TRIM - ROUND BLACK/WHITE FINISH	TRIM REPLACEMENT								2"		100
PS24988	6" ROUND WALL WASHER TRIM REPLACEMENT - WHITE FINISH	6" TRIM REPLACEMENT								6"		
PS24989	6" SQUARE WALL WASHER TRIM REPLACEMENT - WHITE FINISH	6" TRIM REPLACEMENT								6"		
PS24990	5-6" REGRESSED INTERCHANGEABLE - CCT SELECTABLE 38° UNIVERSAL VOLTAGE/DUAL DIMMING	5-6" INTERCHANGEABLE	22	1700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		5-6"	120-277V	18
PS24991	5-6" REGRESSED INTERCHANGEABLE - CCT SELECTABLE 60°	5-6" INTERCHANGEABLE	22	1700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		5-6"	120V	18
PS24992	5" ROUND TRIM REPLACEMENT - WHITE FINISH	5" TRIM REPLACEMENT								5"		18
PS24993	6" ROUND TRIM REPLACEMENT - WHITE FINISH	6" TRIM REPLACEMENT								6"		18
PS24994	5" SQUARE TRIM REPLACEMENT - WHITE FINISH	5" TRIM REPLACEMENT								5"		18
PS24995	6" SQUARE TRIM REPLACEMENT - WHITE FINISH	6" TRIM REPLACEMENT								6"		18
PS24996	5" ROUND WHITE TRIMLESS	5" TRIMLESS								5"		20
PS24997	22W 5CCT 120-277 0-10V DRIVER	DRIVER	22		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		3.42" x 3.34" x 1.30"	120-277V	
PS24998	6" ROUND TRIM REPLACEMENT - BLACK FINISH	6" TRIM REPLACEMENT								6"		18
PS24999	6" SQUARE TRIM REPLACEMENT - BLACK FINISH	6" TRIM REPLACEMENT								6"		18
PS25020	2" INTERCHANGEABLE MODULE - 5CCT HIGH OUTPUT 38°	2" INTERCHANGABLE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	18

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25021	2" INTERCHANGEABLE MODULE - 5CCT HIGH OUTPUT 60°	2" INTERCHANGABLE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS25022	2" INTERCHANGEABLE TRIM - ROUND WHITE FINISH	TRIM REPLACEMENT								2"		50
PS25024	2" INTERCHANGEABLE TRIM - SQUARE WHITE FINISH	TRIM REPLACEMENT								2"		50
PS25025	2" INTERCHANGEABLE TRIM - ROUND BLACK FINISH	TRIM REPLACEMENT								2"		50
PS25026	2" INTERCHANGEABLE TRIM - SQUARE BLACK FINISH	TRIM REPLACEMENT								2"		50
PS25027	2" INTERCHANGEABLE TRIM - ROUND BRASS FINISH	TRIM REPLACEMENT								2"		50
PS25028	2" INTERCHANGEABLE TRIM - SQUARE BRASS FINISH	TRIM REPLACEMENT								2"		50
PS25030	2" INTERCHANGEABLE MODULE - 5CCT SELECTABLE - 38°	2" INTERCHANGABLE	8	600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS25031	2" INTERCHANGEABLE MODULE - 5CCT SELECTABLE - 60°	2" INTERCHANGABLE	8	600	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS25032	2" INTERCHANGEABLE TRIM - ROUND BRUSHED NICKEL FINISH	TRIM REPLACEMENT								2"		50
PS25033	2" INTERCHANGEABLE TRIM - SQUARE BRUSHED NICKEL FINISH	TRIM REPLACEMENT								2"		50
PS25034	2" INTERCHANGEABLE MODULE - 5CCT & 2 WATTAGE SELECTABLE VERY HIGH OUTPUT 38° - UNIVERSAL VOLTAGE/DUAL DIMMING	2" INTERCHANGABLE	14/20	1200@14W/1700@20W	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		2"	120-277V	18
PS25035	2" INTERCHANGEABLE MODULE - 5CCT & 2 WATTAGE SELECTABLE VERY HIGH OUTPUT 60° - UNIVERSAL VOLTAGE/DUAL DIMMING	2" INTERCHANGABLE	14/20	1200@14W/1700@20W	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		2"	120-277V	18
PS25037	3" INTERCHANGEABLE MODULE - 5CCT & 2 WATTAGE SELECTABLE VERY HIGH OUTPUT 38° - UNIVERSAL VOLTAGE/DUAL DIMMING	3" INTERCHANGABLE	15/20	1450@15W/2100@20W	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	18
PS25038	3" INTERCHANGEABLE MODULE - 5CCT & 2 WATTAGE SELECTABLE VERY HIGH OUTPUT 60° - UNIVERSAL VOLTAGE/DUAL DIMMING	3" INTERCHANGABLE	15/20	1450@15W/2100@20W	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	18
PS25098	3" REGRESSED ROUND WALL WASHER TRIM - WHITE FINISH	Round								3"		
PS25099	3" REGRESSED SQUARE WALL WASHER TRIM - WHITE FINISH	Square								3"		

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25101	3" REGRESSED INTERCHANGEABLE TRIM - SQUARE BLACK FINISH	Square								3"		
PS25105	3" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT 5CCT - 38°	3" INTERCHANGEABLE	15	1250	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS25106	3" REGRESSED INTERCHANGEABLE CANLESS SPOTLIGHT 5CCT - 60°	3" INTERCHANGEABLE	15	1250	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS25107	3" REGRESSED INTERCHANGEABLE TRIM - WHITE FINISH	Round								3"		100
PS25108	3" REGRESSED INTERCHANGEABLE TRIM - WHITE FINISH	Square								3"		100
PS25109	3" REGRESSED INTERCHANGEABLE TRIM - BLACK FINISH	Round								3"		100
PS25111	3" REGRESSED INTERCHANGEABLE TRIM - BRASS FINISH	Round								3"		100
PS25112	3" REGRESSED INTERCHANGEABLE TRIM - BRUSHED NICKEL FINISH	Round								3"		100
PS25113	3" REGRESSED INTERCHANGEABLE TRIM - BRUSHED NICKEL FINISH SQUARE	Square								3"		100
PS25114	3" REGRESSED INTERCHANGEABLE TRIM - BRASS FINISH SQUARE	Square								3"		100
PS25158	4' BED LIGHT - DOWN ON/UP ON/UP+DOWN ON & 3CCT SELECTABLE	BED LIGHT	60 (40W DOWN/20W UP)	6900 (4600 DOWN/2300 UP)	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		48"	120V	2
PS25162	2' LINKABLE WRAP - 5CCT & 4 WATTAGE SELECTABLE	LINKABLE WRAP	12/16/20/25	1800/2400/2950/3600	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		24"	120-277V	4
PS25162+EM	2' LINKABLE WRAP - 5CCT & 4 WATTAGE SELECTABLE+EM	LINKABLE WRAP	12/16/20/25	1800/2400/2950/3600	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		24"	120-277V	4
PS25164	4' LINKABLE WRAP - 5CCT & 4 WATTAGE SELECTABLE	LINKABLE WRAP	17/24/31/38	2550/3550/4550/5500	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		48"	120-277V	4
PS25164+EM	4' LINKABLE WRAP - 5CCT & 4 WATTAGE SELECTABLE+EM	LINKABLE WRAP	17/24/31/38	2550/3550/4550/5500	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		48"	120-277V	4
PS25166	8' LINKABLE WRAP - 5CCT & 4 WATTAGE SELECTABLE	LINKABLE WRAP	42/47/53/68	6350/7000/7800/10000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		96"	120-277V	4

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25166+EM	8' LINKABLE WRAP - 5CCT & 4 WATTAGE SELECTABLE+EM	LINKABLE WRAP	42/47/53/68	6350/7000/7800/10000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		96"	120-277V	4
PS25176	SLIM LINEAR PENDANT KIT	LINEAR STRIP KIT										
PS25177	LINEAR PENDANT KIT	LINEAR STRIP KIT								L: 41.33"		
PS25178	SLIM LINEAR SUSPENSION KIT	LINEAR STRIP KIT								L: 41.33"		
PS25179	LINEAR SUSPENSION KIT	LINEAR STRIP KIT								L: 41.33"		
PS25181	2' SLIM LINEAR 20W 3CCT	LINEAR STRIP	20	2600/2620/2640	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		24"	120-277V	9
PS25189	UNIVERSAL BILEVEL MOTION SENSOR REMOTE	REMOTE										
PS25190	MICROWAVE BiLevel 120-277VAC , 0-10V MOTION SENSOR	MOTION SENSOR	1					1-10V		3.54" x 1.77"	120-277V	
PS25223	2' QUICK RELEASE SLIM LINEAR FIXTURE - 3CCT & WATTAGE SELECTABLE HIGH OUTPUT	SLIM LINEAR FIXTURE	15/20/25	1950/2600/3250	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		24"	120-277V	12
PS25223+MS	2' QUICK RELEASE SLIM LINEAR FIXTURE - 3CCT & WATTAGE SELECTABLE HIGH OUTPUT + MS	SLIM LINEAR FIXTURE	15/20/25	1950/2600/3250	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		24"	120-277V	12
PS25224	MOTION SENSOR REMOTE FOR LINEAR FIXTURE	REMOTE								REMOTE		100
PS25225	4' QUICK RELEASE SLIM LINEAR FIXTURE - 3CCT & WATTAGE SELECTABLE HIGH OUTPUT	SLIM LINEAR FIXTURE	20/30/40	2600/3900/5200	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		48"	120-277V	12
PS25225+EM	4' QUICK RELEASE SLIM LINEAR - 3CCT & WATTAGE SELECTABLE HO + EM	SLIM LINEAR FIXTURE	20/30/40	2600/3900/5200	3500K/4000K/5000K	2600/3900/5200	80	0-10V		48"	120-277V	12
PS25225+EM+MS	4' SLIM LINEAR - 3CCT & WATTAGE SELECTABLE HO + EM+MS	SLIM LINEAR FIXTURE	20/30/40	2600/3900/5200	3500K/4000K/5000K	2600/3900/5200	80	0-10V		48"	120-277V	12
PS25225+MS	4' QUICK RELEASE SLIM LINEAR - 3CCT & WATTAGE SELECTABLE HO + MS	SLIM LINEAR FIXTURE	20/30/40	2600/3900/5200	3500K/4000K/5000K	2600/3900/5200	80	0-10V		48"	120-277V	12
PS25227	8' QUICK RELEASE SLIM LINEAR FIXTURE - 3CCT & WATTAGE SELECTABLE HIGH OUTPUT	SLIM LINEAR FIXTURE	50/64/80	6500/8320/10400	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		96"	120-277V	6
PS25227+MS	8' QUICK RELEASE SLIM LINEAR FIXTURE - 3CCT & WATTAGE SELECTABLE HIGH OUTPUT +MS	SLIM LINEAR FIXTURE	50/64/80	6500/8320/10400	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		96"	120-277V	6
PS25229	LINEAR FIXTURE SUSPENSION KIT	SUSPENSION KIT								5'		100
PS25230	3" ARCHITECTURAL INTERCHANGEABLE MODULE - 2700K	ARCHITECTURAL MODULE	15	1100	2700K	WARM WHITE	90	TRIAC		3"	120-277V	10
PS25231	3" ARCHITECTURAL INTERCHANGEABLE MODULE - 3000K	ARCHITECTURAL MODULE	15	1200	3000K	SOFT WHITE	90	TRIAC		3"	120-277V	10
PS25232	3" ARCHITECTURAL INTERCHANGEABLE MODULE - 3500K	ARCHITECTURAL MODULE	15	1250	3500K	NATURAL	90	TRIAC		3"	120-277V	10
PS25233	3" ARCHITECTURAL INTERCHANGEABLE MODULE - 4000K	ARCHITECTURAL MODULE	15	1300	4000K	COOL WHITE	90	TRIAC		3"	120-277V	10

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25234	120-277V 0-10V LED DRIVER	DRIVER	20					0-10V		L: 7" x W: 1.65" x H: 1.89"	120-277V	
PS25235	3" ARCHITECTURAL MODULE - 22°	FLOOD LENS										200
PS25236	3" ARCHITECTURAL MODULE - 60°	FLOOD LENS										200
PS25240	3" ARCHITECTURAL MODULE WHITE TRIM REPLACEMENT	TRIM REPLACEMENT								W: Ø3.34" x D: 1.96"		
PS25241	3" ARCHITECTURAL MODULE TRIM REPLACEMENT	TRIM REPLACEMENT								W: Ø3.34" x D: 1.96"		
PS25242	3" ARCHITECTURAL MODULE BLACK TRIM REPLACEMENT	TRIM REPLACEMENT								W: Ø3.34" x D: 1.96"		
PS25243	3" ARCHITECTURAL MODULE BLACK/GOLD TRIM REPLACEMENT	TRIM REPLACEMENT								W: Ø3.34" x D: 1.96"		100
PS25245	3" ARCHITECTURAL INTERCHANGEABLE MODULE - WHITE ROUND TRIMLESS	3" ROUND TRIMLESS								3"		40
PS25246	3" ARCHITECTURAL INTERCHANGEABLE MODULE - BLACK ROUND TRIMLESS	3" ROUND TRIMLESS								3"		40
PS25248	3" ARCHITECTURAL INTERCHANGEABLE MODULE - SQUARE TRIMLESS	3" SQUARE TRIMLESS								3"		
PS25249	3" ARCHITECTURAL INTERCHANGEABLE MODULE - SQUARE TRIMLESS	3" SQUARE TRIMLESS								3"		
PS25250	3" ARCHITECTURAL MODULE WHITE TRIM REPLACEMENT - SQUARE	TRIM REPLACEMENT								3"		40
PS25251	3" ARCHITECTURAL MODULE BLACK TRIM REPLACEMENT - SQUARE	TRIM REPLACEMENT								3"		40
PS25252	3" ARCHITECTURAL MODULE WHITE TRIM REPLACEMENT - TWO HEAD	TRIM REPLACEMENT								3"		20
PS25253	3" ARCHITECTURAL MODULE BLACK TRIM REPLACEMENT - TWO HEAD	TRIM REPLACEMENT								3"		20
PS25258	3" ARCHITECTURAL MODULE GOLD REFLECTOR REPLACEMENT - SQUARE	REFLECTOR								3"		200
PS25259	3" ARCHITECTURAL MODULE CHROME BLACK REFLECTOR REPLACEMENT - SQUARE	REFLECTOR								3"		200
PS25260	4' VAPORTIGHT LINEAR WATTAGE SELECTABLE 3CCT	LINEAR VAPOR TIGHT	34/38/45	4658/5092/5895	3500K/4000K/5000K	CCT SELECTABLE	82	0-10V		48"	120-277V	4
PS25263	8' VAPORTIGHT LINEAR WATTAGE SELECTABLE 3CCT	LINEAR VAPOR TIGHT	65/75/90	8905/10050/11790	3500K/4000K/5000K	CCT SELECTABLE	82	0-10V		96"	120-277V	1
PS25311	2X2 CENTER-BASKET TROFFER 5CCT & 5 WATTAGE SELECTABLE	2X2	20/25/30/35/40	2500/3125/3750/4375/5000	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	80	0-10V		2X2	120-277V	2
PS25311+MS	2X2 CENTER-BASKET TROFFER 5CCT & 5 WATTAGE SELECTABLE +MS	2X2	20/25/30/35/40	2500/3125/3750/4375/5000	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	80	0-10V		2X2	120-277V	2

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25312	2X4 CENTER-BASKET TROFFER 5CCT & 5 WATTAGE SELECTABLE	2X4	30/40/50/60/72	3750/5000/6250/7500/9000	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	80	0-10V		2X4	120-277V	2
PS25312+MS	2X4 CENTER-BASKET TROFFER 5CCT & 5 WATTAGE SELECTABLE +MS	2X4	30/40/50/60/72	3750/5000/6250/7500/9000	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	80	0-10V		2X4	120-277V	2
PS25313	1X4 CENTER BASKET TROFFER - 5CCT & 5 WATTAGE SELECTABLE	TROFFER	20/25/30/35/40	2500/3125/3750/4375/5000	3000K/3500K/4000K/5000K/6000K	CCT SELECTABLE	80	0-10V		1X4	120-277V	2
PS25350	2' HIGH OUTPUT NARROW LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	NARROW LINEAR	13/17/21/26	2000/2500/3000/4000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		24"	120-277V	9
PS25352	36" HIGH OUTPUT NARROW LINEAR FIXTURE - 5CCT & 4 WATTAGE SELECTABLE	NARROW LINEAR	13/17/21/26	2000/2500/3000/4000	3000K/3500K/4000K/5000K/6500K	SOFT/NATURAL /COOL/BRGHT/ DAYLIGHT	80	0-10V		1.9"	120-277V	9
PS25354	4' HIGH OUTPUT NARROW LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	NARROW LINEAR	40/47/53/68	5000/6000/8000/10000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		48"	120-277V	9
PS25354+EM	4' HIGH OUTPUT NARROW LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE + EM	NARROW LINEAR	40/47/53/68	5000/6000/8000/10000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		48"	120-277V	9
PS25356	8' HIGH OUTPUT NARROW LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	NARROW LINEAR	68/80/106/135	10000/12000/16000/20000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		96"	120-277V	4
PS25356+EM	96" VERY HIGH OUTPUT NARROW LINEAR FIXTURE - 5CCT & 4 WATTAGE SELECTABLE EM READY	NARROW LINEAR	68/80/106/135	10000/12000/16000/20000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		96"	120-277V	4
PS25357	MICROWAVE BI-LEVEL DIP SWITCH MOTION SENSOR	MOTION SENSOR	<0.3					0-10V		L: 2.27" x W: 0.76" x D: 0.94"	10-15V	250
PS25360	2' VERY HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	LINEAR	13/17/21/26	2000/2500/3000/4000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		24"	120-277V	6
PS25360+EM	2' VERY HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE + EM	LINEAR	13/17/21/26	2000/2500/3000/4000	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		24"	120-277V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25362	3' HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	LINEAR	13/17/2 1/26	2000/260 0/3200/4 000	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80	0-10V		36"	120-277V	6
PS25363	4' HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	LINEAR	21/26/3 4/40	3300/410 0/5200/6 300	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80	0-10V		48"	120-277V	6
PS25364	4' VERY HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	LINEAR	40/47/5 3/68	5000/600 0/8000/1 0000	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80	0-10V		48"	120-277V	6
PS25364+EM	4' VERY HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE + EM	LINEAR	40/47/5 3/68	5000/600 0/8000/1 0000	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80	0-10V		48"	120-277V	6
PS25365	8' HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	LINEAR	40/53/6 8/80	6600/820 0/10400/ 12600	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80	0-10V		96"	120-277V	4
PS25366	8' VERY HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE	LINEAR	68/80/1 06/135	10000/12 000/1600 0/20000	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80	0-10V		96"	120-277V	4
PS25366+EM	8' VERY HIGH OUTPUT LINEAR FIXTURE SENSOR READY - 5CCT & 4 WATTAGE SELECTABLE + EM	LINEAR	68/80/1 06/135	10000/12 000/1600 0/20000	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80	0-10V		96"	120-277V	4
PS25367	LINEAR FIXTURE 4' REFLECTOR	REFLECTOR								4'		
PS25368	LINEAR FIXTURE STRAIGHT CONNECTOR	CONNECTOR										
PS25369	LINEAR FIXTURE SUSPENSION KIT	SUSPENSION KIT								59"		
PS25370	LINEAR FIXTURE CHAIN KIT	CHAIN KIT								41.3"		
PS25371	LINEAR FIXTURE 4' STRAIGHT REFLECTOR	REFLECTOR								4'		
PS25372	MICROWAVE BI-LEVEL DC MOTION 1P SENSOR - AUDIO JACK	MOTION SENSOR	0.3					0-10V	AUDIOJACK	L: 2.63" x W: 0.72" x D: 0.44"	12V	
PS25373	MICROWAVE BI-LEVEL 1P SENSOR - AUDIO JACK RECEPTACLE		0.3						AUDIOJACK		12V	
PS25374	LINEAR FIXTURE 10' SUSPENSION KIT	SUSPENSION KIT								10'		
PS25375	MICROWAVE BI-LEVEL ADJUSTABLE DC MOTION SENSOR - AUDIO JACK	MOTION SENSOR	<0.5					0-10V	AUDIOJACK	L: 2.66" x W: 0.73" x D: 0.56"	10-15V	
PS25377	MICROWAVE BI-LEVEL DIP SWITCH MOTION SENSOR	MOTION SENSOR	<0.5					0-10V		L: 2.28" x W: 0.76" x D: 0.64"	10-15V	
PS25378	LINEAR FIXTURE 4' WIRE GUARD	WIRE GUARD								4'		2

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25400	1" TRIMLESS - 2 HEAD PLASTER FRAME	PLASTER FRAME								1"		
PS25401	1" TRIMLESS - 3 HEAD PLASTER FRAME	PLASTER FRAME								1"		
PS25402	1" TRIMLESS - 4 HEAD PLASTER FRAME	PLASTER FRAME								1"		
PS25403	2" TRIMLESS - 2 HEAD PLASTER FRAME	PLASTER FRAME								2"		
PS25404	2" TRIMLESS - 3 HEAD PLASTER FRAME	PLASTER FRAME								2"		
PS25405	2" TRIMLESS - 4 HEAD PLASTER FRAME	PLASTER FRAME								2"		
PS25406	4" TRIMLESS - 2 HEAD PLASTER FRAME	PLASTER FRAME								4"		
PS25407	4" TRIMLESS - 3 HEAD PLASTER FRAME	PLASTER FRAME								4"		
PS25408	4" TRIMLESS - 4 HEAD PLASTER FRAME	PLASTER FRAME								4"		
PS25410	3" MICRO PINHOLE TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	TRIMLESS SPOTLIGHT	15	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING		3"	120-277V	24
PS25415	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT SNOOT - FROST WHITE FINISH	SNOOT								3"		
PS25416	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT SNOOT - BRASS FINISH	SNOOT								3"		
PS25417	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT SNOOT - WOOD FINISH	SNOOT								3"		
PS25418	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT SNOOT - MARBLE FINISH	SNOOT								3"		
PS25421	1" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BLACK FINISH	TRIM REPLACEMENT								1"		
PS25422	1" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRUSHED NICKEL	TRIM REPLACEMENT								1"		
PS25423	1" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRASS FINISH	TRIM REPLACEMENT								1"		
PS25424	3" REGRESSED TRIMLESS PUSH N' LOCK SQUARE MESH - WHITE FINISH	PLASTER FRAME								3"		
PS25425	3" REGRESSED TRIMLESS PUSH N' LOCK SQUARE MESH - BLACK FINISH	PLASTER FRAME								3"		
PS25426	48" WIRE EXTENDER - PUSH N' LOCK TRIMLESS SERIES	WIRE EXTENDER								48"		
PS25427	120" WIRE EXTENDER - PUSH N' LOCK TRIMLESS SERIES	WIRE EXTENDER								120"		
PS25428	4" REGRESSED TRIMLESS PUSH N' LOCK SQUARE MESH - WHITE FINISH	PLASTER FRAME								4"		
PS25429	4" REGRESSED TRIMLESS PUSH N' LOCK SQUARE MESH - BLACK FINISH	PLASTER FRAME								4"		
PS25430	1" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE 38°	REGRESSED TRIMLESS	10	850	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		1"	120V	

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25431	1" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE 60°	REGRESSED TRIMLESS	10	850	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		1"	120V	
PS25433	3" GIMBAL PUSH N' LOCK TRIMLESS SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	FLOATING GIMBAL TRIMLESS	12	1100	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120V	24
PS25434	4" GIMBAL PUSH N' LOCK TRIMLESS SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	FLOATING GIMBAL TRIMLESS	20	2000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	24
PS25435	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRASS FINISH	TRIM REPLACEMENT								3"		
PS25436	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE UNIVERSAL VOLTAGE/DUAL DIMMING/UNIVERSAL VOLTAGE ROUND	REGRESSED TRIMLESS	15	950	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	24
PS25437	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE UNIVERSAL VOLTAGE/DUAL DIMMING/UNIVERSAL VOLTAGE SQUARE	REGRESSED TRIMLESS	15	950	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	24
PS25438	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE UNIVERSAL VOLTAGE/DUAL DIMMING/UNIVERSAL VOLTAGE ROUND	REGRESSED TRIMLESS	25	1950	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	24
PS25439	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE UNIVERSAL VOLTAGE/DUAL DIMMING/UNIVERSAL VOLTAGE SQUARE	REGRESSED TRIMLESS	25	1950	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	24
PS25441	2" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BLACK FINISH	TRIM REPLACEMENT								2"		
PS25442	2" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRUSHED NICKEL	TRIM REPLACEMENT								2"		
PS25443	2" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRASS FINISH	TRIM REPLACEMENT								2"		
PS25444	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BLACK FINISH	TRIM REPLACEMENT								3"		
PS25445	2" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE 38°	REGRESSED TRIMLESS	12	1000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		2"	120-277V	24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25446	2" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE 60°	REGRESSED TRIMLESS	12	1100	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		2"	120-277V	24
PS25447	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRUSHED NICKEL	TRIM REPLACEMENT								3"		
PS25448	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT WALL WASHER TRIM - WHITE FINISH	WALL WASHER TRIM								3"		
PS25449	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT WALL WASHER TRIM - BLACK FINISH	WALL WASHER TRIM								3"		
PS25450	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	REGRESSED TRIMLESS	15	1100	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	24
PS25452	3" FLOATING GIMBAL PUSH N' LOCK TRIMLESS SPOTLIGHT - CCT SELECTABLE	FLOATING GIMBAL TRIMLESS	12	900	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		3"	120V	24
PS25453	3" REGRESSED TRIMLESS PUSH N' LOCK ZOOMABLE SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	REGRESSED TRIMLESS	15	850~1100	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	24
PS25454	3" FLAT TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	FLAT TRIMLESS SPOTLIGHT	15	1100	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	24
PS25455	3" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE 60°	REGRESSED TRIMLESS	15	1100	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		3"	120-277V	24
PS25456	15W 120-277V DRIVER	DRIVER	15		2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE		0-10V		L: 4.33" x W: 2.18" x H: 2.26"	120-277V	
PS25457	3" TRIMLESS - 2 HEAD PLASTER FRAME	PLASTER FRAME								3"		24
PS25458	3" TRIMLESS - 3 HEAD PLASTER FRAME	PLASTER FRAME								3"		24
PS25459	3" TRIMLESS - 4 HEAD PLASTER FRAME	PLASTER FRAME								3"		24
PS25460	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE 38°	REGRESSED TRIMLESS	25	2000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	24
PS25462	4" FLOATING GIMBAL PUSH N' LOCK TRIMLESS SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	FLOATING GIMBAL TRIMLESS	20	2000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25463	4" REGRESSED TRIMLESS PUSH N' LOCK ZOOMABLE SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	REGRESSED TRIMLESS	25	1500~2100	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	24
PS25464	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRASS FINISH	TRIM REPLACEMENT								4"		
PS25465	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT - CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE 60°	REGRESSED TRIMLESS	25	2000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4"	120-277V	24
PS25466	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BLACK FINISH	TRIM REPLACEMENT								4"		
PS25467	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT TRIM REPLACEMENT - BRUSHED NICKEL	TRIM REPLACEMENT								4"		
PS25468	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT WALL WASHER TRIM - WHITE FINISH	WALL WASHER TRIM								4"		
PS25469	4" REGRESSED TRIMLESS PUSH N' LOCK SPOTLIGHT WALL WASHER TRIM - BLACK FINISH	WALL WASHER TRIM								4"		
PS25470	1" INTERLOCKING TRIMLESS MODULE - 5CCT SELECTABLE	INTERLOCKING TRIMLESS	7	500	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		1"	120V	18
PS25471	1" INTERLOCKING TRIMLESS - MESH REPLACEMENT	INTERLOCKING MESH								1"		100
PS25472	1" INTERLOCKING TRIMLESS - BLACK TRIM	TRIM REPLACEMENT								1"		100
PS25475	2" INTERLOCKING TRIMLESS MODULE - 5CCT SELECTABLE	INTERLOCKING TRIMLESS	8	600	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS25476	2" INTERLOCKING TRIMLESS - MESH REPLACEMENT	INTERLOCKING MESH								2"		
PS25477	2" INTERLOCKING TRIMLESS - BLACK TRIM	TRIM REPLACEMENT								2"		
PS25480	2" INTERLOCKING HIGH OUTPUT TRIMLESS MODULE - 5CCT SELECTABLE	INTERLOCKING TRIMLESS	15	1000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		2"	120V	18
PS25485	3" INTERLOCKING TRIMLESS MODULE - 5CCT SELECTABLE	INTERLOCKING TRIMLESS	15	1000	2700K/3000K/3500K/4000K/5000OK	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS25486	3" INTERLOCKING TRIMLESS - MESH REPLACEMENT	INTERLOCKING MESH								3"		20
PS25487	3" INTERLOCKING TRIMLESS - BLACK TRIM	TRIM REPLACEMENT								3.38"		50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS25490	4" INTERLOCKING TRIMLESS MODULE - 5CCT SELECTABLE	INTERLOCKING TRIMLESS	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4"	120V	18
PS25491	4" INTERLOCKING TRIMLESS - MESH REPLACEMENT	INTERLOCKING MESH								4"		20
PS25492	4" INTERLOCKING TRIMLESS - BLACK TRIM	TRIM REPLACEMENT								4"		50
PS25709	1X4 DESIGNER PANEL - 3CCT & WATTAGE SELECTABLE	1X4	25/30/35	2750/3300/3850	3500K/4000K/5000K	CCT SELECTABLE	80	1-10V		1X4	110-277V	4
PS25715	2X2 CENTER LENS DESIGNER PANEL - 5CCT & 4 WATTAGE SELECTABLE SENSOR READY	2X2	16/19/26/32	2300/2700/3700/4500	3500K/4000K/5000K	CCT SELECTABLE	90	0-10V		2X2	120-277V	2
PS25717	2X4 CENTER LENS DESIGNER PANEL - 5CCT & 4 WATTAGE SELECTABLE SENSOR READY	2X4	22/30/36/43	3,100/4,200/5,100/6,000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	0-10V		2X4	120-277V	2
PS31600	PAR20 7W 2700K	PAR20	7	500	2700K	WARM WHITE	80	TRIAC	E26	3.18"	120V	24
PS31601	PAR20 7W 3000K	PAR20	7	500	3000K	SOFT WHITE	80	TRIAC	E26	3.18"	120V	24
PS31602	PAR20 7W 3500K	PAR20	7	500	3500K	NATURAL	80	TRIAC	E26	3.18"	120V	24
PS31603	PAR20 7W 4000K	PAR20	7	500	4000K	COOL WHITE	80	TRIAC	E26	3.18"	120V	24
PS31604	PAR20 7W 5000K	PAR20	7	500	5000K	BRIGHT WHITE	80	TRIAC	E26	3.18"	120V	24
PS31605	PAR30 11W 2700K	PAR30	11	850	2700K	WARM WHITE	80	TRIAC	E26	4.52"	120V	24
PS31606	PAR30 11W 3000K	PAR30	11	850	3000K	SOFT WHITE	80	TRIAC	E26	4.52"	120V	24
PS31607	PAR30 11W 3500K	PAR30	11	850	3500K	NATURAL	80	TRIAC	E26	4.52"	120V	24
PS31608	PAR30 11W 4000K	PAR30	11	850	4000K	COOL WHITE	80	TRIAC	E26	4.52"	120V	24
PS31609	PAR30 11W 5000K	PAR30	11	850	5000K	BRIGHT WHITE	80	TRIAC	E26	4.52"	120V	24
PS31610	PAR30 11W 2700K - SHORT NECK	PAR30 SHORT NECK	11	900	2700K	WARM WHITE	80	TRIAC	E26	3.66"	120V	24
PS31611	PAR30 11W 3000K - SHORT NECK	PAR30 SHORT NECK	11	900	3000K	SOFT WHITE	80	TRIAC	E26	3.66"	120V	24
PS31612	PAR30 11W 3500K - SHORT NECK	PAR30 SHORT NECK	11	900	3500K	NATURAL	80	TRIAC	E26	3.66"	120V	24
PS31613	PAR30 11W 4000K - SHORT NECK	PAR30 SHORT NECK	11	900	4000K	COOL WHITE	80	TRIAC	E26	3.66"	120V	24
PS31614	PAR30 11W 5000K - SHORT NECK	PAR30 SHORT NECK	11	900	5000K	BRIGHT WHITE	80	TRIAC	E26	3.66"	120V	24
PS31615	PAR38 15W 2700K	PAR38	15	1250	2700K	WARM WHITE	80	TRIAC	E26	5.11"	120V	24
PS31616	PAR38 15W 3000K	PAR38	15	1250	3000K	SOFT WHITE	80	TRIAC	E26	5.11"	120V	24
PS31617	PAR38 15W 3500K	PAR38	15	1250	3500K	NATURAL	80	TRIAC	E26	5.11"	120V	24
PS31618	PAR38 15W 4000K	PAR38	15	1250	4000K	COOL WHITE	80	TRIAC	E26	5.11"	120V	24
PS31619	PAR38 15W 5000K	PAR38	15	1250	5000K	BRIGHT WHITE	80	TRIAC	E26	5.11"	120V	24
PS31620	PAR20 7W - 5 CCT SELECTABLE	PAR20	7	550	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	3.07"	120V	100
PS31622	PAR30 SHORT NECK 10W - 5 CCT SELECTABLE	PAR30	10	850	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	3.46"	120V	30

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS31624	PAR30 LONG NECK 10W - 5 CCT SELECTABLE	PAR30	10	850	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	4.52"	120V	30
PS31626	PAR38 13W - 5 CCT SELECTABLE	PAR30	13	1200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	5.31"	120V	30
PS31627	BR20 10W - 5CCT SELECTABLE	BR20	7	550	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	3.81"	120V	24
PS31628	BR30 10W - 5CCT SELECTABLE	BR30	10	850	2700K/3000K/3500K/4000K/6500K	CCT SELECTABLE	90	TRIAC	E26	5.11"	120V	24
PS31629	BR40 12W - 5CCT SELECTABLE	BR40	12	1080	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	E26	6.25"	120V	24
PS31631	PAR38 15W 3000K DUSK TO DAWN	PAR38	15	1250	3000K	SOFT WHITE	80	TRIAC	E26	5.11"	120V	24
PS31634	PAR38 15W 5000K DUSK TO DAWN	PAR38	15	1250	5000K	BRIGHT WHITE	80	TRIAC	E26	5.11"	120V	24
PS31640	PAR38 8W RED	PAR 38	8		RED	RED			E26	5.11"	120V	24
PS31641	PAR38 8W YELLOW	PAR 38	8		YELLOW	YELLOW			E26	5.11"	120V	24
PS31642	PAR38 8W BLUE	PAR 38	8		BLUE	BLUE			E26	5.11"	120V	24
PS31643	PAR38 8W GREEN	PAR 38	8		GREEN	GREEN			E26	5.11"	120V	24
PS31857	BR30 10W 3CCT	BR30	10	850	2700K/3000K/5000K	CCT SELECTABLE	80	TRIAC	E26	5.11"	120V	24
PS31860	BR20 6W 2700K	BR20	6.5	460	2700K	WARM WHITE	80	TRIAC	E26	3.7"	120V	20
PS31861	BR20 6W 3000K	BR20	6.5	460	3000K	SOFT WHITE	80	TRIAC	E26	3.7"	120V	20
PS31862	BR20 6W 3500K	BR20	6.5	460	3500K	NATURAL	80	TRIAC	E26	3.7"	120V	20
PS31863	BR20 6W 4000K	BR20	6.5	460	4000K	COOL WHITE	80	TRIAC	E26	3.7"	120V	20
PS31865	BR20 6W 5000K	BR20	6.5	460	5000K	BRIGHT WHITE	80	TRIAC	E26	3.7"	120V	20
PS31866	BR20 6W 6500K	BR20	6.5	460	6500K	DAYLIGHT	80	TRIAC	E26	3.7"	120V	20
PS31870	BR30 8.5W 2700K	BR30	8.5	650	2700K	WARM WHITE	80	TRIAC	E26	4.96"	120V	20
PS31871	BR30 8.5W 3000K	BR30	8.5	650	3000K	SOFT WHITE	80	TRIAC	E26	4.96"	120V	20
PS31872	BR30 8.5W 3500K	BR30	8.5	650	3500K	NATURAL	80	TRIAC	E26	4.96"	120V	20
PS31873	BR30 8.5W 4000K	BR30	8.5	650	4000K	COOL WHITE	80	TRIAC	E26	4.96"	120V	20
PS31875	BR30 8.5W 5000K	BR30	8.5	650	5000K	BRIGHT WHITE	80	TRIAC	E26	4.96"	120V	20
PS31876	BR30 8.5W 6500K	BR30	8.5	650	6500K	DAYLIGHT	80	TRIAC	E26	4.96"	120V	20
PS31880	BR40 13W 2700K	BR40	13	1100	2700K	WARM WHITE	80	TRIAC	E26	6.29"	120V	20
PS31881	BR40 13W 3000K	BR40	13	1100	3000K	SOFT WHITE	80	TRIAC	E26	6.29"	120V	20
PS31882	BR40 13W 3500K	BR40	13	1100	3500K	NATURAL	80	TRIAC	E26	6.29"	120V	20
PS31883	BR40 13W 4000K	BR40	13	1100	4000K	COOL WHITE	80	TRIAC	E26	6.29"	120V	20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS31885	BR40 13W 5000K	BR40	13	1100	5000K	BRIGHT WHITE	80	TRIAC	E26	6.29"	120V	20
PS31886	BR40 13W 6500K	BR40	13	1100	6500K	DAYLIGHT	80	TRIAC	E26	6.29"	120V	20
PS32070	RETRACTABLE MULTI-LIGHT 1 HEAD - 5CCT SELECTABLE BLACK FINISH	MULTILIGHT	3	200	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		L: 2.28" x W: 2.12" x D: 4.13"	120V	40
PS32071	RETRACTABLE MULTI-LIGHT 1 HEAD - 5CCT SELECTABLE WHITE FINISH	MULTILIGHT	3	200	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		L: 2.28" x W: 2.12" x D: 4.13"	120V	40
PS32073	RETRACTABLE MULTI-LIGHT 2 HEAD - 5CCT SELECTABLE BLACK FINISH	MULTILIGHT	6	400	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		L: 5.19" x W: 2.04" x D: 4.13"	120V	40
PS32074	RETRACTABLE MULTI-LIGHT 2 HEAD - 5CCT SELECTABLE WHITE FINISH	MULTILIGHT	6	400	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		L: 5.19" x W: 2.04" x D: 4.13"	120V	40
PS32076	RETRACTABLE MULTI-LIGHT 5 HEAD - 5CCT SELECTABLE BLACK FINISH	MULTILIGHT	15	1000	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		L: 9.68" x W: 2.04" x D: 4.13"	120V	10
PS32077	RETRACTABLE MULTI-LIGHT 5 HEAD - 5CCT SELECTABLE WHITE FINISH	MULTILIGHT	15	1000	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		L: 9.68" x W: 2.04" x D: 4.13"	120V	10
PS32094	5 CANLESS ARCHITECTURAL MULTILIGHT - CCT SELECTABLE	5 ARCHITECTURAL MULTILIGHT	11	600	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		5.7"x1.7"	120V	20
PS32099	10 CANLESS ARCHITECTURAL MULTILIGHT - CCT SELECTABLE	10 ARCHITECTURAL MULTILIGHT	18	1200	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		11"x1.7"	120V	10
PS32132	24" LED VANITY FIXTURE - BRUSHED NICKEL	VANITY WALL FIXTURE	25	1750	3000K/4 000K/50 00K	CCT SELECTABLE	80	TRIAC		24"	120V	4
PS32133	36" LED VANITY FIXTURE - BRUSHED NICKEL	VANITY WALL FIXTURE	30	2100	3000K/4 000K/50 00K	CCT SELECTABLE	80	TRIAC		36"	120V	4
PS32134	48" LED VANITY FIXTURE - BRUSHED NICKEL	VANITY WALL FIXTURE	40	2800	3000K/4 000K/50 00K	CCT SELECTABLE	80	TRIAC		48"	120V	4
PS32165	14" LED VANITY WALL SCONCE - CCT SELECTABLE ROUND	VANITY WALL SCONCE	16	1000	2700K/3 000K/35 00K/400 0K/5000 K	CCT SELECTABLE	90	TRIAC		14"	120V	4

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS32167	14" LED VANITY WALL SCONCE - CCT SELECTABLE SQUARE	VANITY WALL SCONCE	16	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		14"	120V	4
PS32170	24" VANITY LED BAR - CCT SELECTABLE ROUND	VANITY WALL SCONCE	24	1700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		24"	120V	4
PS32171	24" VANITY LED BAR - CCT SELECTABLE ROUND BLACK FINISH	VANITY WALL SCONCE	24	1700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		24"	120V	4
PS32172	36" VANITY LED BAR - CCT SELECTABLE ROUND	VANITY LED BAR	30	2200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		36"	120V	4
PS32173	36" VANITY LED BAR - CCT SELECTABLE ROUND BLACK FINISH	VANITY LED BAR	30	2200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		36"	120V	4
PS32174	48" VANITY LED BAR - CCT SELECTABLE ROUND	LED VANITY BAR	38	3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		48"	120V	4
PS32175	48" VANITY LED BAR - CCT SELECTABLE ROUND BLACK FINISH	LED VANITY BAR	38	3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		48"	120V	4
PS32176	24" VANITY LED BAR - CCT SELECTABLE SQUARE	VANITY LED BAR	24	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		24"	120V	4
PS32178	36" VANITY LED BAR - CCT SELECTABLE SQUARE	VANITY LED BAR	30	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		36"	120V	4
PS32179	48" VANITY LED BAR - CCT SELECTABLE SQUARE	LED VANITY BAR	38	2800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		48"	120V	4
PS32190	OMNI1 - SINGLE HEAD REGRESSED GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	1 HEAD GIMBAL	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		SINGLE HEAD	120-277V	18

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS32191	OMNI1 - SINGLE HEAD REGRESSED GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	1 HEAD GIMBAL	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		SINGLE HEAD	120-277V	18
PS32192	OMNI2 - TWO HEAD REGRESSED MULTI-HEAD GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	2 HEAD GIMBAL	30	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 8.66" x W: 5.03" x D: 3.76"	120-277V	8
PS32193	OMNI2 - TWO HEAD REGRESSED MULTI-HEAD GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	2 HEAD GIMBAL	30	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 8.66" x W: 5.03" x D: 3.76"	120-277V	8
PS32194	OMNI3 - THREE HEAD REGRESSED MULTI-HEAD GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	3 HEAD GIMBAL	45	3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 12.32" x W: 5.03" x D: 3.76"	120-277V	8
PS32195	OMNI3 - THREE HEAD REGRESSED MULTI-HEAD GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	3 HEAD GIMBAL	45	3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 12.32" x W: 5.03" x D: 3.76"	120-277V	8
PS32196	OMNI4 - FOUR HEAD REGRESSED MULTI-HEAD GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	4 HEAD GIMBAL	60	4000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 15.74" x W: 5.03" x D: 3.76"	120-277V	4
PS32197	OMNI4 - FOUR HEAD REGRESSED MULTI-HEAD GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	4 HEAD GIMBAL	60	4000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 15.74" x W: 5.03" x D: 3.76"	120-277V	4
PS32200	OMNI1 - SINGLE HEAD REGRESSED TRIMLESS GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	1 HEAD GIMBAL	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		SINGLE HEAD	120-277V	18
PS32201	OMNI1 - SINGLE HEAD REGRESSED TRIMLESS GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	1 HEAD GIMBAL	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		SINGLE HEAD	120-277V	18
PS32202	OMNI2 - TWO HEAD REGRESSED TRIMLESS MULTI-HEAD GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	2 HEAD GIMBAL	30	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 10.11" x W: 6.37" x D: 3.76"	120-277V	8
PS32203	OMNI2 - TWO HEAD REGRESSED TRIMLESS MULTI-HEAD GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	2 HEAD GIMBAL	30	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 10.11" x W: 6.37" x D: 3.76"	120-277V	8

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS32204	OMNI3 - THREE HEAD REGRESSED TRIMLESS MULTI-HEAD GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	3 HEAD GIMBAL	45	3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 13.92" x W: 6.37" x D: 3.76"	120-277V	8
PS32205	OMNI3 - THREE HEAD REGRESSED TRIMLESS MULTI-HEAD GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	3 HEAD GIMBAL	45	3000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 13.92" x W: 6.37" x D: 3.76"	120-277V	8
PS32206	OMNI4 - FOUR HEAD REGRESSED TRIMLESS MULTI-HEAD GIMBAL 5CCT SELECTABLE WHITE FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	4 HEAD GIMBAL	60	4000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 17.42" x W: 6.37" x D: 3.76"	120-277V	4
PS32207	OMNI4 - FOUR HEAD REGRESSED TRIMLESS MULTI-HEAD GIMBAL 5CCT SELECTABLE BLACK FINISH - DUAL DIMMING/UNIVERSAL VOLTAGE	4 HEAD GIMBAL	60	4000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		L: 17.42" x W: 6.37" x D: 3.76"	120-277V	4
PS34138	8FT T8 FA8 BYPASS RETROFIT TUBE 5CCT	RETROFIT TUBE	42	5200/5300/5500/5500	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	83	1-10V	FA8	8FT	120-277V	10
PS34139	FA8/R17D PIN CONVERSION SET	R17D SOCKET								R17D		
PS34154	4' T5 BYPASS BALLAST - 4CCT SELECTABLE	T5	24	3120	3500K/4000K/5000K/6500K	CCT SELECTABLE	83	0-10V	G5	48"	120-277V	30
PS34156	4' T5 24W 3000K UNIVERSAL 3 WAY	T5	24	3250	3000K	SOFT WHITE	83		G5	48"	120-277V or BALLAST	30
PS34157	4' T5 24W 3500K UNIVERSAL 3 WAY	T5	24	3300	3500K	NATURAL	83		G5	48"	120-277V or BALLAST	30
PS34158	4' T5 24W 4000K UNIVERSAL 3 WAY	T5	24	3300	4000K	COOL WHITE	83		G5	48"	120-277V or BALLAST	30
PS34159	4' T5 24W 5000K UNIVERSAL 3 WAY	T5	24	3300	5000K	BRIGHT WHITE	83		G5	48"	120-277V or BALLAST	30
PS34236	4' T8 18W 3CCT CLEAR UNIVERSAL	T8	18	2200/2300/2250	4000K/5000K/6500K	CCT SELECTABLE	83	SUITABLE FOR DIMMING BALLAST	G13	48"	120-277V or BALLAST	30
PS34238	4' T8 BYPASS 5 CCT & WATTAGE SELECTABLE	T8	12/15/18	1620/1950/2250	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	83		G13	4'	120-277V	30
PS34241	2' T8 8W 5CCT UNIVERSAL 3 WAY	T8	8	960	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	83	1-10V	G13	24"	120-277V or BALLAST	30

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS34243	3' T8 12W 5CCT UNIVERSAL 3 WAY	T8	12	1560	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	83	TRIAC	G13	36"	120-277V or BALLAST	30
PS34244	4' T8 13W 5CCT UNIVERSAL 3 WAY	T8	13	1900	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	83	TRIAC	G13	48"	120-277V or BALLAST	30
PS34246	4' T8 UNIVERSAL 3 WAY - 5CCT & 3 WATTAGE SELECTABLE - DIMMABLE	T8	12/15/1 8	1620/195 0/2250	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	83	TRIAC	G13	48"	120-277V or BALLAST	30
PS34249	4' T8 EM READY - 5CCT SELECTABLE	T8	12.5	1900 (400 EM)	3000K/3 500K/40 00K/500 0K/6500 K	CCT SELECTABLE	80		G13	48"	120-277V	30
PS35120	EMERGENCY DRIVER 8W DC	EM LED BATTERY	8							-	100-277V	20
PS35121	EMERGENCY DRIVER 15W DC	EM LED BATTERY	15							-	100-277V	20
PS35124	EMERGENCY DRIVER 30W AC	EM LED BATTERY	30							-	100-347V	15
PS35126	EMERGENCY DRIVER 15W AC	EM LED BATTERY	15							L: 1.45" x W: 13.78" x H: 0.94"	100-347V	10
PS35127	UFO EMERGENCY LED DRIVER 30W	EM LED BATTERY	30							10.75"	100-347V	4
PS35128	UFO EMERGENCY LED DRIVER REMOTE	EM LED REMOTE										25
PS35129	UFO EMERGENCY LED DRIVER G-HOOK	G-HOOK										25
PS35130	TEST BUTTON AND ADAPTER FOR EMERGENCY BATTERY	TEST BUTTON ADAPTER								32"		
PS35131	EMERGENCY DRIVER 23W AC SINGLE FLEX	EM LED BATTERY	23							L: 15" x W: 2.24" x H: 1.3"	100-277V	
PS35132	BACKLIT PANEL ENCLOSED EMERGENCY DRIVER 8W AC	EM LED BATTERY	8					0-10V		L: 19.09" x W: 1.30" x H: 1.06"	100-347V	20
PS35133	EMERGENCY LED DRIVER 8W DC	EM LED BATTERY	8							L: 5.87" x W: 1.75" x H: 1.01"	100-347V	
PS35135	EMERGENCY LED DRIVER 8W DC	EM LED BATTERY	8							L: 5.31" x W: 1.69" x H: 0.98"	100-347V	20
PS36130	60W ELECTRONIC CONSTANT VOLTAGE DRIVER	ELECTRONIC DRIVER	60					ELV, MLV, TRIAC PHASE		L: 4.97" x W: 3.14" x H: 1.60"	120V	20
PS36131	96W ELECTRONIC CONSTANT VOLTAGE DRIVER	ELECTRONIC DRIVER	96					ELV, MLV, TRIAC PHASE		L: 4.97" x W: 3.14" x H: 1.60"	120V	20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS36132	150W ELECTRONIC CONSTANT VOLTAGE DRIVER	ELECTRONIC DRIVER	150					ELV, MLV, TRIAC PHASE		L: 6.55" x W: 4.07" x H: 1.60"	120V	20
PS36133	200W ELECTRONIC CONSTANT VOLTAGE DRIVER	ELECTRONIC DRIVER	200					ELV, MLV, TRIAC PHASE		L: 6.55" x W: 4.07" x H: 1.60"	120V	20
PS36134	300W ELECTRONIC CONSTANT VOLTAGE DRIVER	ELECTRONIC DRIVER	300					ELV, MLV, TRIAC PHASE		L: 6.55" x W: 4.07" x H: 1.60"	120V	20
PS36140	96W MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER	DIMMER	96					YES		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36141	96W MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER + CCT SLIDER	DIMMER	96					YES		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36142	160W MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER	DIMMER	160					YES		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36143	160W MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER + CCT SLIDER	DIMMER	160					YES		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36144	96W SMART WiFi & BLUETOOTH MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER	DIMMER	96					0.3% - 100%		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36145	96W SMART WiFi & BLUETOOTH MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER + CCT SLIDER	DIMMER	96					0.3% - 100%		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36146	160W SMART WiFi & BLUETOOTH MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER	DIMMER	160					0.3% - 100%		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36147	160W SMART WiFi & BLUETOOTH MICRO ELECTRONIC CONSTANT VOLTAGE DRIVER + DIMMER + CCT SLIDER	DIMMER	160					0.3% - 100%		L: 4.134" x W: 2.126" x D: 2.035"	120V	20
PS36159	ENCLOSED 288W MULTI-TAP ELECTRONIC CONSTANT VOLTAGE CLASS 2	DRIVER	288					TRIAC			100-277V	10
PS36162	60W ELECTRONIC CONSTANT VOLTAGE 5 IN 1 DIMMABLE DRIVER	DRIVER	60					5 IN 1			100-277V	10
PS36164	96W ELECTRONIC CONSTANT VOLTAGE 5 IN 1 DIMMABLE DRIVER	DRIVER	96					5 IN 1			100-277V	10
PS36167	150W ELECTRONIC CONSTANT VOLTAGE 5 IN 1 DIMMABLE DRIVER	DRIVER	150W					5 in 1			100-277V	10
PS36168	200W ELECTRONIC CONSTANT VOLTAGE 5 IN 1 DIMMABLE DRIVER	DRIVER	200					5 IN 1			110-277V	10
PS36169	300W ELECTRONIC CONSTANT VOLTAGE 5 IN 1 DIMMABLE DRIVER	DRIVER	300					5 IN 1			110-277V	10

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS36170	RGB+WW TAPE LIGHT CONTROLLER	RGB+WW CONTROLLER	12-24V DC					TRIAC		4.48" x 1.49"	110-230V	
PS36173	CCT TUNABLE TAPE LIGHT REMOTE	CCT TUNABLE TAPE LIGHT REMOTE								L: 4.21" x W: 2.30" x D: 0.35"		
PS36175	RGB+WW TAPE LIGHT CONTROL REMOTE	RGB+WW TAPE LIGHT REMOTE								L: 4.21" x W: 2.30" x D: 0.35"		
PS36176	CCT TUNABLE TAPE LIGHT CONTROLLER	CONTROLLER						0-100%		3.82" x 1.30"	12-24VDC	
PS36177	600W ELECTRONIC CONSTANT VOLTAGE 5 IN 1 DIMMABLE DRIVER	DRIVER	600					5 IN 1		L: 11.02" x W: 5.51" x H: 1.97"	110-277V	5
PS38001	3W HORIZONTAL STEP LIGHT - 5CCT SELECTABLE WHITE FINISH	STEP LIGHT	3	150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		L: 4.72" x W: 3" x D: 1.5"	120V	18
PS38002	3W HORIZONTAL STEP LIGHT - 5CCT SELECTABLE WHITE FINISH	STEP LIGHT	3	150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		L: 4.72" x W: 3" x D: 1.5"	120V	18
PS38005	3W VERTICAL STEP LIGHT - 5CCT SELECTABLE WHITE FINISH	STEP LIGHT	3	150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		L: 3" x W: 4.72" x D: 1.5"	120V	18
PS38006	3W VERTICAL STEP LIGHT - 5CCT SELECTABLE WHITE FINISH	STEP LIGHT	3	150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC		L: 3" x W: 4.72" x D: 1.5"	120V	18
PS38010	HORIZONTAL STEP LIGHT PLATE - BLACK FINISH	COVER PLATE								L: 4.72" x W: 3"		100
PS38011	VERTICAL STEP LIGHT PLATE - BLACK FINISH	COVER PLATE								L: 3" x W: 4.72"		100
PS38012	HORIZONTAL STEP LIGHT PLATE - BRUSHED NICKEL FINISH	COVER PLATE								L: 4.72" x W: 3"		100
PS38013	VERTICAL STEP LIGHT PLATE - BRUSHED NICKEL FINISH	COVER PLATE								L: 3" x W: 4.72"		100
PS38020	CLIP-IN WALL WASHER STEP LIGHT - 5 CCT SELECTABLE WHITE FINISH	STEP LIGHT	5	350	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		W: Ø 2.75" x H: 1.37"	120V	36
PS38021	CLIP-IN WALL WASHER STEP LIGHT - 5 CCT SELECTABLE BLACK FINISH	STEP LIGHT	5	350	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		W: Ø 2.75" x H: 1.37"	120V	36

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS38030	3W HORIZONTAL TRIMLESS STEP LIGHT - 5CCT SELECTABLE WHITE FINISH	STEP LIGHT	3	150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		L: 4.30" x W: 3.46" x D: 1.92"	120V	24
PS38031	3W HORIZONTAL TRIMLESS STEP LIGHT - 5CCT SELECTABLE BLACK FINISH	STEP LIGHT	3	150	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		L: 4.20" x W: 3.46" x D: 1.92"	120V	24
PS38032	3W VERTICAL TRIMLESS STEP LIGHT - 5CCT SELECTABLE WHITE FINISH	STEP LIGHT	3	90	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		L: 4.20" x W: 3.46" x D: 1.92"	120V	24
PS38033	3W VERTICAL TRIMLESS STEP LIGHT - 5CCT SELECTABLE BLACK FINISH	STEP LIGHT	3	90	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		L: 3.46" x W: 4.20" x D: 1.92"	120V	24
PS40030	24' PLUG IN STRING LIGHTS - 2200K	OUTDOOR STRING LIGHTS	8.2	480	2200K	WARM WHITE			E26	24'	120V	6
PS40032	48' PLUG IN STRING LIGHTS - 2200K	OUTDOOR STRING LIGHTS	16.1	960	2200K	WARM WHITE			E26	48'	120V	4
PS40035	24' RGBW PLUG IN STRING LIGHTS	OUTDOOR STRING LIGHTS	3.6	24	RGBW WARM WHITE	RGBW WARM WHITE		True	PIN PUSH IN	24'	100-240V	6
PS40037	48' RGBW PLUG IN STRING LIGHTS	OUTDOOR STRING LIGHTS	7.2	44	RGBW WARM WHITE	RGBW WARM WHITE		True	PIN PUSH IN	48'	100-240V	4
PS40039	35' RGBW SOLAR STRING LIGHTS	OUTDOOR STRING LIGHTS	4.5	18	RGBW WARM WHITE	RGBW WARM WHITE		True	PIN PUSH IN	35'	SOLAR	4
PS40300	5" UP/DOWN & CCT SELECTABLE WALL SCONCE - WHITE FINISH	UP/DOWN OUTDOOR WALL SCONCE	18	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90			5"	120V	12
PS40301	5" UP/DOWN & CCT SELECTABLE WALL SCONCE - BRUSHED NICKEL FINISH	UP/DOWN OUTDOOR WALL SCONCE	18	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90			5"	120V	12
PS40302	5" UP/DOWN & CCT SELECTABLE WALL SCONCE - BLACK FINISH	UP/DOWN OUTDOOR WALL SCONCE	18	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90			5"	120V	12
PS40303	10" UP/DOWN & CCT SELECTABLE WALL SCONCE - BLACK FINISH	UP/DOWN OUTDOOR WALL SCONCE	24	2400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC @120V		10"	120-277V	8
PS40305	10" UP/DOWN & CCT SELECTABLE WALL SCONCE	WALL SCONCE	24	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V		10"	120-277V	8

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS40306	BUBBLE GLASS LED LANTERN - CCT SELECTABLE W/PHOTOCELL SENSOR	LED LANTERN	12	1200	3000K/4000K/5000K	CCT SELECTABLE	80			10"	120V	6
PS40307	12" OUTDOOR SLIM - 5 CCT SELECTABLE	ROUND SLIM	20	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V		12"	120-277V	8
PS40309	7" OUTDOOR SLIM - 5 CCT SELECTABLE	ROUND SLIM	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V		7"	120-277V	20
PS40310	5" UP/DOWN & CCT SELECTABLE WALL SCONCE - WHITE FINISH	SQUARE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4.72" x 4.69"	120V	20
PS40311	5" UP/DOWN & CCT SELECTABLE WALL SCONCE - BRUSHED NICKEL	SQUARE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4.72" x 4.69"	120V	20
PS40312	5" UP/DOWN & CCT SELECTABLE WALL SCONCE - BLACK FINISH	SQUARE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		4.72" x 4.69"	120VAC	20
PS40315	16" DOUBLE RING DESIGNER WALL SCONCE - CCT SELECTABLE	DESIGNER WALL SCONCE	15	1500	3000K/4000K/5000K	CCT SELECTABLE	80			16"	120V	6
PS40316	16" VERTICAL LIGHT DESIGNER WALL SCONCE - CCT SELECTABLE	DESIGNER WALL SCONCE	15	1500	3000K/4000K/5000K	CCT SELECTABLE	80			16"	120V	4
PS40317	24" DOUBLE RING DESIGNER WALL SCONCE - CCT SELECTABLE	DESIGNER WALL SCONCE	20	2000	3000K/4000K/5000K	CCT SELECTABLE	80			24"	120V	6
PS40318	24" VERTICAL LIGHT DESIGNER WALL SCONCE - CCT SELECTABLE	DESIGNER WALL SCONCE	26	2500	3000K/4000K/5000K	CCT SELECTABLE	80			24"	120V	4
PS40322	6" BLACK/GOLD DESIGNER WALL FIXTURE - CCT SELECTABLE	DESIGNER WALL FIXTURE	9	900	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC		6"	120V	10
PS40323	8" BLACK/GOLD DESIGNER WALL FIXTURE - CCT SELECTABLE	DESIGNER WALL FIXTURE	12	1200	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC		8"	120V	10
PS40326	8" UP/DOWN DESIGNER WALL FIXTURE - CCT & WATTAGE SELECTABLE	DESIGNER WALL FIXTURE	9/12/15	1500	3000K/4000K/5000K	CCT SELECTABLE	80			8"	120V	8
PS40327	15" CURVED OUTDOOR WALL SCONCE - CCT SELECTABLE - BLACK FINISH	CURVED WALL SCONCE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90			15"	120-277V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS40328	15" CURVED OUTDOOR WALL SCONCE - CCT SELECTABLE - WHITE FINISH	CURVED WALL SCONCE	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90			15"	120-277V	6
PS40331	12" UP-DOWN/CCT/WATTAGE SELECTABLE OUTDOOR CYLINDER - DUAL DIMMING	OUTDOOR CYLINDER	18/24/30	1800/2400/3000	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		12"	120-277V	6
PS40334	10" NARROW UP-DOWN - CCT & WATTAGE SELECTABLE OUTDOOR CYLINDER	OUTDOOR CYLINDER	11/14/18	1100/1400/1800	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		10"	120-277V	12
PS40336	10" UP-DOWN - CCT & WATTAGE SELECTABLE OUTDOOR CYLINDER	OUTDOOR CYLINDER	12/15/18	1200/1500/1800	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		10"	120-277V	12
PS40337	12" UP-DOWN - CCT & WATTAGE SELECTABLE OUTDOOR CYLINDER	OUTDOOR CYLINDER	18/24/30	1800/2400/3000	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		12"	120-277V	6
PS40338	12" UP-DOWN - CCT & WATTAGE SELECTABLE OUTDOOR CYLINDER – HIGH OUTPUT	OUTDOOR CYLINDER	20/30/40	2000/3000/4000	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		12"	120-277V	4
PS40339	18" UP-DOWN - CCT & WATTAGE SELECTABLE OUTDOOR CYLINDER – HIGH OUTPUT	OUTDOOR CYLINDER	20/30/40	2000/3000/4000	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		18"	120-277V	4
PS40340	10" DOUBLE RING ROUND WALL SCONCE - CCT SELECTABLE	WALL SCONCE	15	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80			10"	120V	4
PS40341	10" UP-DOWN/CCT/WATTAGE SELECTABLE OUTDOOR WALL SCONCE - DUAL DIMMING	OUTDOOR WALL SCONCE	15/20/24	1500/2000/2400	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		10.15"	120-277V	6
PS40343	3" UP-DOWN - CCT SELECTABLE WALL SCONCE CUBE	WALL SCONCE CUBE	18	1800	3000K/4000K/5000K	CCT SELECTABLE	80			3"	120V	10
PS40344	4" UP-DOWN - CCT SELECTABLE WALL SCONCE CUBE	WALL SCONCE CUBE	26	3000	3000K/4000K/5000K	CCT SELECTABLE	80			4"	120V	6
PS40345	10" UP-DOWN - CCT & WATTAGE SELECTABLE OUTDOOR WALL SCONCE	OUTDOOR WALL SCONCE	15/20/24	1500/2000/2400	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		10.15"	120-277V	6
PS40346	4" DOWNLIGHT - CCT SELECTABLE WALL SCONCE CUBE	WALL SCONCE CUBE	15	1500	3000K/4000K/5000K	CCT SELECTABLE	80			4"	120V	6
PS40347	12" UP-DOWN - CCT & WATTAGE SELECTABLE OUTDOOR WALL SCONCE – HIGH OUTPUT	OUTDOOR WALL SCONCE	20/30/40	2000/3000/4000	3000K/4000K/5000K	CCT SELECTABLE	80	TRIAC@120V/0-10V@120-277V		12"	120-277V	6
PS40348	3" UP/DOWN - CCT SELECTABLE WALL SCONCE CUBE - WHITE FINISH	WALL SCONCE CUBE	18	1800	3000K/4000K/5000K	CCT SELECTABLE	80			3"	120V	10
PS40349	4" UP/DOWN - CCT SELECTABLE WALL SCONCE CUBE - WHITE FINISH	WALL SCONCE CUBE	26	3000	3000K/4000K/5000K	CCT SELECTABLE	80			4"	120V	6
PS40360	35W UNIVERSAL FLOOD LIGHT KNUCKLE MOUNT - CCT & WATTAGE SELECTABLE WHITE FINISH	FLOOD LIGHT	15/25/35	2310/3750/5110	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		8.66" x 7.20"	120-277V	10

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS40361	60W UNIVERSAL FLOOD LIGHT KNUCKLE & YOKE MOUNT - CCT & WATTAGE SELECTABLE WHITE FINISH	FLOOD LIGHT	35/50/60	5390/7500/8760	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		9.84" x 8.74"	120-277V	10
PS40362	80W UNIVERSAL FLOOD LIGHT KNUCKLE & YOKE MOUNT - CCT & WATTAGE SELECTABLE WHITE FINISH	FLOOD LIGHT	60/70/80	9240/10500/11680	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		8.74" x 6.46"	120-277V	10
PS40370	35W UNIVERSAL FLOOD LIGHT KNUCKLE MOUNT - CCT & WATTAGE SELECTABLE	FLOOD LIGHT	15/25/35	2310/3750/5110	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		8.66" x 7.20"	120-277V	10
PS40371	60W UNIVERSAL FLOOD LIGHT KNUCKLE & TRUNION MOUNT - CCT & WATTAGE SELECTABLE	FLOOD LIGHT	35/50/60	5390/7500/8760	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		9.84" x 8.74"	120-277V	10
PS40372	80W UNIVERSAL FLOOD LIGHT KNUCKLE & TRUNION MOUNT - CCT & WATTAGE SELECTABLE	FLOOD LIGHT	60/70/80	9240/10500/11680	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		8.74" x 6.46"	120-277V	10
PS40375	150W UNIVERSAL FLOOD LIGHT SLIPFITTER & TRUNION MOUNT - CCT & WATTAGE SELECTABLE	FLOOD LIGHT	100/120/150	15400/18000/21900	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		11.5" x 8.30"	120-277V	2
PS40378	300W UNIVERSAL FLOOD LIGHT SLIPFITTER - CCT & WATTAGE SELECTABLE	FLOOD LIGHT	200/240/300	31200/36480/44400	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		13.70" x 8.54"	120-277V	1
PS40380	300W FLOOD LIGHT TRUNNION	TRUNNION										
PS40381	300W FLOOD LIGHT TRUNNION	TRUNNION										
PS40385	FLOOD LIGHT 90° WALL MOUNT BRACKET	L BRACKET								D: 9.86"		
PS40386	FLOOD LIGHT BULLHORN BRACKET	BULLHORN BRACKET								L: 44.37" x W: 3.26" x H: 17"		
PS40390	14" BUBBLE GLASS DESIGNER WALL SCONCE - CCT SELECT	DESIGNER WALL SCONCE	12	1200	3000K/4000K/5000K	CCT SELECTABLE	80			14"	120V	4
PS40391	17" BUBBLE GLASS DESIGNER WALL SCONCE - CCT SELECTABLE	DESIGNER WALL SCONCE	12	1200	3000K/4000K/5000K	CCT SELECTABLE	80			17"	120V	1
PS40392	17" UP + DOWNLIGHT BUBBLE GLASS DESIGNER WALL SCONCE - CCT SELECTABLE	DESIGNER WALL SCONCE	12	1200	3000K/4000K/5000K	CCT SELECTABLE	80			17"	120V	1
PS40393	14" BUBBLE GLASS VERTICAL DESIGNER WALL SCONCE - CCT SELECT	DESIGNER WALL SCONCE	20	1200	3000K/4000K/5000K	CCT SELECTABLE	80			14"	120V	1
PS40395	12" UP + DOWNLIGHT BUBBLE GLASS DESIGNER WALL SCONCE - CCT SELECT	DESIGNER WALL SCONCE	12	1200	3000K/4000K/5000K	CCT SELECTABLE	80			12"	120V	4
PS40420	24" INDIRECT OUTDOOR WALL SCONCE - CCT SELECTABLE	INDIRECT WALL SCONCE	25	2000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		24"	120-277V	4
PS40425	36" INDIRECT OUTDOOR WALL SCONCE - CCT SELECTABLE	INDIRECT WALL SCONCE	30	2400	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		36"	120-277V	2

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS40427	48" INDIRECT OUTDOOR WALL SCONCE - CCT SELECTABLE	INDIRECT WALL SCONCE	40	2800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		48"	120-277V	2
PS40429	72" INDIRECT OUTDOOR WALL SCONCE - CCT SELECTABLE	INDIRECT WALL SCONCE	60	4200	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		72"	120-277V	1
PS40543	80W ADJUSTABLE WALLPACK 3CCT & 3 WATTAGE SELECTABLE - ADJUSTABLE THROW	WALLPACK	60/70/80	9000/10500/12000	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 14.01" x H: 8.97" x D: 9.50"	120-277V	1
PS40545	160W ADJUSTABLE WALLPACK 3CCT & 3 WATTAGE SELECTABLE - ADJUSTABLE THROW	WALLPACK	120/140/160	18000/21000/24000	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 14.01" x H: 8.97" x D: 9.50"	120-277V	1
PS40562	60W SEMI CUTOFF WALLPACK – PHOTOCELL SENSOR 3CCT & WATTAGE SELECTABLE	WALLPACK	30/45/60	4680/6885/9000	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		14.17" X 8.59"	120-277V	1
PS40572	120W SEMI CUTOFF WALLPACK – PHOTOCELL SENSOR 3CCT & WATTAGE SELECTABLE	WALLPACK	80/100/120	12640/15500/18240	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		14.17" X 8.59"	120-277V	1
PS40580	60W MICRO WALLPACK CCT & WATTAGE SELECTABLE - PHOTOCELL SENSOR	MICRO WALLPACK	20/40/60	2400/4800/7200	3000K/4000K/5000K	CCT SELECTABLE	70	0-10V		W: 8.73" x H: 9.25" x D: 4.25"	100-277V	4
PS40585	60W FULL CUTOFF OPTIC SELECTABLE WALLPACK - CCT & WATTAGE SELECTABLE - PHOTOCELL	WALLPACK	30/45/60	4860/7155/9360 @4000K T3	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 10.65" x W: 6.85" x H: 9.36"	120-277V	1
PS40611	30W WALLPACK CUBE - 5CCT & 3 WATTAGE SELECTABLE	WALLPACK CUBE	1930-10-20 00:00:00	1300/2600/3900	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		9.2"	120-277V	10
PS40613	28W WALLPACK CUBE CCT & WATTAGE SELECTABLE - PHOTOCELL SENSOR	WALLPACK CUBE	20/24/28	2800/3360/3920	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 8.33" x W: 5.67" x D: 2.82"	120-277V	10
PS40614	28W WALLPACK CUBE CCT & WATTAGE SELECTABLE - PHOTOCELL SENSOR WHITE FINISH	WALLPACK CUBE	20/24/28	2800/3360/3920	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 8.33" x W: 5.67" x D: 2.82"	120-277V	10
PS40713	BI-LEVEL ADJUSTABLE MICROWAVE MOTION SENSOR AUDIO JACK BASE	MOTION SENSOR	0.5					0-10V	AUDIO JACK	2.12" X 0.96"	12V	
PS40714	12VDC PHOTOCELL & DAYLIGHT SENSOR	DC PHOTOCELL							AUDIO JACK	2.12" X 0.74"	12V	200
PS40716	50W GARAGE CANOPY - 3CCT & WATTAGE SELECTABLE SENSOR ADAPTER READY	CANOPY	30/40/50	3360/4200/4800	3000K/4000K/5000K	CCT SELECTABLE	70	0-10V		L: 11.02" x W: 11.02" x D: 3.34"	120-277V	4
PS40719	100W GARAGE CANOPY - 3CCT & WATTAGE SELECTABLE SENSOR ADAPTER READY	CANOPY	60/80/100	7200/9600/12000	3000K/4000K/5000K	CCT SELECTABLE	70	0-10V		L: 11.02" x W: 11.02" x D: 3.34"	120-277V	4

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS40720	100W ROUND GARAGE CANOPY - 3CCT & 4 WATTAGE SELECTABLE - OPTIONAL UPWARD LIGHT	CANOPY	30/50/75/100	3360/4200/4800	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: Ø13.60" x D: 3.79"	120-277V	4
PS41002	NEW CONSTRUCTION MOUNTING PLATE 3 SIZES ROUND	MOUNTING PLATE								3 SIZES		20
PS41004	NEW CONSTRUCTION MOUNTING PLATE 4 SIZES ROUND	MOUNTING PLATE								4 SIZES		24
PS41005	NEW CONSTRUCTION MOUNTING PLATE 3 SIZES SQUARE	MOUNTING PLATE								3 SIZES		20
PS41006	NEW CONSTRUCTION MOUNTING PLATE 6 SIZES ROUND	MOUNTING PLATE								6 SIZES		24
PS41007	NEW CONSTRUCTION MOUNTING PLATE 2 SIZES SQUARE	MOUNTING PLATE								2 SIZES		20
PS41010	NEW CONSTRUCTION MOUNTING PLATE 7 SIZES ROUND	MOUNTING PLATE								7 SIZES		24
PS41010-F	NEW CONSTRUCTION MOUNTING PLATE 7 SIZES ROUND - FULL	MOUNTING PLATE								7 SIZES		24
PS41011	NEW CONSTRUCTION MOUNTING PLATE 5 SIZES ROUND	MOUNTING PLATE								5 SIZES		24
PS41012	NEW CONSTRUCTION MOUNTING PLATE 2 SIZES RECTANGULAR	MOUNTING PLATE								2 SIZES		20
PS41013	NEW CONSTRUCTION MOUNTING PLATE 3 SIZES SQUARE	MOUNTING PLATE								L: 15.55" x W: 7.87" x D: 0.86"		20
PS41014	NEW CONSTRUCTION MOUNTING PLATE 2 SIZES SQUARE	MOUNTING PLATE								2.95"/5.7"		10
PS41015	UNIVERSAL STEP LIGHT MOUNTING PLATE	MOUNTING PLATE								3 SIZES		24
PS41018	NEW CONSTRUCTION MOUNTING PLATE 5 SIZES RECTANGULAR	MOUNTING PLATE								5 SIZES		20
PS41020	GOOF RING 4-6" WHITE	ROUND GOOF RING								4-6"		100
PS41021	GOOF RING 4.25-5.75" WHITE	ROUND GOOF RING								4.25"-5.75"		100
PS41023	GOOF RING 6-8" WHITE	ROUND GOOF RING								6-8"		100
PS41050	60" 2-PIN WIRE EXTENDER	WIRE EXTENDER								60"		
PS41051	60" 3-PIN WIRE EXTENDER	WIRE EXTENDER								60"		
PS41052	120" 2-PIN WIRE EXTENDER	WIRE EXTENDER								120"		
PS41053	120" 3-PIN WIRE EXTENDER	WIRE EXTENDER								120"		
PS41054	240" 2-PIN WIRE EXTENDER	WIRE EXTENDER								240"		
PS41055	240" 3-PIN WIRE EXTENDER	WIRE EXTENDER								240"		
PS41130	150W ADJUSTABLE SHOEBOX LIGHT - OPTIC LENS/3CCT/3WATTAGE SELECTABLE	SHOEBOX	100/120/150	15800/18600/22950	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		28.4"	120-277V	1
PS41132	300W ADJUSTABLE SHOEBOX LIGHT - OPTIC LENS/3CCT/3WATTAGE SELECTABLE	SHOEBOX	200/240/300	31600/37200/45900	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		34.3"	120-277V	1
PS41135	ADJUSTABLE SHOEBOX LIGHT SLIPFITTER MOUNT	SLIPFITTER										
PS41136	ADJUSTABLE SHOEBOX LIGHT YOKE MOUNT	YOKE										

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS41138	150W SHOEBOX T4 INTERCHANGEABLE OPTIC LENS	LENS										
PS41139	150W SHOEBOX T5 INTERCHANGEABLE OPTIC LENS	LENS										
PS41141	300W SHOEBOX T4 INTERCHANGEABLE OPTIC LENS	LENS										
PS41142	300W SHOEBOX T5 INTERCHANGEABLE OPTIC LENS	LENS										
PS41143	ADJUSTABLE SHOEBOX LIGHT 20KV SURGE PROTECTOR	SURGE PROTECTOR									100-277V	
PS41145	150W ADJUSTABLE SHOEBOX LIGHT SHIELD	SHIELD										
PS41146	300W ADJUSTABLE SHOEBOX LIGHT SHIELD	SHIELD										
PS41150	150W ADJUSTABLE SHOEBOX LIGHT - 3CCT/3WATTAGE/4 BEAM ANGLE SELECTABLE	SHOEBOX	70/100/150	10,784 (70W)/14,732 (100W)/22,472 (150W) @ TIII/4000K	3000K/4000K/5000K	CCT SELECTABLE	78	0-10V		24.46"	120-277V	1
PS41151	300W ADJUSTABLE SHOEBOX LIGHT - 3CCT/3WATTAGE/4 BEAM ANGLE SELECTABLE	SHOEBOX	200/240/300	32,706 (200W)/38,737 (240W)/45,200 (300W) @ TIII/4000K	3000K/4000K/5000K	CCT SELECTABLE	78	0-10V		33.36"	120-277V	1
PS41152	ADJUSTABLE SHOEBOX LIGHT SLIPFITTER MOUNT	SLIPFITTER										10
PS41153	150W ADJUSTABLE SHOEBOX LIGHT YOKE MOUNT	YOKE										10
PS41154	300W ADJUSTABLE SHOEBOX LIGHT YOKE MOUNT	YOKE										10
PS41155	ADJUSTABLE SHOEBOX LIGHT TRUNNION MOUNT	TRUNNION										8
PS41156	ADJUSTABLE SHOEBOX LIGHT 20KV SURGE PROTECTOR	SURGE PROTECTOR									100-277V	210
PS41157	150W ADJUSTABLE SHOEBOX LIGHT SHIELD	LIGHT SHIELD										15
PS41158	300W ADJUSTABLE SHOEBOX LIGHT SHIELD	LIGHT SHIELD										15
PS41159	ADJUSTABLE SHOEBOX LIGHT SPIKES	SPIKES										15
PS41370	35W UNIVERSAL FLOOD LIGHT KNUCKLE MOUNT - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	FLOOD LIGHT	15/25/35	2340/3825/5250 @ 4000K 6H6V	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 7.80" x W: 8.80" x D: 3.15"	120-277V	6
PS41371	60W UNIVERSAL FLOOD LIGHT KNUCKLE + TRUNNION MOUNT - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	FLOOD LIGHT	40/50/60	6560/8050/9480 @ 4000K 6H6V	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 9.76" x W: 9.74" x D: 3.62"	120-277V	6
PS41372	80W UNIVERSAL FLOOD LIGHT KNUCKLE + TRUNNION MOUNT - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	FLOOD LIGHT	45/60/80	7290/9540/12480 @ 4000K 6H6V	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 9.76" x W: 9.74" x D: 3.62"	120-277V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS41375	150W UNIVERSAL FLOOD LIGHT SLIPFITTER+ TRUNNION MOUNT - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	FLOOD LIGHT	100/120/150	15800/18600/22800 @ 4000K 6H6V	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 12.51" x W: 14.22" x D: 5.57"	120-277V	1
PS41378	300W UNIVERSAL FLOOD LIGHT KNUCKLE MOUNT - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	FLOOD LIGHT	200/240/300	32200/37920/46500 @ 4000K 6H6V	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 16.35" x W: 17" x D: 6.74"	120-277V	1
PS41510	MICROWAVE BiLevel MOTION SENSOR 3 PIN	UFO MOTION SENSOR									12V	
PS41511	BI-LEVEL ADJUSTABLE MICROWAVE SMART MOTION SENSOR	SMART MOTION SENSOR	0.5					0-10V	AUDIO JACK	2.12" X 0.96"	12V	
PS41512	DC MICROWAVE 3 PIN MOTION SENSOR-REMOTE	UFO REMOTE										
PS41513	UFO HIGHBAY PENDANT ADAPTER	PENDANT ADAPTER								L: 1.37" x W: Ø0.94"		125
PS41514	UFO J HOOK	UFO J-HOOK										
PS41515	UFO 3/4" CONDUIT ADAPTER	UFO 3/4 ADAPTER										50
PS41516	150W & 240W UFO HIGHBAY SURFACE MOUNT BRACKET	UFO HIGHBAY BRACKET								L: 8.15" x W: 1.81" x H: 5.51"		20
PS41518	UFO 150W WIRE GUARD	UFO 150W WIRE GUARD										20
PS41519	UFO 240W HIGH OUTPUT WIRE GUARD	UFO 240W WIRE GUARD										20
PS41520	150W UFO HIGHBAY 3CCT & WATTAGE SELECTABLE	UFO HIGHBAY	100/120/150	20250/22500/21000	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		Ø11.2"	120-277V	1
PS41526	240W UFO HIGHBAY - 3CCT & WATTAGE SELECTABLE	UFO HIGHBAY	200/220/240	32400/36000/33600	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		Ø13.4"	120-277V	1
PS41530	UFO HIGHBAY 90° ACRYLIC DIFFUSER	DIFFUSER								L: Ø16.18" x H: 6.29"		
PS41532	UFO HIGHBAY 90° ACRYLIC DIFFUSER	DIFFUSER								L: Ø16.18" x H: 6.29"		
PS41540	150W UFO HIGHBAY 2CCT & 3WATTAGE SELECTABLE	UFO HIGHBAY	100/120/150	14900/17520/21450 @ 5000K	4000K/5000K	CCT SELECTABLE	80	0-10V		Ø10.83"	120-277V	1
PS41543	150W UFO HIGHBAY 2CCT & 3WATTAGE SELECTABLE - WHITE FINISH	UFO HIGHBAY	100/120/150	14900/17520/21450 @ 5000K	4000K/5000K	CCT SELECTABLE	80	0-10V		Ø10.83"	120-277V	1
PS41546	240W UFO HIGHBAY 2CCT & 3WATTAGE SELECTABLE	UFO HIGHBAY	150/200/240	30200/32560/34800 @ 5000K	4000K/5000K	CCT SELECTABLE	80	0-10V		Ø12.6"	120-277V	1

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS41549	300W UFO HIGHBAY 2CCT & 3WATTAGE SELECTABLE	UFO HIGHBAY	240/270/300	35520/39150/42600 @ 5000K	4000K/5000K	CCT SELECTABLE	80	0-10V		Ø13.8"	120-277V	1
PS41560	150W UFO HIGHBAY 3CCT/3WATT & 3 BEAM SELECTABLE - BLACK FINISH	UFO HIGHBAY	100/125/150	17,594/21,257/25,261	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		Ø10.8"	120-277V	1
PS41561	150W UFO HIGHBAY 3CCT/3WATT & 3 BEAM SELECTABLE - WHITE FINISH	UFO HIGHBAY	100/125/150	18,950/23,171/25,166	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		Ø10.8"	120-277V	1
PS41562	240W UFO HIGHBAY 3CCT/3WATT & 3 BEAM SELECTABLE - BLACK FINISH	UFO HIGHBAY	150/200/240	27,243/34,254/41,144	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		Ø12.6"	120-277V	1
PS41565	150W UFO HIGHBAY MOUNTING BRACKET	MOUNTING BRACKET										20
PS41566	240W UFO HIGHBAY MOUNTING BRACKET	MOUNTING BRACKET										20
PS41567	150W UFO HIGHBAY WIRE GUARD	WIRE GUARD								L: Ø10.8" x D: 2.08"		50
PS41568	240W UFO HIGHBAY WIRE GUARD	WIRE GUARD								L: Ø12.4" x D: 2.16"		50
PS41605	HID WATTAGE SELECTABLE, 3CCT E26 - BALLAST BYPASS	HID LIGHT	18/27/36	2852/4209/5447	3000K/4000K/5000K	CCT SELECTABLE	80		E26	3.34"x7.55"	100-277V	12
PS41607	HID WATTAGE SELECTABLE, 3CCT E39- BALLAST BYPASS	HID LIGHT	36/54/63	5638/8124/9305	3000K/4000K/5000K	CCT SELECTABLE	80		E39	3.34"x10.11"	100-277V	12
PS41609	HID WATTAGE SELECTABLE, 3CCT E39 - BALLAST BYPASS	HID LIGHT	80/100/120	12224/14827/17503	3000K/4000K/5000K	CCT SELECTABLE	80		E39	5.11"x11.14"	100-277V	6
PS41700	1X1 SLIM LINEAR HIGHBAY 3 WATTAGE SELECTABLE & 4CCT	SLIM LINEAR HIGHBAY	80/110/150	12000/15000/20500	3000K/3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		1x1	120-277V	1
PS41704	BI-LEVEL ADJUSTABLE MICROWAVE SMART MOTION SENSOR - RECEPTICLE	SMART MOTION SENSOR	0.5					VIA APP	RECEPTICLE	2.12" X 0.96"	12V	
PS41706	MICROWAVE ADJUSTABLE MOTION SENSOR BI-LEVEL - 3 PIN + RECEPTACLE	MOTION SENSOR	0.5					0-10V	3-PIN	2.12" X 0.96"	12V	
PS41707	HIGHBAY DC MICROWAVE MOTION SENSOR , 3 PIN+ ADAPTER - REMOTE	REMOTE								5.5"		
PS41708	ADJUSTABLE SLIM LINEAR HIGH BAY POLE MOUNT KIT	POLE KIT								12.83"		
PS41709	ADJUSTABLE SLIM LINEAR HIGHBAY U BRACKET MOUNT KIT	U-BRACKET								L: 2.75" x W: 3.35" x H: 2.12"		
PS41720	160W SLIM LINEAR HIGHBAY - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	SLIM LINEAR HIGHBAY	105/130/160	154/163/157 @ 4000K 65°95°	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		15"	120-347V	1
PS41725	240W SLIM LINEAR HIGHBAY - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	SLIM LINEAR HIGHBAY	180/220/240	161/172/159 @ 4000K 65°95°	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		20.1"	120-347V	1

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS41729	320W SLIM LINEAR HIGHBAY - 3CCT/3 WATT/3 BEAM ANGLE SELECTABLE	LINEAR HIGHBAY	260/300/320	43,940/49,800/52,160 @ 4000K 65°x95°	3000K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 22" x W: 12.4" x D: 1.9"	120-347V	1
PS42339	GRID SMART PRO SURFACE MOUNT KIT	CLIP										
PS42340	24" GRID SMART - 9/16" 5CCT SELECTABLE	GRID LIGHT	15	1950	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		24"	100-277V	32
PS42341	24" GRID SMART - 15/16" 5CCT SELECTABLE	GRID LIGHT	15	1950	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		24"	100-277V	32
PS42342	48" GRID SMART - 9/16" 5CCT SELECTABLE	GRID LIGHT	30	3900	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		48"	100-277V	32
PS42343	48" GRID SMART - 15/16" 5CCT SELECTABLE	GRID LIGHT	30	3900	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		48"	100-277V	32
PS42344	96" GRID SMART - 9/16" 5CCT SELECTABLE	GRID LIGHT	60	7800	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		96"	100-277V	32
PS42345	96" GRID SMART - 15/16" 5CCT SELECTABLE	GRID LIGHT	60	7800	3000K/3500K/4000K/5000K/6500K	CCT SELECTABLE	80	0-10V		96"	100-277V	32
PS42346	WIRE EXTENDER	WIRE EXTENDER								16'		
PS42347	SILHOUETTE 9/16 CLIP	MOUNTING CLIP								9/16		
PS42348	60W DRIVER	DRIVER	60		3000K/3500K/4000K/5000K/6500K	SOFT/NATURAL /COOL/BRIGHT/ DAYLIGHT	80	0-10V			100-277V	12
PS42349	120W DRIVER	DRIVER	120		3000K/3500K/4000K/5000K/6500K	SOFT/NATURAL /COOL/BRIGHT/ DAYLIGHT	80	0-10V			100-277V	12
PS42350	GARAGE LIGHT 80W 5000K E26 BASE	GARAGE LIGHT	80	8000	5000K	BRIGHT WHITE	80		E26	Ø9.90"	120V	8
PS42352	GARAGE LIGHT 80W 5000K E26 BASE + ADJUSTABLE PIR	GARAGE LIGHT	80	8000	5000K	BRIGHT WHITE	80		E26	Ø9.76"	120V	8
PS42600	ARCHITECTURAL LINKABLE LINEAR 12" CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		12"	120-277V	20
PS42601	ARCHITECTURAL LINKABLE LINEAR 12" CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		12"	120-277V	20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS42602	ARCHITECTURAL LINKABLE LINEAR 6" CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6"	120-277V	20
PS42603	ARCHITECTURAL LINKABLE LINEAR 6" CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6"	120-277V	20
PS42605	2' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE	ARCHITECTURAL LINEAR	15/20/25	1725/2300/2875	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		2'	120-277V	12
PS42606	2' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK	ARCHITECTURAL LINEAR	15/20/25	1725/2300/2875	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		2'	120-277V	12
PS42607	ARCHITECTURAL LINKABLE LINEAR 9" CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		9"	120-277V	20
PS42608	ARCHITECTURAL LINKABLE LINEAR 9" CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		9"	120-277V	20
PS42610	4' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE	ARCHITECTURAL LINEAR	30/40/50	3450/4600/5750	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4'	120-277V	12
PS42610+EM	4' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE +EM	ARCHITECTURAL LINEAR	30/40/50	3450/4600/5750	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4'	120-277V	12
PS42610+MS	4' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE +MS	ARCHITECTURAL LINEAR	30/40/50	3450/4600/5750	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4'	120-277V	12
PS42611	4' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK	ARCHITECTURAL LINEAR	30/40/50	3450/4600/5750	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4'	120-277V	12
PS42611+EM	4' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK + EM	ARCHITECTURAL LINEAR	30/40/50	3450/4600/5750	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4'	120-277V	12
PS42611+MS	4' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK + MS	ARCHITECTURAL LINEAR	30/40/50	3450/4600/5750	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4'	120-277V	12
PS42612	6' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE	ARCHITECTURAL LINEAR	36/45/60	4140/5175/6900	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6'	120-277V	6
PS42612+EM	6' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE +EM	ARCHITECTURAL LINEAR	36/45/60	4140/5175/6900	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6'	120-277V	6
PS42613	6' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK	ARCHITECTURAL LINEAR	36/45/60	4140/5175/6900	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6'	120-277V	6
PS42613+EM	6' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK +EM	ARCHITECTURAL LINEAR	36/45/60	4140/5175/6900	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		6'	120-277V	6
PS42615	8' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE	ARCHITECTURAL LINEAR	50/64/80	5750/7360/9200	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		8'	120-277V	6
PS42615+EM	8' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE + EM	ARCHITECTURAL LINEAR	50/64/80	5750/7360/9200	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		8'	120-277V	6

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS42615+MS	8' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE + MS	ARCHITECTURAL LINEAR	50/64/80	5750/7360/9200	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		8'	120-277V	6
PS42616	8' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK	ARCHITECTURAL LINEAR	50/64/80	5750/7360/9200	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		8'	120-277V	6
PS42616+EM	8' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK + EM	ARCHITECTURAL LINEAR	50/64/80	5750/7360/9200	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		8'	120-277V	6
PS42616+MS	8' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK + MS	ARCHITECTURAL LINEAR	50/64/80	5750/7360/9200	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		8'	120-277V	6
PS42617	ARCHITECTURAL LINKABLE LINEAR 4" CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4"	120-277V	10
PS42618	ARCHITECTURAL LINKABLE LINEAR 4" CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		4"	120-277V	10
PS42620	ARCHITECTURAL LINKABLE LINEAR X-CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 11.56" x W: 11.56" x H: 2.95"	120-277V	20
PS42621	ARCHITECTURAL LINKABLE LINEAR X-CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 11.56" x W: 11.56" x H: 2.95"	120-277V	20
PS42622	ARCHITECTURAL LINKABLE LINEAR L-CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 6.90" x W: 6.90" x H: 2.95"	120-277V	20
PS42623	ARCHITECTURAL LINKABLE LINEAR L-CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 6.90" x W: 6.90" x H: 2.95"	120-277V	20
PS42624	ARCHITECTURAL LINKABLE LINEAR T-CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 11.56" x W: 6.76" x H: 2.95"	120-277V	20
PS42625	ARCHITECTURAL LINKABLE LINEAR T-CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 11.56" x W: 6.76" x H: 2.95"	120-277V	20
PS42626	ARCHITECTURAL LINKABLE LINEAR V60° CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V			120-277V	20
PS42627	ARCHITECTURAL LINKABLE LINEAR V60° CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V			120-277V	20
PS42628	ARCHITECTURAL LINKABLE LINEAR V120° CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V			120-277V	20
PS42629	ARCHITECTURAL LINKABLE LINEAR V120° CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V			120-277V	20
PS42630	ARCHITECTURAL LINKABLE LINEAR - "L" WALL MOUNT KIT	WALL MOUNT KIT										100

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS42631	ARCHITECTURAL LINKABLE LINEAR - WALL MOUNT KIT	WALL MOUNT KIT										50
PS42632	ARCHITECTURAL LINKABLE LINEAR - SURFACE MOUNT KIT	SURFACE MOUNT KIT										100
PS42633	ARCHITECTURAL LINKABLE LINEAR - T-GRID KIT	T-GRID KIT										100
PS42634	ARCHITECTURAL LINKABLE LINEAR - LINK KIT	LINK KIT										40
PS42635	ARCHITECTURAL LINKABLE LINEAR - 10' WIRE EXTENDER	WIRE EXTENDER								L: 10'		100
PS42636	ARCHITECTURAL LINKABLE LINEAR - MOTION SENSOR CANOPY	MOTION SENSOR CANOPY								L: Ø5.90" x H: 1.57"	120-277V	20
PS42637	ARCHITECTURAL LINKABLE LINEAR - 10' WIRE EXTENDER BLACK FINISH	WIRE EXTENDER								L: 10'		100
PS42638	ARCHITECTURAL LINKABLE LINEAR - CONDUIT KIT	CONDUIT KIT										20
PS42639	ARCHITECTURAL LINKABLE LINEAR - RECESSED MOUNT KIT	RECESSED MOUNT KIT								4'		12
PS42640	ARCHITECTURAL LINKABLE LINEAR - WHITE CANOPY KIT	WHITE CANOPY KIT								L: 70.86" x W: Ø5.2" x D: 0.24"		20
PS42641	ARCHITECTURAL LINKABLE LINEAR - BLACK CANOPY KIT	BLACK CANOPY KIT								L: 70.86" x W: Ø5.2" x D: 0.24"		20
PS42644	ARCHITECTURAL LINKABLE LINEAR - 25' FLEXIBLE COVER	FLEXIBLE COVER								25'		1
PS42645	ARCHITECTURAL LINKABLE LINEAR - 100' FLEXIBLE COVER	FLEXIBLE COVER								100'		1
PS42646	10' ARCHITECTURAL LINEAR SUSPENSION KIT	SUSPENSION KIT								10'		20
PS42648	3' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - WHITE	ARCHITECTURAL LINEAR	20/30/40	2500/3750/5000	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		3'	120-277V	12
PS42649	3' ARCHITECTURAL LINKABLE LINEAR 3 CCT/3 WATTAGE/UP-DOWN SELECTABLE - BLACK	ARCHITECTURAL LINEAR	20/30/40	2500/3750/5000	3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		3'	120-277V	12
PS42650	ARCHITECTURAL LINKABLE LINEAR Y-CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 9.07" x W: 10.47" x H: 2.95"	120-277V	10
PS42651	ARCHITECTURAL LINKABLE LINEAR Y-CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 9.07" x W: 10.47" x H: 2.95"	120-277V	10
PS42653	ARCHITECTURAL LINKABLE LINEAR - SURFACE MOUNT KIT 2 - WHITE FINISH	SURFACE MOUNT KIT										
PS42654	ARCHITECTURAL LINKABLE LINEAR - SURFACE MOUNT KIT 2 - BLACK FINISH	SURFACE MOUNT KIT										
PS42655	ARCHITECTURAL LINKABLE LINEAR - 2' TRIMLESS MOUNT KIT	TRIMLESS MOUNT KIT								2'		20

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS42656	ARCHITECTURAL LINKABLE LINEAR - 4' TRIMLESS MOUNT KIT	TRIMLESS MOUNT KIT								4'		20
PS42657	ARCHITECTURAL LINKABLE LINEAR - 6' TRIMLESS MOUNT KIT	TRIMLESS MOUNT KIT								6'		20
PS42658	ARCHITECTURAL LINKABLE LINEAR - 8' TRIMLESS MOUNT KIT	TRIMLESS MOUNT KIT								8'		20
PS42672	ARCHITECTURAL LINKABLE LINEAR BI-LEVEL MS CONNECTOR - WHITE FINISH	ARCHITECTURAL LINEAR MS CONNECTOR			3500/4000K/5000K	CCT SELECTABLE	80	0-10V		6"	120-277V	10
PS42673	ARCHITECTURAL LINKABLE LINEAR BI-LEVEL MS-CONNECTOR - BLACK FINISH	ARCHITECTURAL LINEAR MS CONNECTOR			3500/4000K/5000K	CCT SELECTABLE	80	0-10V		6"	120-277V	10
PS42680	ARCHITECTURAL LINKABLE LINEAR - ARC CONNECTOR - 3 CCT/3 WATTAGE/ UP/DOWNLIGHT - WHITE FINISH	ARC CONNECTOR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 10.82" x W: 10.82" x H: 2.95"	120-277V	5
PS42681	ARCHITECTURAL LINKABLE LINEAR - ARC CONNECTOR - 3 CCT/3 WATTAGE/ UP/DOWNLIGHT - BLACK FINISH	ARC CONNECTOR			3500K/4000K/5000K	CCT SELECTABLE	80	0-10V		L: 10.82" x W: 10.82" x H: 2.95"	120-277V	5
PS43010	96" TRIMLESS MOUNT CHANNEL KIT	RECESSED								96"		
PS43030	96" TRIMLESS 0.51" CORNER MOUNT CHANNEL KIT	RECESSED								96"		
PS43050	96" TRIMLESS MOUNT 0.41" CHANNEL KIT	RECESSED								96"		
PS43060	96" TRIMLESS MOUNT 0.49" CHANNEL KIT	RECESSED								96"		
PS43070	96" TRIMLESS MOUNT 0.49" CHANNEL KIT	RECESSED								96"		
PS43080	96" RECESSED 1.45" PLASTER-IN CHANNEL	RECESSED								96"		
PS43081	RECESSED 1.45" PLASTER-IN X-CONNECTOR	RECESSED								15.26"		
PS43083	25' PC COVER ROLL	PC DIFFUSER								25'		
PS43086	RECESSED 1.45" PLASTER-IN LATERAL CORNER	RECESSED								11.81"		
PS43090	96" RECESSED 0.55" PLASTER-IN CHANNEL	RECESSED								96"		
PS43091	RECESSED 0.55" PLASTER-IN X-CONNECTOR	RECESSED								14.33"		
PS43096	RECESSED 0.55" PLASTER-IN LATERAL CORNER	RECESSED								11.81"		
PS43100	96" RECESSED 0.82" PLASTER-IN CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43101	RECESSED 0.82" PLASTER-IN X-CONNECTOR	RECESSED								14.22"		
PS43102	25' PC COVER	PC DIFFUSER										
PS43103	PC COVER	PC DIFFUSER										
PS43105	CONNECTOR	CHANNEL CONNECTOR										
PS43106	RECESSED 0.82" PLASTER-IN LATERAL CORNER	LATERAL CONNECTOR								11.81"		
PS43107	RECESSED 0.82" PLASTER-IN INSIDE CORNER	INSIDE CONNECTOR								11.81"		
PS43108	RECESSED 0.82" PLASTER-IN OUTSIDE CORNER	OUTSIDE CONNECTOR								11.81"		

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43109	RECESSED 0.82" PLASTER-IN T-CONNECTOR	T CONNECTOR								11.81"		
PS43110	96" RECESSED 0.88" PLASTER-IN CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43111	RECESSED 0.62" PLASTER-IN X-CONNECTOR	RECESSED								14.68"		
PS43113	PC COVER	PC DIFFUSER										
PS43115	CONNECTOR	CHANNEL CONNECTOR										
PS43116	RECESSED 0.62" PLASTER-IN LATERAL CORNER	LATERAL CONNECTOR								11.81"		
PS43117	RECESSED 0.62" PLASTER-IN INSIDE CORNER	INSIDE CONNECTOR								11.81"		
PS43118	RECESSED 0.62" PLASTER-IN OUTSIDE CORNER	OUTSIDE CONNECTOR								11.81"		
PS43119	RECESSED 0.62" PLASTER-IN T-CONNECTOR	T CONNECTOR								11.81"		
PS43120	96" RECESSED 1.85" PLASTER-IN CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43122	25' PC COVER	PC DIFFUSER								25'		
PS43126	RECESSED 1.85" PLASTER-IN LATERAL CORNER	RECESSED								11.81"		
PS43130	96" RECESSED 0.51" PLASTER-IN CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43140	96" RECESSED 0.54" PLASTER-IN CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43150	96" RECESSED 0.48" CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43160	96" RECESSED 0.48" CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43170	96" RECESSED 0.94"CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43180	96" RECESSED 0.33" CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43190	96" RECESSED 0.40" IP65 CHANNEL	RECESSED MOUNT CHANNEL								96"		
PS43200	96" SURFACE MOUNT 0.48" CHANNEL	SURFACE MOUNT CHANNEL								96"		
PS43201	96" SURFACE MOUNT 0.48" CHANNEL - BLACK FINISH	SURFACE								96"		
PS43202	96" SURFACE MOUNT 0.48" CHANNEL - WHITE FINISH	SURFACE								96"		
PS43206	90° CONNECTOR	CHANNEL CONNECTOR										
PS43207	180° CONNECTOR	CHANNEL CONNECTOR										
PS43210	96" SURFACE MOUNT 1.08" CHANNEL	SURFACE MOUNT CHANNEL								96"		
PS43220	96" SURFACE MOUNT 0.48" CHANNEL	SURFACE MOUNT CHANNEL								96"		

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43221	96" SURFACE MOUNT 0.48" CHANNEL - BLACK FINISH	SURFACE								96"		
PS43222	96" SURFACE MOUNT 0.48" CHANNEL - WHITE FINISH	SURFACE								96"		
PS43226	90° CONNECTOR	CHANNEL CONNECTOR										
PS43227	180° CONNECTOR	CHANNEL CONNECTOR										
PS43230	96" SURFACE MOUNT 0.45" CHANNEL	SURFACE MOUNT CHANNEL								96"		
PS43231	96" SURFACE MOUNT 0.45" CHANNEL - BLACK FINISH	SURFACE								96"		
PS43232	96" SURFACE MOUNT 0.45" CHANNEL - WHITE FINISH	SURFACE								96"		
PS43234	PC COVER	PC DIFFUSER										
PS43240	96" SURFACE MOUNT 0.40" CHANNEL	SURFACE MOUNT CHANNEL								96"		
PS43250	96" SURFACE MOUNT 0.40" IP65 CHANNEL	SURFACE MOUNT CHANNEL								96"		
PS43260	96" SURFACE MOUNT 0.59" FLEXIBLE CHANNEL	SURFACE MOUNT CHANNEL								96"		
PS43262	96" SURFACE MOUNT 0.59" FLEXIBLE CHANNEL - BLACK FINISH	SURFACE								96"		
PS43263	96" SURFACE MOUNT 0.59" FLEXIBLE CHANNEL - WHITE FINISH	SURFACE								96"		
PS43270	96" TRIMLESS MOUNT FLEXIBLE CHANNEL	RECESSED								96"		
PS43276	25' SILICONE COVER ROLL	RECESSED								25'		
PS43280	96" SURFACE MOUNT 0.48" MAGNETIC CHANNEL	SURFACE MOUNT CHANNEL								96"		
PS43290	96" CORNER MOUNT 0.41" CHANNEL	CORNER MOUNT CHANNEL								96"		
PS43300	96" CORNER MOUNT 0.8" CHANNEL	CORNER MOUNT CHANNEL								96"		
PS43310	96" CORNER MOUNT 0.41" CHANNEL	CORNER MOUNT CHANNEL								96"		
PS43320	96" CORNER MOUNT 0.79" CHANNEL	CORNER MOUNT CHANNEL								96"		
PS43330	96" CORNER MOUNT 0.41" IP65 CHANNEL	CORNER MOUNT CHANNEL								96"		
PS43340	96" CORNER MOUNT 0.55" WALL WASH CHANNEL	CORNER MOUNT CHANNEL								96"		
PS43350	96" TRIMLESS MOUNT 0.79" CHANNEL KIT	RECESSED								96"		
PS43360	96" TRIMLESS MOUNT 0.81" CHANNEL KIT	RECESSED								96"		
PS43370	96" TRIMLESS MOUNT 0.59" CHANNEL KIT	RECESSED								96"		
PS43390	96" TRIMLESS MOUNT 0.40" CHANNEL KIT	RECESSED								96"		
PS43400	96" SURFACE MOUNT FLEXIBLE CHANNEL	SURFACE								96"		
PS43410	96" RECESSED 0.94" TRIMLESS MOUNT CHANNEL	RECESSED								96"		
PS43420	96" TRIMLESS MOUNT 0.49" CHANNEL KIT	RECESSED								96"		
PS43430	96" TILE MUD IN 0.63" CHANNEL KIT	RECESSED								96"		

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43440	96" TILE MUD IN 0.63" CHANNEL KIT	RECESSED								96"		
PS43460	SEAMLESS WALL WASH INDIRECT CORNER CHANNEL	RECESSED								96"		
PS43470	SEAMLESS WALL WASH CORNER 0.5" CHANNEL	RECESSED								96"		
PS43480	SEAMLESS INDIRECT UPLIGHT CHANNEL	RECESSED								96"		
PS43700	3" ADJUSTABLE CYLINDER LIGHT - 5 CCT SELECTABLE WHITE FINISH	ADJUSTABLE CYLINDER	15	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS43705	3" ADJUSTABLE CYLINDER LIGHT - 5 CCT SELECTABLE BLACK FINISH	ADJUSTABLE CYLINDER	16	1000	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC		3"	120V	18
PS43708	3" ADJUSTABLE CYLINDER LIGHT - 24° REFLECTOR	FLOOD LENS										
PS43720	2.5" CYLINDER SYSTEM - 5 CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	CYLINDER	15	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		2.5"	120-277V	24
PS43723	2.5" CYLINDER SYSTEM - 5 CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE	CYLINDER	15	1100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC/0-10V		2.5"	120-277V	24
PS43725	2.5" CYLINDER SYSTEM - 1 HEAD WALL MOUNT KIT WHITE FINISH	WALL MOUNT								2.5"	120V	
PS43726	2.5" CYLINDER SYSTEM - 1-HEAD WALL MOUNT BLACK FINISH	WALL MOUNT HEAD								2.5"	120V	
PS43727	2.5" CYLINDER SYSTEM - 2-HEAD WALL MOUNT WHITE FINISH	WALL MOUNT HEAD								2.5"	120V	
PS43728	2.5" CYLINDER SYSTEM - 2-HEAD WALL MOUNT BLACK FINISH	WALL MOUNT HEAD								2.5"	120V	
PS43729	2.5" CYLINDER SYSTEM - TRIMLESS MOUNT WHITE FINISH	TRIMLESS MOUNT								2.5"	120V	
PS43730	2.5" CYLINDER SYSTEM - TRIMLESS MOUNT BLACK FINISH	TRIMLESS MOUNT								2.5"	120V	
PS43731	2.5" CYLINDER SYSTEM - RECESSED MOUNT 8' CABLE WHITE FINISH	RECESSED MOUNT								2.5"	120V	
PS43732	2.5" CYLINDER SYSTEM - RECESSED MOUNT 8' CABLE BLACK FINISH	RECESSED MOUNT								2.5"	120V	
PS43733	2.5" CYLINDER SYSTEM - SURFACE MOUNT PLATE WHITE FINISH	SURFACE MOUNT PLATE								2.5"	120V	
PS43734	2.5" CYLINDER SYSTEM - SURFACE MOUNT PLATE BLACK FINISH	SURFACE MOUNT PLATE								2.5"	120V	
PS43735	2.5" CYLINDER SYSTEM - SURFACE MOUNT MONOPOINT WHITE FINISH	SURFACE MOUNT MONOPOINT								2.5"	120V	
PS43736	2.5" CYLINDER SYSTEM - SURFACE MOUNT MONOPOINT BLACK FINISH	SURFACE MOUNT MONOPOINT								2.5"	120V	
PS43737	2.5" CYLINDER SYSTEM - SURFACE MOUNT 1' CABLE WHITE FINISH	SURFACE MOUNT CABLE								2.5"	120V	

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43738	2.5" CYLINDER SYSTEM - SURFACE MOUNT 1' CABLE BLACK FINISH	SURFACE MOUNT CABLE								2.5"	120V	
PS43739	2.5" CYLINDER SYSTEM - RECESSED MOUNT 1' CABLE WHITE FINISH	RECESSED MOUNT CABLE								2.5"	120V	
PS43740	2.5" CYLINDER SYSTEM - RECESSED MOUNT 1' CABLE BLACK FINISH	RECESSED MOUNT CABLE								2.5"	120V	
PS43741	2.5" CYLINDER SYSTEM - SNOOT WHITE FINISH	CYLINDER SNOOT								2.5"		
PS43742	2.5" CYLINDER SYSTEM - SNOOT BLACK FINISH	CYLINDER SNOOT								2.5"		
PS43743	2.5" CYLINDER SYSTEM - WALL WASHER SNOOT WHITE FINISH	WALL WASHER SNOOT								2.5"		
PS43744	2.5" CYLINDER SYSTEM - WALL WASHER SNOOT BLACK FINISH	WALL WASHER SNOOT								2.5"		
PS43745	2.5" CYLINDER SYSTEM - 2" EXTENDER WHITE FINISH	CYLINDER EXTENDER								2.5"		
PS43746	2.5" CYLINDER SYSTEM - 2" EXTENDER BLACK FINISH	CYLINDER EXTENDER								2.5"		
PS43747	2.5" CYLINDER SYSTEM - H-TRACK ADAPTER WHITE FINISH	H-TRACK ADAPTER								2.5"	120V	
PS43748	2.5" CYLINDER SYSTEM - H-TRACK ADAPTER BLACK FINISH	H-TRACK ADAPTER								2.5"	120V	
PS43749	2.5" CYLINDER SYSTEM - 15° LENS	FLOOD LENS								2.5"		
PS43750	2.5" CYLINDER SYSTEM - 60° LENS	FLOOD LENS								2.5"		
PS43751	2.5" CYLINDER SYSTEM - SURFACE MOUNT 8' CABLE WHITE FINISH	SURFACE MOUNT CABLE								8'	120V	
PS43752	2.5" CYLINDER SYSTEM - SURFACE MOUNT 8' CABLE BLACK FINISH	SURFACE MOUNT CABLE								8'	120V	
PS43753	2.5" CYLINDER SYSTEM - 45° ADJUSTABLE EXTENDER WHITE FINISH	ADJUSTABLE EXTENDER								2.5"	120V	
PS43754	2.5" CYLINDER SYSTEM - 45° ADJUSTABLE EXTENDER BLACK FINISH	ADJUSTABLE EXTENDER								2.5"	120V	
PS43755	2.5" CYLINDER SYSTEM - SURFACE MOUNT 6' SCREW-IN ADJUSTABLE STEM - WHITE FINISH	ADJUSTABLE STEM								6'	120V	
PS43756	2.5" CYLINDER SYSTEM - SURFACE MOUNT 6' SCREW-IN ADJUSTABLE STEM - BLACK FINISH	ADJUSTABLE STEM								6'	120V	
PS43757	2.5" CYLINDER SYSTEM - 8' ADJUSTABLE CABLE H-TRACK ADAPTER - WHITE FINISH	H-TRACK ADAPTER								8'	120V	24
PS43758	2.5" CYLINDER SYSTEM - 8' ADJUSTABLE CABLE H-TRACK ADAPTER - BLACK FINISH	H-TRACK ADAPTER								8'	120V	24
PS43760	2.5" CYLINDER SYSTEM - 1" SOLID CLEAR SNOOT	SNOOT								2.5"		100
PS43761	2.5" CYLINDER SYSTEM - 2" SOLID CLEAR SNOOT	SNOOT								2.5"		100
PS43762	2.5" CYLINDER SYSTEM - 2" BUBBLE GLASS SNOOT	SNOOT								2.5"		100
PS43763	2.5" CYLINDER SYSTEM - 2" SEEDED CLEAR SNOOT	SNOOT								2.5"		100
PS43764	2.5" CYLINDER SYSTEM - 1" HOUR GLASS CLEAR SNOOT	SNOOT								2.5"		100

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43765	2.5" CYLINDER SYSTEM - 2" HOUR GLASS CLEAR SNOOT	SNOOT								2.5"		100
PS43766	2.5" CYLINDER SYSTEM - 1" FROSTED SNOOT	SNOOT								2.5"		100
PS43767	2.5" CYLINDER SYSTEM - 2" FROSTED SNOOT	SNOOT								2.5"		100
PS43769	2.5" CYLINDER SYSTEM - 2" BRASS SNOOT	SNOOT								2.5"		100
PS43770	2.5" CYLINDER SYSTEM - SURFACE MOUNT 1' SCREW-IN STEM - WHITE FINISH	STEM								1'	120V	
PS43771	2.5" CYLINDER SYSTEM - SURFACE MOUNT 1' SCREW-IN STEM - BLACK FINISH	STEM								1'	120V	
PS43780	4.5" CYLINDER SYSTEM - 5 CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE - WHITE FINISH	CYLINDER	35	2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4.5"	120-277V	12
PS43781	4.5" CYLINDER SYSTEM - 5 CCT SELECTABLE DUAL DIMMING/UNIVERSAL VOLTAGE - BLACK FINISH	CYLINDER	35	2500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	DUAL DIMMING TRIAC/0-10V		4.5"	120-277V	12
PS43783	4.5" CYLINDER SYSTEM - TRIMLESS SURFACE MOUNT BRACKET	BRACKET								4.5"		72
PS43785	4.5" CYLINDER SYSTEM - SURFACE MOUNT 8' CABLE WHITE FINISH	SURFACE MOUNT CABLE								8'	120V	24
PS43786	4.5" CYLINDER SYSTEM - SURFACE MOUNT 8' CABLE BLACK FINISH	SURFACE MOUNT CABLE								8'	120V	24
PS43787	4.5" CYLINDER SYSTEM - SURFACE MOUNT 6' SCREW-IN ADJUSTABLE STEM - WHITE FINISH	ADJUSTABLE STEM								6'	120V	24
PS43788	4.5" CYLINDER SYSTEM - SURFACE MOUNT 6' SCREW-IN ADJUSTABLE STEM - BLACK FINISH	ADJUSTABLE STEM								6'	120V	24
PS43790	4.5" CYLINDER SYSTEM - TRIMLESS MOUNT WHITE FINISH	TRIMLESS MOUNT								4.5"	120V	24
PS43791	4.5" CYLINDER SYSTEM - TRIMLESS MOUNT BLACK FINISH	TRIMLESS MOUNT								4.5"	120V	24
PS43792	4.5" CYLINDER SYSTEM - RECESSED MOUNT 8' CABLE WHITE FINISH	RECESSED MOUNT								8'	120V	24
PS43793	4.5" CYLINDER SYSTEM - RECESSED MOUNT 8' CABLE BLACK FINISH	RECESSED MOUNT								8'	120V	24
PS43800	2' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BLACK FINISH	H-TYPE TRACK								2'		24
PS43801	2' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - WHITE FINISH	H-TYPE TRACK								2'		24
PS43802	2' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BRASS FINISH	H-TYPE TRACK								2'		24
PS43803	4' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BLACK FINISH	H-TYPE TRACK								4'		24
PS43804	4' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - WHITE FINISH	H-TYPE TRACK								4'		24
PS43805	4' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BRASS FINISH	H-TYPE TRACK								4'		24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43806	6' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BLACK FINISH	H-TYPE TRACK								6'		24
PS43807	6' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - WHITE FINISH	H-TYPE TRACK								6'		24
PS43808	6' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BRASS FINISH	H-TYPE TRACK								6'		24
PS43809	8' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BLACK FINISH	H-TYPE TRACK								8'		24
PS43810	8' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - WHITE FINISH	H-TYPE TRACK								8'		24
PS43811	8' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE TRACK - BRASS FINISH	H-TYPE TRACK								8'		24
PS43812	H-TRACK END CAP - BLACK FINISH	END CAP								L: 1.37" x W: 0.70' x D: 0.66"		24
PS43813	H-TRACK END CAP - WHITE FINISH	END CAP								L: 1.37" x W: 0.70' x D: 0.66"		24
PS43814	H-TRACK END CAP - BRASS FINISH	END CAP								L: 1.37" x W: 0.70' x D: 0.66"		24
PS43815	H-TRACK POWER END CONNECTOR - BLACK FINISH	CONNECTOR								L: 4.29" x W: 1.37" x H: 0.67"	120V	24
PS43816	H-TRACK POWER END CONNECTOR - WHITE FINISH	CONNECTOR								L: 4.29" x W: 1.37" x H: 0.67"	120V	24
PS43817	H-TRACK POWER END CONNECTOR - BRASS FINISH	CONNECTOR								L: 4.29" x W: 1.37" x H: 0.67"	120V	24
PS43818	H-TRACK LIVE END CONDUIT FITTER - BLACK FINISH	CONNECTOR								L: 5.69" x W: 1.37" x H: 1.30"	120V	24
PS43819	H-TRACK LIVE END CONDUIT FITTER - WHITE FINISH	CONNECTOR								L: 5.69" x W: 1.37" x H: 1.30"	120V	24
PS43821	H-TRACK FLEXIBLE CONNECTOR - BLACK FINISH	CONNECTOR								L: 11.65" x W: 1.37" x H: 0.67"		24
PS43822	H-TRACK FLEXIBLE CONNECTOR - WHITE FINISH	CONNECTOR								L: 11.65" x W: 1.37" x H: 0.67"		24
PS43824	H-TRACK ADJUSTABLE CONNECTOR - BLACK FINISH	CONNECTOR								L: 7.62" x W: 1.36" x H: 0.71"		24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43825	H-TRACK ADJUSTABLE CONNECTOR - WHITE FINISH	CONNECTOR								L: 7.62" x W: 1.36" x H: 0.71"		24
PS43827	H-TRACK FLOATING CANOPY - BLACK FINISH	FLOATING CANOPY								L: 4.23" x W: 4.21" x H: 1.34"	120V	24
PS43828	H-TRACK FLOATING CANOPY - WHITE FINISH	FLOATING CANOPY								L: 4.23" x W: 4.21" x H: 1.34"	120V	24
PS43829	H-TRACK FLOATING CANOPY - BRASS FINISH	FLOATING CANOPY								L: 4.23" x W: 4.21" x H: 1.34"	120V	24
PS43830	H-TRACK MINI STRAIGHT CONNECTOR - BLACK FINISH	CONNECTOR								L: 3.12" x W: 1.34" x H: 0.67"		24
PS43831	H-TRACK MINI STRAIGHT CONNECTOR - WHITE FINISH	CONNECTOR								L: 3.12" x W: 1.34" x H: 0.67"		24
PS43832	H-TRACK MINI STRAIGHT CONNECTOR - BRASS FINISH	CONNECTOR								L: 3.12" x W: 1.34" x H: 0.67"		24
PS43833	H-TRACK STRAIGHT CONNECTOR - BLACK FINISH	CONNECTOR								L: 7.24" x W: 1.37" x H: 0.67"		24
PS43834	H-TRACK STRAIGHT CONNECTOR - WHITE FINISH	CONNECTOR								L: 7.24" x W: 1.37" x H: 0.67"		24
PS43836	H-TRACK L CONNECTOR - BLACK FINISH	CONNECTOR								L: 4.29" x W: 4.29" x H: 0.67"		24
PS43837	H-TRACK L CONNECTOR - WHITE FINISH	CONNECTOR								L: 4.29" x W: 4.29" x H: 0.67"		24
PS43839	H-TRACK T CONNECTOR - BLACK FINISH	CONNECTOR								L: 7.24" x W: 4.29" x H: 0.67"		24
PS43840	H-TRACK T CONNECTOR - WHITE FINISH	CONNECTOR								L: 7.24" x W: 4.29" x H: 0.67"		24
PS43842	H-TRACK X CONNECTOR - BLACK FINISH	CONNECTOR								L: 7.24" x W: 7.24" x H: 0.67"		24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43843	H-TRACK X CONNECTOR - WHITE FINISH	CONNECTOR								L: 7.24" x W: 7.24" x H: 0.67"		24
PS43844	H-TRACK DEAD I-CONNECTOR - BLACK FINISH	CONNECTOR								L: 3.12" x W: 1.34" x H: 0.67"		
PS43845	H-TRACK DEAD I-CONNECTOR - WHITE FINISH	CONNECTOR								L: 3.12" x W: 1.34" x H: 0.67"		
PS43847	2' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE CURVED TRACK - BLACK FINISH	H-TYPE TRACK								2'		10
PS43848	2' SURFACE MOUNT H-TYPE SINGLE CIRCUIT 3-WIRE CURVED TRACK - WHITE FINISH	H-TYPE TRACK								2'		10
PS43849	H-TRACK 20' SUSPENSION KIT - WHITE FINISH	SUSPENSION KIT								20'		
PS43850	H-TRACK 20' SUSPENSION KIT - BLACK FINISH	SUSPENSION KIT								20'		
PS43851	H-TRACK MONOPOINT ADAPTER - BLACK FINISH	MONOPOINT ADAPTER							H-TRACK MONOPOINT ADAPTER	W: Ø4.72" x D: 0.98"	120V	
PS43852	H-TRACK MONOPOINT ADAPTER - WHITE FINISH	MONOPOINT ADAPTER							H-TRACK MONOPOINT ADAPTER	W: Ø4.72" x D: 0.98"	120V	
PS43870	2" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH	TRACKHEAD	10	700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2"	120V	24
PS43871	2" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH	TRACKHEAD	10	700	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2"	120V	24
PS43872	2.5" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH	TRACKHEAD	15	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2.5"	120V	24
PS43873	2.5" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH	TRACKHEAD	15	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2.5"	120V	24
PS43874	3" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH	TRACKHEAD	30	2100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	3"	120V	24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43875	3" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH	TRACKHEAD	30	2100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	3"	120V	24
PS43876	2.5" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE BRASS FINISH	TRACKHEAD	15	1050	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2.5"	120V	24
PS43877	3" ZOOMABLE H-TRACK HEAD - 5 CCT SELECTABLE BRASS FINISH	TRACKHEAD	30	2100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	3"	120V	24
PS43879	2" H-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH	TRACKHEAD	10	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2"	120V	24
PS43881	2" H-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH	TRACKHEAD	10	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2"	120V	24
PS43882	2" H-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH -SQUARE	TRACKHEAD	10	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2"	120V	24
PS43883	2" H-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH -SQUARE	TRACKHEAD	10	800	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2"	120V	24
PS43885	3" ZOOMABLE J-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH	TRACKHEAD	30	2100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	JUNO TRACK	3"	120V	24
PS43886	3" ZOOMABLE J-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH	TRACKHEAD	30	2100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	JUNO TRACK	3"	120V	24
PS43887	3" H-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH	TRACKHEAD	30	2300	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	3"	120V	24
PS43888	3" H-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH	TRACKHEAD	30	2300	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	3"	120V	24

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS43889	3" H-TRACK HEAD - 5 CCT & 3 WATTAGE SELECTABLE HIGH OUTPUT - BLACK FINISH	TRACKHEAD	30/40/50	2100/3100/4100	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	3"	120V	12
PS43890	2.5" H-TRACK HEAD - 5 CCT SELECTABLE WHITE FINISH	TRACKHEAD	20	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2.5"	120V	24
PS43891	2.5" H-TRACK HEAD - 5 CCT SELECTABLE BLACK FINISH	TRACKHEAD	20	1500	2700K/3000K/3500K/4000K/5000K	CCT SELECTABLE	90	TRIAC	HALO TRACK	2.5"	120V	24
PS44070	3W/FT 90CRI IP20 2700K	TAPE LIGHT	3		2700K	WARM WHITE	90			W: 8mm	24V	50 Rolls
PS44071	3W/FT 90CRI IP20 3000K	TAPE LIGHT	3		3000K	SOFT WHITE	90			W: 8mm	24V	50 Rolls
PS44072	3W/FT 90CRI IP20 3500K	TAPE LIGHT	3		3500K	NATURAL	90			W: 8mm	24V	50 Rolls
PS44073	3W/FT 90CRI IP20 4000K	TAPE LIGHT	3		4000K	COOL WHITE	90			W: 8mm	24V	50 Rolls
PS44074	3W/FT 90CRI IP20 5000K	TAPE LIGHT	3		5000K	BRIGHT WHITE	90			W: 8mm	24V	50 Rolls
PS44080	3W/FT 90CRI IP54 2700K	TAPE LIGHT	3		2700K	WARM WHITE	90			W: 8mm	24V	50 Rolls
PS44081	3W/FT 90CRI IP54 3000K	TAPE LIGHT	3		3000K	SOFT WHITE	90			W: 8mm	24V	50 Rolls
PS44082	3W/FT 90CRI IP54 3500K	TAPE LIGHT	3		3500K	NATURAL	90			W: 8mm	24V	50 Rolls
PS44083	3W/FT 90CRI IP54 4000K	TAPE LIGHT	3		4000K	COOL WHITE	90			W: 8mm	24V	50 Rolls
PS44084	3W/FT 90CRI IP54 5000K	TAPE LIGHT	3		5000K	BRIGHT WHITE	90			W: 8mm	24V	50 Rolls
PS44100	4W/FT 90 CRI 2700K	TAPE LIGHT	4		2700K	WARM WHITE	90			W: 8mm	24V	50 Rolls
PS44101	4W/FT 90 CRI 3000K	TAPE LIGHT	4		3000K	SOFT WHITE	90			W: 8mm	24V	50 Rolls
PS44102	4W/FT 90 CRI 3500K	TAPE LIGHT	4		3500K	NATURAL	90			W: 8mm	24V	50 Rolls
PS44103	4W/FT 90 CRI 4000K	TAPE LIGHT	4		4000K	COOL WHITE	90			W: 8mm	24V	50 Rolls
PS44104	4W/FT 90 CRI 5000K	TAPE LIGHT	4		5000K	BRIGHT WHITE	90			W: 8mm	24V	50 Rolls
PS44105	4W/FT 90 CRI 2700K 100' REEL	TAPE LIGHT	4		2700K	WARM WHITE	90			W: 8mm	24V	10 Rolls
PS44106	4W/FT 90 CRI 3000K 100' REEL	TAPE LIGHT	4		3000K	SOFT WHITE	90			W: 8mm	24V	10 Rolls
PS44107	4W/FT 90 CRI 3500K 100' REEL	TAPE LIGHT	4		3500K	NATURAL	90			W: 8mm	24V	10 Rolls
PS44108	4W/FT 90 CRI 4000K 100' REEL	TAPE LIGHT	4		4000K	COOL WHITE	90			W: 8mm	24V	10 Rolls

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS44109	4W/FT 90 CRI 5000K 100' REEL	TAPE LIGHT	4		5000K	BRIGHT WHITE	90			W: 8mm	24V	10 Rolls
PS44120	6W/FT 90CRI 2700K	TAPE LIGHT	6		2700K	WARM WHITE	90			W: 10mm	24V	50 Rolls
PS44121	6W/FT 90CRI 3000K	TAPE LIGHT	6		3000K	SOFT WHITE	90			W: 10mm	24V	50 Rolls
PS44122	6W/FT 90CRI 3500K	TAPE LIGHT	6		3500K	NATURAL	90			W: 10mm	24V	50 Rolls
PS44123	6W/FT 90CRI 4000K	TAPE LIGHT	6		4000K	COOL WHITE	90			W: 10mm	24V	50 Rolls
PS44124	6W/FT 90CRI 5000K	TAPE LIGHT	6		5000K	BRIGHT WHITE	90			W: 10mm	24V	50 Rolls
PS44200	4W/FT 90CRI IP54 2700K	TAPE LIGHT	4		2700K	WARM WHITE	90			W: 8mm	24V	50 Rolls
PS44201	4W/FT 90CRI IP54 3000K	TAPE LIGHT	4		3000K	SOFT WHITE	90			W: 8mm	24V	50 Rolls
PS44202	4W/FT 90CRI IP54 3500K	TAPE LIGHT	4		3500K	NATURAL	90			W: 8mm	24V	50 Rolls
PS44203	4W/FT 90CRI IP54 4000K	TAPE LIGHT	4		4000K	COOL WHITE	90			W: 8mm	24V	50 Rolls
PS44204	4W/FT 90CRI IP54 5000K	TAPE LIGHT	4		5000K	BRIGHT WHITE	90			W: 8mm	24V	50 Rolls
PS44208	4W/FT 90CRI IP20 1800~3000K DIM TO WARM	TAPE LIGHT	4			1800~3000K DIM TO WARM	90			W: 10mm	24V	50 Rolls
PS44300	6W/FT 94CRI 2700K	TAPE LIGHT	6		2700K	WARM WHITE	94			W: 10mm	24V	50 Rolls
PS44301	6W/FT 94CRI 3000K	TAPE LIGHT	6		3000K	SOFT WHITE	94			W: 10mm	24V	50 Rolls
PS44302	6W/FT 94CRI 3500K	TAPE LIGHT	6		3500K	NATURAL	94			W: 10mm	24V	50 Rolls
PS44303	6W/FT 94CRI 4000K	TAPE LIGHT	6		4000K	COOL WHITE	94			W: 10mm	24V	50 Rolls
PS44304	6W/FT 94CRI 5000K	TAPE LIGHT	6		5000K	BRIGHT WHITE	94			W: 10mm	24V	50 Rolls
PS44400	6W/FT 90CRI IP54 2700K	TAPE LIGHT	6		2700K	WARM WHITE	90			W: 10mm	24V	50 Rolls
PS44401	6W/FT 90CRI IP54 3000K	TAPE LIGHT	6		3000K	SOFT WHITE	90			W: 10mm	24V	50 Rolls
PS44402	6W/FT 90CRI IP54 3500K	TAPE LIGHT	6		3500K	NATURAL	90			W: 10mm	24V	50 Rolls
PS44403	6W/FT 90CRI IP54 4000K	TAPE LIGHT	6		4000K	COOL WHITE	90			W: 10mm	24V	50 Rolls
PS44404	6W/FT 90CRI IP54 5000K	TAPE LIGHT	6		5000K	BRIGHT WHITE	90			W: 10mm	24V	50 Rolls
PS44500	7W/FT 80CRI 2700K	TAPE LIGHT	7		2700K	WARM WHITE	80			W: 10mm	24V	50 Rolls
PS44501	7W/FT 80CRI 3000K	TAPE LIGHT	7		3000K	SOFT WHITE	80			W: 10mm	24V	50 Rolls
PS44502	7W/FT 80CRI 3500K	TAPE LIGHT	7		3500K	NATURAL	80			W: 10mm	24V	50 Rolls
PS44503	7W/FT 80CRI 4000K	TAPE LIGHT	7		4000K	COOL WHITE	80			W: 10mm	24V	50 Rolls

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS44504	7W/FT 80CRI 5000K	TAPE LIGHT	7		5000K	BRIGHT WHITE	80			W: 10mm	24V	50 Rolls
PS44600	7W/FT 80CRI IP54 2700K	TAPE LIGHT	7		2700K	WARM WHITE	80			W: 10mm	24V	50 Rolls
PS44601	7W/FT 80CRI IP54 3000K	TAPE LIGHT	7		3000K	SOFT WHITE	80			W: 10mm	24V	50 Rolls
PS44602	7W/FT 80CRI IP54 3500K	TAPE LIGHT	7		3500K	NATURAL	80			W: 10mm	24V	50 Rolls
PS44603	7W/FT 80CRI IP54 4000K	TAPE LIGHT	7		4000K	COOL WHITE	80			W: 10mm	24V	50 Rolls
PS44604	7W/FT 80CRI IP54 5000K	TAPE LIGHT	7		5000K	BRIGHT WHITE	80			W: 10mm	24V	50 Rolls
PS44700	TAPE TO TAPE CONNECTOR	TAPE LIGHT								W: 8mm		250 pcs
PS44701	TAPE TO CABLE CONNECTOR	TAPE LIGHT								L: 15cm x W: 8mm		100 pcs
PS44703	TAPE TO CABLE TO TAPE CONNECTOR	TAPE LIGHT								W: 8mm		125 pcs
PS44705	TAPE TO TAPE CONNECTOR	TAPE LIGHT								W: 10mm		150 pcs
PS44707	TAPE TO CABLE CONNECTOR	TAPE LIGHT								L: 15cm x W: 8mm		100 pcs
PS44709	TAPE TO CABLE TO TAPE CONNECTOR	TAPE LIGHT								L: 15cm x W: 10mm		100 pcs
PS44710	COB 8MM TAPE TO TAPE CONNECTOR	TAPE CONNECTOR								8mm		250
PS44711	COB 8MM TAPE TO CABLE CONNECTOR	TAPE CONNECTOR								8mm		100
PS44712	COB 8MM TAPE TO CABLE TO TAPE CONNECTOR	TAPE CONNECTOR								8mm		125
PS44713	COB 10MM TAPE TO TAPE CONNECTOR	TAPE CONNECTOR								10mm		250
PS44714	COB 10MM TAPE TO CABLE CONNECTOR	TAPE CONNECTOR								10mm		100
PS44715	COB 10MM TAPE TO CABLE TO TAPE CONNECTOR	TAPE CONNECTOR								10mm		100
PS44800	TAPE TO TAPE CONNECTOR	TAPE LIGHT								W: 8/10mm		150 pcs
PS44801	CCT TAPE TO TAPE CONNECTOR	TAPE CONNECTOR								W: 10mm		
PS44802	CCT TAPE TO CABLE CONNECTOR	TAPE CONNECTOR								15cm		
PS44803	TAPE TO TAPE L- CONNECTOR	TAPE LIGHT								W: 8/10mm		125 pcs
PS44805	TAPE TO CABLE CONNECTOR	TAPE LIGHT								W: 8/10mm		75 pcs
PS44807	TAPE TO CABLE TO TAPE CONNECTOR	TAPE LIGHT								L: 20cm x W: 8/10mm		75 pcs
PS44808	RGBWW 6 PIN TAPE TO TAPE CONNECTOR	TAPE CONNECTOR								W: 12mm		125 pcs
PS44809	RGBWW 6 PIN TAPE TO CABLE CONNECTOR	TAPE CONNECTOR								W: 12mm		125 pcs

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS44810	RGBWW 6 PIN TAPE TO CABLE TO TAPE CONNECTOR	TAPE CONNECTOR								W: 12mm		125 pcs
PS44900	7W/FT 90CRI RGBWW	TAPE LIGHT	7		RGB+W W 2700-6500K		90			W: 12mm	24V	50 Rolls
PS44903	6W/FT 97CRI IP20 2700~5000K CCT TUNABLE	TAPE LIGHT	6		2700K-5000K	2700~5000K CCT TUNABLE	97			W: 10mm	24V	50 Rolls
PS44905	7W/FT 90CRI IP20 2700~5000K CCT TUNABLE	TAPE LIGHT	7		2700K-5000K	2700~5000K CCT TUNABLE	90			W: 10mm	24V	50 Rolls
PS44910	4.5W/FT 90CRI IP20 2700K CONSTANT CURRENT TAPE	TAPE LIGHT	4.5		2700K	2700K	90			W: 10mm	24V	25 Rolls
PS44911	4.5W/FT 90CRI IP20 3000K CONSTANT CURRENT TAPE	TAPE LIGHT	4.5		3000K	SOFT WHITE	90			W: 10mm	24V	25 Rolls
PS44912	4.5W/FT 90CRI IP20 3500K CONSTANT CURRENT TAPE	TAPE LIGHT	4.5		3500K	NATURAL	90			W: 10mm	24V	25 Rolls
PS44913	4.5W/FT 90CRI IP20 4000K CONSTANT CURRENT TAPE	TAPE LIGHT	4.5		4000K	COOL WHITE	90			W: 10mm	24V	25 Rolls
PS44914	4.5W/FT 90CRI IP20 5000K CONSTANT CURRENT TAPE	TAPE LIGHT	4.5		5000K	BRIGHT WHITE	90			W: 10mm	24V	25 Rolls
PS44920	LONG RUN COB 3W/FT 90CRI 2700K 49.2' REEL	LONG RUN COB TAPE LIGHT	3		2700K	WARM WHITE	90			10mm	24V	25 rolls
PS44921	LONG RUN COB 3W/FT 90CRI 3000K 49.2' REEL	LONG RUN COB TAPE LIGHT	3		3000K	SOFT WHITE	90			10mm	24V	25 rolls
PS44922	LONG RUN COB 3W/FT 90CRI 3500K 49.2' REEL	LONG RUN COB TAPE LIGHT	3		3500K	NATURAL	90			10mm	24V	25 rolls
PS44923	LONG RUN COB 3W/FT 90CRI 4000K 49.2' REEL	LONG RUN COB TAPE LIGHT	3		4000K	COOL WHITE	90			10mm	24V	25 rolls
PS44924	LONG RUN COB 3W/FT 90CRI 5000K 49.2' REEL	LONG RUN COB TAPE LIGHT	3		5000K	BRIGHT WHITE	90			10mm	24V	25 rolls
PS44930	LONG RUN COB 3W/FT 90CRI 2700K 49.2' REEL - WATERPROOF	LONG RUN COB TAPE LIGHT - WATERPROOF	3		2700K	WARM WHITE	90			10mm	24V	25 rolls
PS44931	LONG RUN COB 3W/FT 90CRI 3000K 49.2' REEL - WATERPROOF	LONG RUN COB TAPE LIGHT - WATERPROOF	3		3000K	SOFT WHITE	90			10mm	24V	25 rolls
PS44932	LONG RUN COB 3W/FT 90CRI 3500K 49.2' REEL - WATERPROOF	LONG RUN COB TAPE LIGHT - WATERPROOF	3		3500K	NATURAL	90			10mm	24V	25 rolls
PS44933	LONG RUN COB 3W/FT 90CRI 4000K 49.2' REEL - WATERPROOF	LONG RUN COB TAPE LIGHT - WATERPROOF	3		4000K	COOL WHITE	90			10mm	24V	25 rolls
PS44934	LONG RUN COB 3W/FT 90CRI 5000K 49.2' REEL - WATERPROOF	LONG RUN COB TAPE LIGHT - WATERPROOF	3		5000K	BRIGHT WHITE	90			10mm	24V	25 rolls
PS44936	LONG RUN COB TAPE LIGHT - WATERPROOF TAPE TO CABLE CONNECTOR	COB TAPE LIGHT - WATERPROOF CONNECTOR								W: 12mm		
PS44937	LONG RUN COB TAPE LIGHT - WATERPROOF TAPE TO CABLE TO TAPE CONNECTOR	COB TAPE LIGHT - WATERPROOF CONNECTOR								W: 12mm		
PS44938	LONG RUN COB TAPE LIGHT - WATERPROOF END CAP	COB TAPE LIGHT - WATERPROOF CAP								W: 12mm		
PS44960	CCT TUNABLE WHITE 1X2 MATRIX LIGHT SHEET	LIGHT SHEET	24		CCT TUNABLE WHITE 2700-6500K	CCT TUNABLE WHITE 2700~6500K	90			1X2	24V	
PS44990	FREE-CUT COB 3W/FT 90CRI IP20 2700K	COB TAPE LIGHT	3		2700K	WARM WHITE	90			W: 10mm	24V	50

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS44991	FREE-CUT COB 3W/FT 90CRI IP20 3000K	COB TAPE LIGHT	3		3000K	SOFT WHITE	90			W: 10mm	24V	50
PS44992	FREE-CUT COB 3W/FT 90CRI IP20 3500K	COB TAPE LIGHT	3		3500K	NATURAL	90			W: 10mm	24V	50
PS44993	FREE-CUT COB 3W/FT 90CRI IP20 4000K	COB TAPE LIGHT	3		4000K	COOL WHITE	90			W: 10mm	24V	50
PS44994	FREE-CUT COB 3W/FT 90CRI IP20 5000K	COB TAPE LIGHT	3		5000K	BRIGHT WHITE	90			W: 10mm	24V	50
PS45100	COB 3W/FT 90CRI IP20 2700K	COB TAPE LIGHT	3		2700K	WARM WHITE	90			W: 8mm	24V	50 Rolls
PS45101	COB 3W/FT 90CRI IP20 3000K	COB TAPE LIGHT	3		3000K	SOFT WHITE	90			W: 8mm	24V	50 Rolls
PS45102	COB 3W/FT 90CRI IP20 3500K	COB TAPE LIGHT	3		3500K	NATURAL	90			W: 8mm	24V	50 Rolls
PS45103	COB 3W/FT 90CRI IP20 4000K	COB TAPE LIGHT	3		4000K	COOL WHITE	90			W: 8MM	24V	50 Rolls
PS45104	COB 3W/FT 90CRI IP20 5000K	COB TAPE LIGHT	3		5000K	BRIGHT WHITE	90			W: 8mm	24V	50 Rolls
PS45110	COB 1.5W/FT 90CRI IP20 2700K	COB TAPE LIGHT	1.5		2700K	WARM WHITE	90			L: 100ft x W: 8mm	24V	50 Rolls
PS45111	COB 1.5W/FT 90CRI IP20 3000K	COB TAPE LIGHT	1.5		3000K	SOFT WHITE	90			L: 100ft x W: 8mm	24V	50 Rolls
PS45112	COB 1.5W/FT 90CRI IP20 3500K	COB TAPE LIGHT	1.5		3500K	NATURAL	90			L: 100ft x W: 8mm	24V	50 Rolls
PS45113	COB 1.5W/FT 90CRI IP20 4000K	COB TAPE LIGHT	1.5		4000K	COOL WHITE	90			L: 100ft x W: 8mm	24V	50 Rolls
PS45114	COB 1.5W/FT 90CRI IP20 5000K	COB TAPE LIGHT	1.5		5000K	BRIGHT WHITE	90			L: 100ft x W: 8mm	24V	50 Rolls
PS45120	COB 4W/FT 90CRI IP20 2700K	COB TAPE LIGHT	4		2700K	WARM WHITE	90			W: 10mm	24V	50 Rolls
PS45121	COB 4W/FT 90CRI IP20 3000K	COB TAPE LIGHT	4		3000K	SOFT WHITE	90			W: 10mm	24V	50 Rolls
PS45122	COB 4W/FT 90CRI IP20 3500K	COB TAPE LIGHT	4		3500K	NATURAL	90			W: 10mm	24V	50 Rolls
PS45123	COB 4W/FT 90CRI IP20 4000K	COB TAPE LIGHT	4		4000K	COOL WHITE	90			W: 10mm	24V	50 Rolls
PS45124	COB 4W/FT 90CRI IP20 5000K	COB TAPE LIGHT	4		5000K	BRIGHT WHITE	90			W: 10mm	24V	50 Rolls
PS45125	COB 4W/FT 90CRI IP20 2200~3000K DIM TO WARM	COB TAPE LIGHT	4		2200K-3 30K	2200~3000K DIM TO WARM	90			W: 10mm	24V	50 Rolls
PS45126	COB 4W/FT 90CRI IP20 2700~5000K CCT TUNABLE	COB TAPE LIGHT	4		2700K-5 000K	2700~5000K CCT TUNABLE	90			W: 10mm	24V	50 Rolls
PS45132	COB 8MM 90CRI IP20 3000K "L" CONNECTOR	COB TAPE L CONNECTOR			3000K	3000K	90			8mm	24V	100
PS45133	COB 8MM 90CRI IP20 3000K "T" CONNECTOR	COB TAPE T CONNECTOR			3000K	3000K	90			8mm	24V	100
PS45134	COB 8MM 90CRI IP20 3500K "L" CONNECTOR	COB TAPE L CONNECTOR			3500K	NATURAL	90			8mm	24V	100
PS45135	COB 8MM 90CRI IP20 3500K "T" CONNECTOR	COB TAPE T CONNECTOR			3500K	3000K	90			8mm	24V	100
PS45136	COB 8MM 90CRI IP20 4000K "L" CONNECTOR	COB TAPE L CONNECTOR			4000K	4000K	90			8mm	24V	100
PS45137	COB 8MM 90CRI IP20 4000K "T" CONNECTOR	COB TAPE T CONNECTOR			4000K	4000K	90			8mm	24V	100

Item #	Product	Type	Watts	Lumens	CCT	Color	CRI	Dimming	Base	Size	Voltage	Case
PS45142	COB 10MM 90CRI IP20 3000K "L" CONNECTOR	COB TAPE L CONNECTOR			3000K	3000K	90			10mm	24V	100
PS45143	COB 10MM 90CRI IP20 3000K "T" CONNECTOR	COB TAPE T CONNECTOR			3000K	3000K	90			10mm	24V	100
PS45144	COB 10MM 90CRI IP20 3500K "L" CONNECTOR	COB TAPE L CONNECTOR			3500K	3500K	90			10mm	24V	100
PS45145	COB 10MM 90CRI IP20 3500K "T" CONNECTOR	COB TAPE T CONNECTOR			3500K	3500K	90			10mm	24V	100
PS45146	COB 10MM 90CRI IP20 4000K "L" CONNECTOR	COB TAPE L CONNECTOR			4000K	4000K	90			10mm	24V	100
PS45147	COB 10MM 90CRI IP20 4000K "T" CONNECTOR	COB TAPE T CONNECTOR			4000K	4000K	90			10mm	24V	100
PS45150	COB 1.5W/FT 90CRI IP20 2700K 100' REEL	COB TAPE LIGHT	1.5		2700K	WARM WHITE	90			10mm	24V	10 Rolls
PS45151	COB 1.5W/FT 90CRI IP20 3000K 100' REEL	COB TAPE LIGHT	1.5		3000K	SOFT WHITE	90			10mm	24V	10 Rolls
PS45152	COB 1.5W/FT 90CRI IP20 3500K 100' REEL	COB TAPE LIGHT	1.5		3500K	NATURAL	90			10mm	24V	10 Rolls
PS45153	COB 1.5W/FT 90CRI IP20 4000K 100' REEL	COB TAPE LIGHT	1.5		4000K	COOL WHITE	90			10mm	24V	10 Rolls
PS45154	COB 1.5W/FT 90CRI IP20 5000K 100' REEL	COB TAPE LIGHT	1.5		5000K	BRIGHT WHITE	90			10mm	24V	10 Rolls
PS45160	COB 4W/FT 90CRI IP20 2700K 100' REEL	COB TAPE LIGHT	4		2700K	WARM WHITE	90			10mm	24V	10 Rolls
PS45161	COB 4W/FT 90CRI IP20 3000K 100' REEL	COB TAPE LIGHT	4		3000K	SOFT WHITE	90			10mm	24V	10 Rolls
PS45162	COB 4W/FT 90CRI IP20 3500K 100' REEL	COB TAPE LIGHT	4		3500K	NATURAL	90			10mm	24V	10 Rolls
PS45163	COB 4W/FT 90CRI IP20 4000K 100' REEL	COB TAPE LIGHT	4		4000K	COOL WHITE	90			10mm	24V	10 Rolls
PS45164	COB 4W/FT 90CRI IP20 5000K 100' REEL	COB TAPE LIGHT	4		5000K	BRIGHT WHITE	90			10mm	24V	10 Rolls